


Installation Instruction

SKU:N606P469481/N606P469482/N606P469483



Our product will be delivered to you in 3 packages. The delivery times of these 3 packages may differ, please be patient and thank you for your understanding.

**UK
CA**



English

IMPORTANT ! KEEP FOR FUTURE REFERENCE : READ CAREFULLY

- To be assembled by an adult. Assembly must be checked by an adult before use
- WARNING ! Keep all screws, small parts and plastic bags out of the reach of children
- Properly identify all parts before assembling
- Never use your item if any of its parts are broken or missing
- Should any problems arise, please contact our After Sales Service
- Manufacturer's instructions shall be followed at all times
- Care: Clean with a soft, dry cloth. In case of larger stains, carefully rub with a slightly damp, non-abrasive sponge
- Avoid the risk of fire by not placing furniture near sources of ignition or hot items
- Do not jump on the bed

Deutsch

WICHTIG ! ZUM SPÄTEREN NACHSCHLAGEN AUFBEWAHREN: SORGFÄLTIG LESEN

- Muss von einem Erwachsenen zusammengebaut werden. Der Zusammenbau muss vor dem Gebrauch von einem Erwachsenen überprüft werden
- WARNUNG! Bewahren Sie alle Schrauben, Kleinteile und Plastikbeutel außerhalb der Reichweite von Kindern auf
- Kennzeichnen Sie vor dem Zusammenbau alle Teile richtig
- Benutzen Sie Ihren Artikel niemals, wenn Teile gebrochen sind oder fehlen
- Sollten Probleme auftreten, wenden Sie sich bitte an unseren Kundendienst
- Die Anweisungen des Herstellers sind stets zu befolgen
- Pflege: Mit einem weichen, trockenen Tuch reinigen. Bei größeren Flecken vorsichtig mit einem leicht feuchten, nicht scheuernden Schwamm abreiben. nicht scheuernden Schwamm
- Vermeiden Sie die Gefahr eines Brandes, indem Sie die Möbel nicht in der Nähe von Zündquellen oder heißen Gegenständen aufstellen
- Nicht auf das Bett springen

Français

IMPORTANT ! CONSERVER POUR RÉFÉRENCE ULTÉRIEURE : LIRE ATTENTIVEMENT

- Le montage doit être effectué par un adulte. Le montage doit être vérifié par un adulte avant Utilisation
- ATTENTION ! Tenir les vis, les petites pièces et les sachets en plastique hors de portée des enfants
- Identifiez correctement toutes les pièces avant de les assembler
- N'utilisez jamais votre article si l'une de ses pièces est cassée ou manquante
- En cas de problème, veuillez contacter notre service après-vente
- Les instructions du fabricant doivent être respectées à tout moment
- Entretien : nettoyer avec un chiffon doux et sec. En cas de taches plus importantes, frotter soigneusement avec une éponge non abrasive légèrement humide. légèrement humide et non Abrasive
- Évitez les risques d'incendie en ne plaçant pas les meubles à proximité de sources d'inflammation ou d'objets chauds
- Ne pas sauter sur le lit

Italiano


IMPORTANTE PER I LETTI CON SOLLEVAMENTO A GAS E LA MANUTENZIONE

- Posizionare il materasso sopra la struttura del letto.
- Non tirare le maniglie della cinghia.
- Premere con forza per rilasciare il gas compresso.
- Controllare periodicamente tutte le viti e i fissaggi per assicurarsi che siano saldi.
- Quando si sposta il prodotto, sollevarlo con cautela.
- Pulire con un panno leggermente umido, senza usare prodotti chimici abrasivi o candeggina.
- NON permettere ai bambini di azionare il meccanismo di sollevamento.
- NON permettere ai bambini di avvicinarsi alla base di sollevamento quando si aziona il meccanismo.
- NON sostare all'interno del letto o della base di contenimento interna.
- NON sovraccaricare la base di contenimento interna.
- NON saltare sul prodotto o sulle sue parti.


Español

IMPORTANTE PARA LAS CAMAS ELEVADORAS DE GAS&MANTENIMIENTO

- Coloque el colchón sobre el somier.
- No tire de las asas de la correa.
- Presione con fuerza para liberar el gas comprimido.
- Compruebe periódicamente que todos los tornillos y fijaciones estén bien sujetos.
- Al mover el producto, levántelo con cuidado para colocarlo en su sitio.
- Limpie con un paño ligeramente humedecido; no utilice productos químicos abrasivos ni lejía.
- NO permita que los niños accionen el mecanismo de elevación.
- NO permita que los niños se acerquen a la base elevadora cuando accionen el mecanismo.
- NO se ponga de pie dentro de la cama o de la base de almacenamiento interna.
- NO sobrecargue el somier.
- NO salte sobre el producto ni sobre ninguna de sus piezas.









Detail View








Part List







N606P469481

②x1 	③x1 	⑤x1 	⑥x1 
Side headboard	Side headboard	Back board	Back board
⑦x1 	⑨Lx1 	⑨Rx1 	⑭x2 
Side section	Gas lift	Gas lift	Shelf sideboard
⑮x1 	⑰Lx1 	⑰Rx1 	⑳x2 
Shelf middle board	Shelf sideboard	Shelf sideboard	Shelf middle board
⑳x1 	㉗x2 	㉙x1 	
Shelf middle board	Iron Foot	Black non-woven fabric	

N606P469482









①x1 	⑧x1 	⑩x1 	⑪x1 
Head board	Foot board	Cross bar	Cross bar
⑫x1 	⑬x1 	⑯x1 	㉔x2 
Shelf back board	Shelf top board	Shelf bottom board	Metal frame crossbar
㉘x12 			
Slats			

N606P469483

④x1 	⑰x1 	⑱x1 	㉑x1 
Side rail	Shelf back board	Shelf top board	Shelf middle board
㉓x1 	㉕x2 	㉖x1 	
Shelf bottom board	metal frame side bar	Iron Support Rod	

Hardware list

N606P469481

Ax1 	Bx72  M8x12mm	Cx8  M8x30mm	Dx10  M8x45mm
Allen Key	Bolts	Bolts	Bolts
Ex6 	Fx4 	Gx36 	Hx36 
Nuts	Nuts	Drawer fittings	Drawer fittings
Ix1 	Jx1 	Kx1 	Lx14 
Spanner	"7" connector	Iron plate with four holes	Small "7" hinge
Mx2 	Nx2 	Ox24 	Px1 
"7"-shaped iron with three holes	Triangular connector	Slat end cap	Pull tape
Qx1 	Rx3  M3x16mm	Sx1 	Tx1 
USB	Nails	LED-1.4	LED-1.8
Ux1 	Vx1 	Wx1 	Xx1 
Color controller	Remote control	Power adapter	Power line
Yx2 	Zx22 		
L-Shaped Iron Plate	furniture masking tape		

DE: Vor dem Einbau die Schrauben in die Löcher stecken und festziehen, aber nicht bis 100%, 70% bis 80% anziehen reicht aus. Schließlich, nachdem alle Schrauben installiert sind, ziehen Sie alle Schrauben auf 100%.

Wenn Sie auf diese Probleme stoßen, wie z. B. Fehlausrichtung der Löcher oder Unfähigkeit, bestimmte Teile zu installieren, überprüfen Sie bitte, ob die Schrauben korrekt verwendet werden und passen Sie die Dichtigkeit der Schrauben an.

UK: Before installation, insert the screws into the holes and tighten them, but do not tighten them to 100%, 70% to 80% is sufficient. Finally, after all screws are installed, tighten all screws to 100%.

If you encounter these issues, such as if the holes cannot be aligned or some parts cannot be installed, please check if the screws are used correctly and adjust the tightness of the screws.


FR: Insérer la vis dans le trou avant la fin de l'assemblage, serrer la vis, mais ne pas serrer à 100%, 70% ~ 80% est correct. Enfin, une fois que toutes les vis sont bien serrées, toutes les vis sont serrées à 100%.

Si vous rencontrez ces problèmes, par exemple si les trous ne sont pas alignés ou si certaines pièces ne peuvent pas être montées, vérifiez que les vis sont utilisées correctement et Ajustez leur serrage.

Attention: Do not tighten the screws before completing the entire installation. If you have any difficulty with the installation process, please feel free to contact us.

Step 1:


Fix Head board ① to Side headboard ② and Side headboard ③ with Bolts B and Small "7" hinge L by using Allen key A.



A Allen Key	B Bolts x 8 M8x12mm	L Small "7" hinge x 4
		

Step 2:


Fix The USB Q to Shelf bottom board ⑫ with Nails R by using Allen key A.



A Allen Key	Q USB x 1	R Nails x 3
		


Step3:

Fix The Drawer fittings G to Shelf bottom board (16) and Shelf top board (13) by using Allen key A.




Step4:

Fix the Shelf sideboard (14) and Shelf middle board (15) to Shelf bottom board (16) with Drawer fittings H by using Allen key A.




Step5:

Put the Shelf back board (12) to Shelf sideboard (14) and Shelf bottom board (16).



Step6:

Fix Shelf top board (13) to Shelf sideboard (14) and Shelf middle board (15) with Drawer fittings H by using Allen key A.




A Allen Key

H Nails x 6




Step7:

Fix Shelf sideboard ⑭ to Side headboard ② and Side headboard ③ with Bolts C by using Allen key A.




Step8:

Fix Shelf bottom board ⑮ to Head board ① with with Bolts B and Small "7" hinge L by using Allen key A.



Step9:

Stick the LED strip light S onto Shelf top board 13.




S LED-1.4



Step10:


Fix the Small "7" hinge L to Back board 5 and Back board 6 with Bolts B by using Allen key A.
Fix Back board 5 to Back board 6 with Bolts B and "7" connector J by using Allen key A.



A Allen Key	B Bolts x 8 M8x12mm	L Small "7" hinge x 6	J "7" connector x 1


Step11:

Fix Back board ⑤ and Back board ⑥ to Side section ⑦ and Side headboard ③ with Bolts B and Small "7" hinge L by using Allen key A.




Step12:

Fix The Drawer fittings G to Shelf top board ⑱、Shelf sideboard ⑲、Shelf middle board ㉑ and Shelf bottom board ㉓ by using Allen key A.




Step13:

Fix Shelf sideboard ①⑨ , Shelf middle board ②① and Shelf middle board ②② to Shelf middle board ②① with Drawer fittings H by using Allen key A.




Step14:

Fix Shelf sideboard ①⑨ and Shelf middle board ②② to Shelf bottom board ②③ with Drawer fittings H by using Allen key A.




Step15:

Put Shelf back board ⑰ to Shelf sideboard ⑲ and Shelf bottom board ⑳.



Step16:

Fix Shelf top board ⑱ to Shelf sideboard ⑲ and Shelf middle board ⑳ with Drawer fittings H by using Allen key A.



A Allen Key




H Nails x 8



Step17:

Stick the LED strip light T onto Shelf top board (18).




T LED-1.8



Step18:

Fix Shelf sideboard (19) to Side section (7) and Side headboard (3) with Bolts C by using Allen key A.



A Allen Key




C Bolts x 4




Step19:

Fix Shelf bottom board ②③ to Back board ⑤ and Back board ⑥ with Bolts B by using Allen key A.




Step20:

Fix Side rail ④ to Side headboard ② with Bolts B and Iron plate with four holes K by using Allen key A.



Step21:

Fix Foot board (8) to Side section (7) and Side rail (4) with Bolts B and Small "7" hinge L and Triangular connector N by using Allen key A.



A Allen Key



B Bolts x 12



L Small "7" hinge
x 2




N Triangular
connector x 2



Step22:

Fix the "7"-shaped iron with three holes M to Side headboard (3) and Back board (5) with Bolts B by using Allen key A. Fix the "7"-shaped iron with three holes M to Side headboard (2) and Side rail (4) with Bolts B by using Allen key A.



A Allen Key



B Bolts x 4




M "7"-shaped iron
with three holes x 2



Step23:

Fix Cross bar ⑩ to the "7"-shaped iron with three holes M and Bolts B by using Allen key A.



A Allen Key




B Bolts x 2



M8x12mm

Step24:

Fix Cross bar ⑪ to Side rail ④、Back board ⑤ and Back board ⑥ with Bolts B by using Allen key A.



A Allen Key



B Bolts x 4




M8x12mm

Step25:

Fix Gas lift ⑨L to Side rail ④ with Bolts B by using Allen key A.


Fix Gas lift ⑨R to Back board ⑤ with Bolts B by using Allen key A.

Fix the Nuts F to Gas lift ⑨ by using Spanner I.




Step26:

Stick Black non-woven fabric ⑳ to the bottom of the bed.




Step27:

Fix the Metal frame crossbar ②④ to metal frame side bar ②⑤ with Bolts B by using Allen key A.
Fix the L-Shaped Iron Plate Y to Metal frame crossbar ②④ with Bolts B by using Allen key A.




Step28:

Fix Iron Foot ②⑦ to Iron Support Rod ②⑥ with Bolts D by using Allen key A.



Step29:


Fix Iron Support Rod 26 to L-Shaped Iron Plate Y with Bolts D by using Allen key A.



A Allen Key	D Bolts x 2
	 M8x45mm

Step30:


Assemble the slats 28 into the assembled slats frame with Slat end cap O.



O Slat end cap x24



Step31:

Assemble the slats frame to the Gas lift ⑨ with Bolts D and Nuts E,put the Pull tape P in the end of the slat frame





Step32:

At first,connect the LED S and T to the Color controller U .
At second,connect the Color controller U and usb Q to the Power line X.
At third,connect the Power line X to the Power adapter W,then connect the power .



Step33:

Stick furniture masking tape Z on the screw hole positions of the light box and the storage box.





Z furniture masking
tape x22



Step34:

Every thing is finished now,please enjoy your bed.






NOTICE:

You can scan the QR code here and down load an app that can control the color of the light strip like a remote control.

When your phone plays music through the app, the color of the light strip will also change according to the strength of the music.




NOTICE:

When you use the remote control board to control the color of the light, Please remove the clear plastic card first.

LED Bluetooth controller Features

Caractéristiques du contrôleur Bluetooth LED

LED Bluetooth Controller Eigenschaften



NOTICE:

Please scan the QR code to download the APP to control the color of the light strip.
Please refer to the following instructions for details.

Bitte scannen Sie den QR-Code, um die APP herunterzuladen, um die Farbe des Einzelheiten entnehmen Sie bitte der folgenden Anleitung.

Veuillez scanner le code QR pour télécharger l'application pour contrôler la couleur de la bande lumineuse.

Veuillez consulter les instructions ci-dessous pour plus de détails.

Click to show the lamp list

Cliquez pour afficher la liste des lumières
Klicken Sie, um die Liste der Lichter anzuzeigen

Switch the color wheel


Basculer la roue des couleurs
Farbrad wechseln

Display the RGB value Click to manual
Afficher les valeurs RVB Cliquez pour manuellement

RGB-Werte anzeigen Klicken Sie manuell

Adjustment view

Ajuster la vue
Ansicht anpassen



Click to display setting view

Cliquez pour afficher la vue des paramètres
Klicken Sie, um die Einstellungsansicht anzuzeigen

Lamp switch button

Bouton interrupteur lumière
Taste für Lichtschalter

Adjust the color

Ajuster la couleur
Farbe anpassen

Click square icon to

Cliquez sur l'icône du carré pour
Klicken Sie auf das quadratische Symbol, um

Click to shift the interface

Cliquez sur l'interface mobile
Klicken Sie, um die Schnittstelle zu wechseln

LED Bluetooth controller Features

Caractéristiques du contrôleur Bluetooth LED

LED Bluetooth Controller Eigenschaften

Product Features :

LED Bluetooth controller is directly via mobile phone control remote distance can reach 20m without the need to set up,easy to connect open the software within 5 seconds you can automatically connect the controller ·Flow the rhythm of the music changes ·Group control ·Brightness,speed addition and subtraction ·Maximum can be 10 meters RGB(W)strip ·The software shows that the text is based on the language of the mobile phone set up automatic transformation of Chinese and English Animation Effect: ·Colorful gradient ● All kinds of monochrome,double color gradient ● All kinds of monochrome,double color, colorfull flashing Follow the thym of the music chagnes
Product Paramters: ·Bluetooth:BLE V4.2 ·Input Voltage:4.5~26V ·Working Temp:-25~75℃ · Size:43*22*11mm ·Weight:30g ·Max Power:144W(24V)


Caractéristiques du produit:

Le contrôleur Bluetooth LED est contrôlé directement via le téléphone portable La distance à distance peut atteindre 20m Aucun réglage requis, connexion facile Ouvrez le logiciel pour se connecter automatiquement au contrôleur dans les 5 secondes · Changement de rythme de la musique fluide · Contrôle de groupe · Luminosité, augmentation et diminution de vitesse · Jusqu'à 10 mètres barres RVB (W) · Le logiciel affiche le texte Convertir automatiquement les effets d'animation chinois et anglais selon les paramètres de langue du téléphone portable: · Dégradé coloré ● Divers dégradés monochrome et bicolore ● Divers clignotements monochrome, bicolore et colorés suivent le rythme de la musique chagnes Paramètres du produit: · Bluetooth: BLE V4.2 · Tension d'entrée: 4,5 ~ 26 V · Température de fonctionnement: -25 ~ 75 °C · Taille: 43 * 22 * 11 mm · Poids: 30 g · Puissance maximale: 144 W (24 V)

Produktmerkmale:

Der LED-Bluetooth-Controller wird direkt über das Mobiltelefon gesteuert. Die Fernentfernung kann bis zu 20 m erreichen. Keine Einstellung erforderlich, einfach zu verbinden. Öffnen Sie die Software, um den Controller automatisch innerhalb von 5 Sekunden zu verbinden · Rhythmusänderungen der fließenden Musik · Gruppensteuerung · Helligkeit, Geschwindigkeitserhöhung und -verringern · Maximal 10 Meter RGB(W)-Streifen · Software zeigt Text, um den Animationseffekt zwischen Chinesisch und Englisch entsprechend den Spracheinstellungen des Mobiltelefons automatisch umzuwandeln: · Bunter Farbverlauf ● Verschiedene einfarbige und zweifarbige Farbverläufe ● Verschiedene einfarbige, zweifarbige und farbenfrohe Blinkungen folgen dem Rhythmus der Musik chagnes Produktparameter: · Bluetooth: BLE V4.2 · Eingangsspannung: 4,5 ~ 26 V · Betriebstemperatur: -25 ~ 75 °C · Größe: 43 * 22 * 11 mm · Gewicht: 30 g · Maximale Leistung: 144 W (24 V)


Question: What to do if the slat frame is tilted?



Answer:

The hole on the hydraulic rod is oval. Please make sure that the installation positions on the left and right sides are the same. If you accidentally install one side of the hydraulic rod in the front and the other side in the back, the slat frame will be crooked and you will need to disassemble it and reinstall it.

Question: What to do if the hydraulic system fails to press down?



Answer:

When turning off the hydraulic pressure, make sure that the pressure point is at the position indicated by the arrow. Place your hand at the pressure point.

If you place the mattress on a slatted frame, it will be easier to turn off the hydraulic pressure. Please try it.

Do not press only on the left side or only on the right side, as this will damage the hydraulic system.

- GB** – NOTE: The battery in the remote control requires you to purchase and install it yourself.
Model: CR2025 3.V
- DE** – HINWEIS: Die Batterie in der Fernbedienung müssen Sie selbst kaufen und installieren
Modell: CR2025 3.V
- FR** – REMARQUE : la pile de la télécommande doit être achetée et installée par vos soins.
Modèle : CR2025 3.V
- IT** – NOTA: la batteria del telecomando deve essere acquistata e installata autonomamente.
Modello: CR2025 3.V
- ES** – NOTA: La pila del mando a distancia debe comprarla e instalarla usted mismo
Modelo CR2025 3.V

①



②



③



④



⑤



⑥



⑦



⑧



Verification of Compliance

Verification No.: MK24070005P01-C01

Name and address of Applicant: **Shenzhen Aoli Optoelectronics Co., Ltd**
5th Floor, Building 3, Haitian Lanyu Science and Technology Park, Shilong Community, Shiyan Street, Bao'an District, Shenzhen

Name and address of Manufacturer: **Shenzhen Aoli Optoelectronics Co., Ltd**
5th Floor, Building 3, Haitian Lanyu Science and Technology Park, Shilong Community, Shiyan Street, Bao'an District, Shenzhen

Product name: **Embedded USB port**

Product model(s): 12vA+c, 5vA+c

Product trademark: N/A

This verification confirms that the product meets the requirements of the following standard. The conformity was demonstrated based on following standard(s) listed by European Commission as harmonized with Directive RoHS 2.0 Directive (EU) 2015/863 and (EU)2017/2102 amending Annex II to Directive 2011/65/EU

IEC 62321-1:2013	IEC 62321-3-1:2013
IEC 62321-4:2013/AMD1:2017	IEC 62321-5:2013
IEC 62321-6:2015	IEC 62321-7-1:2015
IEC 62321-7-2:2017	IEC 62321-8:2017
IEC 62321-2:2014	

The verification has been carried out in accordance with individual rules and conditions agreed with the applicant. Evaluation has been carried out in accordance with:

Test report(s) No.: MK24070005P01-C01

Test conducted by: TMC Testing Services (Shenzhen) Co., Ltd.

Verification issue date: July 11, 2024

Notes:

This verification refers to the above mentioned product and its conformity in regards of above mentioned standard(s) was proven on test sample.

This verification does not imply meeting all essential requirements, assessment of the series-production or any other restricted Notified Bodies conformity assessment procedure appropriate for the product.

This verification holder shall use this verification in connection to verification of conformity and technical data relevant for the product the verification was issued.

TMC Testing Services (Shenzhen) Co., Ltd.

t:86-755-86642861 cert@tmc-lab.com www.tmc-lab.com

1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China



Verification of Compliance

Verification No.: MK24070005P01-E01

Name and address of Applicant: **Shenzhen Aoli Optoelectronics Co., Ltd**
5th Floor, Building 3, Haitian Lanyu Science and Technology Park,
Shilong Community, Shiyan Street, Bao'an District, Shenzhen

Name and address of Manufacturer: **Shenzhen Aoli Optoelectronics Co., Ltd**
5th Floor, Building 3, Haitian Lanyu Science and Technology Park,
Shilong Community, Shiyan Street, Bao'an District, Shenzhen

Product name: **Embedded USB port**

Rated: Input: 12V $\overline{\text{---}}$
Output: 5V $\overline{\text{---}}$

Product model(s): 12V A+c, 5V A+c

Product trademark: N/A

This verification confirms that the product meets the requirements of the following standard.
The conformity was demonstrated based on following standard(s) listed by European Commission as harmonized with EMC Directive 2014/30/EU

EN 55032:2015+A11:2020

EN 55035:2017+A11:2020

The verification has been carried out in accordance with individual rules and conditions agreed with the applicant. Evaluation has been carried out in accordance with:

Test report(s) No.: MK24070005P01-E01

Test conducted by: TMC Testing Services (Shenzhen) Co., Ltd.

Verification issue date: July 11, 2024

Notes:

This verification refers to the above mentioned product and its conformity in regards of above mentioned standard(s) was proven on test sample.

This verification does not imply meeting all essential requirements, assessment of the series-production or any other restricted Notified Bodies conformity assessment procedure appropriate for the product.

This verification holder shall use this verification in connection to verification of conformity and technical data relevant for the product the verification was issued.

TMC Testing Services (Shenzhen) Co., Ltd.

t:86-755-86642861 cert@tmc-lab.com www.tmc-lab.com

1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China



Verification of Compliance

Verification No.: MK23020083-P01C01

Name and address of Applicant: **Shenzhen Hongzhengyu Technology Co., LTD**
Shenzhen baoan district rock street industrial science and technology industrial park of 2 Haitian lanyu 3 5 floor of A

Name and address of Manufacturer: **Shenzhen Hongzhengyu Technology Co., LTD**
Shenzhen baoan district rock street industrial science and technology industrial park of 2 Haitian lanyu 3 5 floor of A

Product name: **Lamp strip**
HZY-2835-120D-12V, HZY-2835-30D-5V, HZY-2835-60D-5V, HZY-2835-120D-5V, HZY-2835-60D-12V, HZY-2835-60D-24V, HZY-2835-120D-24V, HZY-2835RGB-60D-5V, HZY-2835RGB-60D-12V, HZY-5050-30D-5V, HZY-5050-60D-5V, HZY-5050-30D-12V, HZY-5050-60D-12V, HZY-5050-60D-24V, HZY-5050RGB-30D-5V, HZY-5050RGB-60D-5V, HZY-5050RGB-30D-12V, HZY-5050RGB-60D-12V, HZY-5050RGB-60D-24V

Product model(s):

Product trademark: N/A

This verification confirms that the product meets the requirements of the following standard.
The conformity was demonstrated based on following standard(s) listed by European Commission as harmonized with Directive RoHS 2.0 Directive (EU) 2015/863 and (EU)2017/2102 amending Annex II to Directive 2011/65/EU

IEC 62321-1:2013	IEC 62321-3-1:2013
IEC 62321-4:2013/AMD1:2017	IEC 62321-5:2013
IEC 62321-6:2015	IEC 62321-7-1:2015
IEC 62321-7-2:2017	IEC 62321-8:2017

The verification has been carried out in accordance with individual rules and conditions agreed with the applicant. Evaluation has been carried out in accordance with:

Test report(s) No.: MK23020083-P01C01

Test conducted by: TMC Testing Services (Shenzhen) Co., Ltd.

Verification issue date: February 25, 2023

Notes:

This verification refers to the above mentioned product and its conformity in regards of above mentioned standard(s) was proven on test sample.

This verification does not imply meeting all essential requirements, assessment of the series-production or any other restricted Notified Bodies conformity assessment procedure appropriate for the product.

This verification holder shall use this verification in connection to verification of conformity and technical data relevant for the product the verification was issued.

TMC Testing Services (Shenzhen) Co., Ltd.

t:86-755-86642861 cert@tmc-lab.com www.tmc-lab.com

1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyuan Street, Baoan District, Shenzhen, China



Verification of Compliance

Verification No.: MK23020083-P01E01

Name and address of Applicant: **Shenzhen Hongzhengyu Technology Co., LTD**
Shenzhen baoan district rock street industrial science and technology industrial park of 2 Haitian lanyu 3 5 floor of A

Name and address of Manufacturer: **Shenzhen Hongzhengyu Technology Co., LTD**
Shenzhen baoan district rock street industrial science and technology industrial park of 2 Haitian lanyu 3 5 floor of A

Product name: **Lamp strip**

Rated: 5V --- 1A
HZY-2835-120D-12V, HZY-2835-30D-5V, HZY-2835-60D-5V, HZY-2835-120D-5V, HZY-2835-60D-12V, HZY-2835-60D-24V, HZY-2835-120D-24V, HZY-2835RGB-60D-5V, HZY-2835RGB-60D-12V, HZY-5050-30D-5V, HZY-5050-60D-5V, HZY-5050-30D-12V, HZY-5050-60D-12V, HZY-5050-60D-24V, HZY-5050RGB-30D-5V, HZY-5050RGB-60D-5V, HZY-5050RGB-30D-12V, HZY-5050RGB-60D-12V, HZY-5050RGB-60D-24V

Product model(s):

Product trademark: N/A

This verification confirms that the product meets the requirements of the following standard.
The conformity was demonstrated based on following standard(s) listed by European Commission as harmonized with EMC Directive 2014/30/EU.

EN IEC 55015:2019+A11:2020
IEC 61547:2020

The verification has been carried out in accordance with individual rules and conditions agreed with the applicant. Evaluation has been carried out in accordance with:

Test report(s) No.: MK23020083-P01E01
Test conducted by: TMC Testing Services (Shenzhen) Co., Ltd.
Verification issue date: February 25, 2023

Notes:

This verification refers to the above mentioned product and its conformity in regards of above mentioned standard(s) was proven on test sample.

This verification does not imply meeting all essential requirements, assessment of the series-production or any other restricted Notified Bodies conformity assessment procedure appropriate for the product.

This verification holder shall use this verification in connection to verification of conformity and technical data relevant for the product the verification was issued.

TMC Testing Services (Shenzhen) Co., Ltd.

t:86-755-86642861 cert@tmc-lab.com www.tmc-lab.com

1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyuan Street, Baoan District, Shenzhen, China



Verification of Compliance

Verification No.: MK24030235P01-S01

Name and address of Applicant: **Shenzhen Hongzhengyu Technology Co., LTD**
Shenzhen baoan district rock street industrial science and technology industrial park of 2 Haitian lanyu 3 5 floor of A

Name and address of Manufacturer: **Shenzhen Hongzhengyu Technology Co., LTD**
Shenzhen baoan district rock street industrial science and technology industrial park of 2 Haitian lanyu 3 5 floor of A

Product name: **LED Lamp Strip**

Rated: DC5V, 2A, Max.10W

Product model(s): HZY-2835-120D-12V, HZY-2835-30D-5V, HZY-2835-60D-5V, HZY-2835-120D-5V, HZY-2835-60D-12V, HZY-2835-60D-24V, HZY-2835-120D-24V, HZY-2835RGB-60D-5V, HZY-2835RGB-60D-12V, HZY-5050-30D-5V, HZY-5050-60D-5V, HZY-5050-30D-12V, HZY-5050-60D-12V, HZY-5050-60D-24V, HZY-5050RGB-30D-5V, HZY-5050RGB-60D-5V, HZY-5050RGB-30D-12V, HZY-5050RGB-60D-12V, HZY-5050RGB-60D-24V

Product trademark: N/A

This verification confirms that the product meets the requirements of the following standard.
The conformity was demonstrated based on following standard(s) listed by European Commission as harmonized with LVD Directive 2014/35/EU.

EN IEC 60598-2-1:2021;
EN IEC 60598-1:2021+ A11:2022

The verification has been carried out in accordance with individual rules and conditions agreed with the applicant. Evaluation has been carried out in accordance with:

Test report(s) No.: MK24030235P01-S01
Test conducted by: TMC Testing Services (Shenzhen) Co., Ltd.
Verification issue date: April 9, 2024

Notes:

This verification refers to the above mentioned product and its conformity in regards of above mentioned standard(s) was proven on test sample.

This verification does not imply meeting all essential requirements, assessment of the series-production or any other restricted Notified Bodies conformity assessment procedure appropriate for the product.

This verification holder shall use this verification in connection to Verification of Compliance and technical data relevant for the product the verification was issued.

TMC Testing Services (Shenzhen) Co., Ltd.

t:86-755-86642861 cert@tmc-lab.com www.tmc-lab.com

1/F., Block A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen, China



Dawen Xu

Lab Director
Dawen Xu



Shenzhen ZKT Technology Co., Ltd.
 1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue,
 Fuhai Street, Bao'an District, Shenzhen, China



Certificate of Compliance

Certificate Number: ZKT-25070215184C

Certificate's Holder : Dongguan Yihong Hardware Electronics Co., Ltd
 Room 1106, No.2, Shangheng Road, Chang' an Town,
 Dongguan
Manufacturer : Dongguan Yihong Hardware Electronics Co., Ltd
 Room 1106, No.2, Shangheng Road, Chang' an Town,
 Dongguan
Trade Mark : N/A
Product : LED controller
Model(s) : YH-6183
 YH-252, YH-284, YH-290, YH-287, YH-358, YH-360, YH-6180,
 YH-6184

Requirement	Standard	Report No.
Art.3.1(a) Safety	BS EN IEC 62368-1:2024+A11:2024	ZKT-25070215185S
Art.3.1(a) Health	BS EN IEC 62311:2020 BS EN 50665:2017	ZKT-25070215184E-1
Art.3.1(b) EMC	ETSI EN 301 489-1 V2.2.3 (2019-11) ETSI EN 301 489-17 V3.3.0 (2024-07)	ZKT-25070215184E-2
Art.3.2 Radio	ETSI EN 300 328 V2.2.2 (2019-07)	ZKT-25070215184E-3

This Attestation of Compliance is issued on a voluntary basis for electrical equipment below the voltage limits of Radio Equipment Directive (RED) 2014/53/EU. The essential requirement are fulfilled accordingly based on the technical specifications applicable at the time of issuance.



This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant . Directives to be observed.



精准检测
PRECISE TESTING

CERTIFICATE OF CONFORMITY

No.: PTC25102309602C-EN01V01

Applicant : Dongguan Yihong Hardware electronics Co., LTD
Address : Room 901, No. 2, Shangheng Road, Chang'an Town, Dongguan City, Guangdong Province, 523880 China
Manufacturer : Dongguan Yihong Hardware electronics Co., LTD
Address : Room 901, No. 2, Shangheng Road, Chang'an Town, Dongguan City, Guangdong Province, 523880 China
Product Name : LED Controller
Model No. : YH-289,YH-980 ,YH-918 ,YH-917 ,YH-818,YH-816,YH-6181,YH-358

The submitted sample of the above equipment has been tested and found to comply with the following European Directive:

RoHS Directive 2011/65/EU & EU No.2015/863

The standard(s) used for showing compliance with the essential requirements:

Applicable Standard(s)	Test Report(s) Number
IEC 62321-1:2013, IEC 62321-2:2021 IEC 62321-3-1:2013, IEC 62321-3-2:2020 IEC62321-4: 2013+AMD1:2017 IEC 62321-5:2013 IEC 62321-6:2015, IEC 62321-7-1: 2015 IEC 62321-7-2: 2017, IEC 62321-8:2017	PTC25102309602C-EN01V01

This certificate is part of the full test report(s) and should be read in conjunction with it. This certificate is based on an evaluation of one sample of above mentioned product. It does not imply assessment of the production of the product. Without the written approval of Precise Testing & Certification (Guangdong) Co., Ltd., this certificate is not permitted to be reproduced, except in full. It is not permitted to use the test lab's logo.

RoHS



Jacky Ou
.....
Jacky Ou
Manager

Date: Dec. 04, 2025

Precise Testing & Certification (Guangdong) Co., Ltd.
Building 1, No.6, Tongxin Road, Dongcheng Street,
Dongguan, Guangdong, China
Tel: 86 769 38808222 Web: www.ptc-testing.com
Mail: inquiry@ptc-testing.com





精准检测
PRECISE TESTING

CERTIFICATE OF CONFORMITY

No.: PTC25102309601C-EN01

Applicant : Dongguan Yihong Hardware electronics Co., LTD
Address : Room 901, No. 2, Shangheng Road, Chang'an Town,
Dongguan City, Guangdong Province, 523880 China
Manufacturer : Dongguan Yihong Hardware electronics Co., LTD
Address : Room 901, No. 2, Shangheng Road, Chang'an Town,
Dongguan City, Guangdong Province, 523880 China
Product Name : Remote control
Test Sample Model : YH-448G
: YH-6181, YH-6183, YH-629, YH-RF10, YH-RF11, YH-RF17,
Other Sample Model : YH-RF14, YH-RF24, YH-RF16, YH-252, YH-248R, YH-248G,
YH-899, YH-689

The submitted sample of the above equipment has been tested and found to comply with the following European Directive:


RoHS Directive 2011/65/EU & EU No.2015/863

The standard(s) used for showing compliance with the essential requirements:

Applicable Standard(s)	Test Report(s) Number
IEC 62321-1:2013, IEC 62321-2:2021 IEC 62321-3-1:2013, IEC 62321-3-2:2020 IEC62321-4: 2013+AMD1:2017 IEC 62321-5:2013 IEC 62321-6:2015, IEC 62321-7-1: 2015 IEC 62321-7-2: 2017, IEC 62321-8:2017	PTC25102309601C-EN01

This certificate is part of the full test report(s) and should be read in conjunction with it. This certificate is based on an evaluation of one sample of above mentioned product. It does not imply assessment of the production of the product. Without the written approval of Precise Testing & Certification (Guangdong) Co., Ltd., this certificate is not permitted to be reproduced, except in full. It is not permitted to use the test lab's logo.

RoHS



Jacky Ou
Jacky Ou
Manager

Date: Dec. 04, 2025

Precise Testing & Certification (Guangdong) Co., Ltd.
Building 1, No.6, Tongxin Road, Dongcheng Street,
Dongguan, Guangdong, China
Tel: 86 769 38808222 Web: www.ptc-testing.com
Mail: inquiry@ptc-testing.com





CERTIFICATE OF CONFORMITY

Electromagnetic Compatibility (EMC) Directive 2014/30/EU

This Certificate of Conformity is hereby issued to the product designated below:

Certificate No......: 24EP04058E01
Report No......: EP2404058E01
Date Issue: 2024-06-03
Applicant's name: Guangdong Sangu Technology Co., Ltd
Address.....: 402, Chuangye building, 8-28, Shaqi community Central Road, Xinqiao street, Bao'an District, Shenzhen.
Manufacturer's name.....: Guangdong Sangu Technology Co., Ltd
Address.....: 402, Chuangye building, 8-28, Shaqi community Central Road, Xinqiao street, Bao'an District, Shenzhen.
Product Description: POWER ADAPTER
Model(s)/Type References : SG-XXXXXXXX24Z, GAT-XXXXXXXX24Z, SG-XXXXXXXX24LZ, GAT-XXXXXXXX24LZ, SG-XXXXXXXX24BZ, GAT-XXXXXXXX24BZ, SG-XXXXXXXX24AZ, GAT-XXXXXXXX24AZ (for definition of variables XXX, YYYY, Z see table A for details)
Parameters: Input: 100-240V~ or 180-240V~, 50/60Hz, 0.6A MAX
Output: See Table B for details
Standard(s): EN IEC 55014-1:2021
EN IEC 55014-2:2021
EN IEC 61000-3-2:2019+A1:2021
EN 61000-3-3:2013+A1:2019+A2:2021

On the basis of the referenced test report(s), sample(s) tested of the above product have been found to comply with the standards harmonized with the directives listed on this verification at the time the tests were carried out. Other standards and Directives may be relevant to the product. This verification is part of the full test report(s) and should be read in conjunction with it(them).

Once compliance with all product relevant CE mark directives are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).

Approved By


Eric Liu
Director of engineering department



CERTIFICATE OF CONFORMITY

Electromagnetic Compatibility (EMC) Directive 2014/30/EU

Appendix of Certificate No.: 24EP04058E01

Table A: Definition of variables

Variable	Range of variable	Content
XXX	050-480	3 digit numbers which represents output voltage in V after diving by 10. For example, 050=5.0Vdc, 480=48.0Vdc. The rated output voltage is rising in steps of 0.1V
YYYY	0100-3000	4 digit numbers which represents output current in A after diving by 1000. For example, 0100=0.1A, 3000=3.0A. The rated output current is rising in steps of 0.01A
Z	E, B	One capital letter representing the plug type for different countries: "E" denotes European plug; "B" denotes Britain plug.

Table B: Model list and output rating

Model	Output voltage (Vdc)	Output current (A)	Max Power (W)	Transformer
SG-XXXXYYY24Z GAT-XXXXYYY24Z SG-XXXXYYY24LZ GAT-XXXXYYY24LZ SG-XXXXYYY24BZ GAT-XXXXYYY24BZ SG-XXXXYYY24AZ GAT-XXXXYYY24AZ	5.0	0.1-3.0	15.0	EE17
	5.1-5.5	0.1-3.0	16.5	
	5.6-6.0	0.1-2.9	16.5	
	6.1-7.4	0.1-2.5	18.5	
	7.5-9.0	0.1-2.2	19.8	
	9.1-12.0	0.1-2.0	24.0	
	12.1-24.0	0.1-1.98	24.0	EE17-1
	24.1-48.0	0.1-1.0	24.0	EE17-2

Remark:

- 1) The rated output voltage is rising from 5.0V and in steps of 0.1V
- 2) The rated output current is rising from 0.1A and in steps of 0.01A, but not more than the indicated max o/p current.
- 3) Actual output current depends on range of output voltage. The max. Output current multiplied by output voltage cannot exceed the max. Output power.

Dongguan Pubiao Testing Technology Co., Ltd

No. 3, 1/F., Building A, No.30, Minghua Road, Juzhou, Shijie, Dongguan, Guangdong, China

Tel: +86 769 81813516 E-mail: service@pubiaotest.com Web: www.pubiaotest.com



CERTIFICATE OF CONFORMITY

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

This Certificate of Conformity is hereby issued to the product designated below:

Certificate No. : 23CP12248R01
Report No. : CP2312248R01
Date Issue. : 2024-04-29
Applicant's name : Guangdong Sangu Technology Co., Ltd
Address : 402, Chuangye building, 8-28, Shaqi community Central Road, Xinqiao street, Bao'an District, Shenzhen.
Manufacturer's name : Guangdong Sangu Technology Co., Ltd
Address : 402, Chuangye building, 8-28, Shaqi community Central Road, Xinqiao street, Bao'an District, Shenzhen.
Product Description : POWER ADAPTER
Model(s)/Type References : SG-XXXXXXXX24Z, GAT-XXXXXXXX24Z, SG-XXXXXXXX24LZ, GAT-XXXXXXXX24LZ, SG-XXXXXXXX24BZ, GAT-XXXXXXXX24BZ, SG-XXXXXXXX24AZ, GAT-XXXXXXXX24AZ (XXX, YYYY, Z are variables, details see table A for details)
Conclusion.....: Based on the performed tests on submitted sample(s), the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs) and Phthalates such as Bis(2-ethylhexyl) phthalate (DEHP) , Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) , and Diisobutyl phthalate (DIBP) comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.
Standard(s) : IEC 62321-4:2013+A1:2017
IEC 62321-5:2013
IEC 62321-7-1:2015
IEC 62321-7-2:2017
IEC 62321-6:2015
IEC 62321-8:2017

On the basis of the referenced test report(s), sample(s) tested of the above product have been found to comply with the standards harmonized with the directives listed on this verification at the time the tests were carried out. Other standards and Directives may be relevant to the product. This verification is part of the full test report(s) and should be read in conjunction with it(them).

Once compliance with all product relevant CE mark directives are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).

Approved By

Eric Liu

Director of engineering department



Dongguan Pubiao Testing Technology Co., Ltd.

No. 3, 1/F., Building A, No.30, Minghua Road, Juzhou, Shijie, Dongguan, Guangdong, China.

Tel: +86 769 81813516 E-mail: service@pubiaotest.com Web: www.pubiaotest.com



CERTIFICATE OF CONFORMITY

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Appendix of Certificate No.: 23CP12248R01

Table A: Definition of variables

Variable	Range of variable	Content
XXX	050-480	3 digit numbers which represents output voltage in V after diving by 10. For example, 050=5.0Vdc, 480=48.0Vdc. The rated output voltage is rising in steps of 0.1V
YYYY	0100-3000	4 digit numbers which represents output current in A after diving by 100. For example, 0100=0.1A, 3000=3.0A. The rated output current is rising in steps of 0.01A
Z	E, B	One capital letter representing the plug type for different countries: "E" denotes European plug; "B" denotes Britain plug.

Table B: Model list and output rating

Model	Input	Output voltage (Vdc)	Output current (A)	Max Power (W)	Transformer
SG-XXXXYYY24Z	100-240V~ or 180-240V~, 50/60Hz, 0.6A MAX	5.0	0.1-3.0	15.0	EE17
GAT-XXXXYYY24Z		5.1-5.5	0.1-3.0	16.5	
SG-XXXXYYY24LZ		5.6-6.0	0.1-2.9	16.5	
GAT-XXXXYYY24LZ		6.1-7.4	0.1-2.5	18.5	
SG-XXXXYYY24BZ		7.5-9.0	0.1-2.2	19.8	
GAT-XXXXYYY24BZ		9.1-12.0	0.1-2.0	24.0	
SG-XXXXYYY24AZ		12.1-24.0	0.1-1.98	24.0	EE17-1
GAT-XXXXYYY24AZ		24.1-48.0	0.1-1.0	24.0	EE17-2



Dongguan Pubiao Testing Technology Co., Ltd

No. 3, 1/F., Building A, No.30, Minghua Road, Juzhou, Shijie, Dongguan, Guangdong, China.

Tel: +86 769 81813516 E-mail: service@pubiaotest.com Web: www.pubiaotest.com



CERTIFICATE OF CONFORMITY

Low Voltage Directive 2014/35/EU

This Certificate of Conformity is hereby issued to the product designated below:

Certificate No...... : 24SP04058L01
Report No...... : SP2404058L01
Date Issue. : 2024-06-01
Applicant's name : Guangdong Sangu Technology Co., Ltd
Address : 402, Chuangye building, 8-28, Shaqi community Central Road, Xinqiao street, Bao'an District, Shenzhen.
Manufacturer's name : Guangdong Sangu Technology Co., Ltd
Address : 402, Chuangye building, 8-28, Shaqi community Central Road, Xinqiao street, Bao'an District, Shenzhen.
Product Description..... : POWER ADAPTER
Model(s)/Type References : SG-XXXXYYYY24Z, GAT-XXXXYYYY24Z, SG-XXXXYYYY24LZ, GAT-XXXXYYYY24LZ, SG-XXXXYYYY24BZ, GAT-XXXXYYYY24BZ, SG-XXXXYYYY24AZ, GAT-XXXXYYYY24AZ (for definition of variables XXX, YYYY, Z see table A for details)
Parameters..... : Input: 100-240V~ or 180-240V~, 50/60Hz, 0.6A MAX
Output: See table B for details
Standard(s) : EN 61558-2-16:2009/ A1:2013 used in conjunction with EN IEC 61558-1:2019

On the basis of the referenced test report(s), sample(s) tested of the above product have been found to comply with the standards harmonized with the directives listed on this verification at the time the tests were carried out. Other standards and Directives may be relevant to the product. This verification is part of the full test report(s) and should be read in conjunction with it(them).

Once compliance with all product relevant CE mark directives are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).

Approved By

Eric Liu

Director of engineering department



Dongguan Pubiao Testing Technology Co., Ltd

No. 3, 1/F., Building A, No.30, Minghua Road, Juzhou, Shijie, Dongguan, Guangdong, China.

Tel: +86 769 81813516 E-mail: service@pubiaotest.com Web: www.pubiaotest.com



CERTIFICATE OF CONFORMITY

Low Voltage Directive 2014/35/EU

Appendix of Certificate No.: 24SP04058L01

Table A: Definition of variables

Variable	Range of variable	Content
XXX	050-480	3 digit numbers which represents output voltage in V after diving by 10. For example, 050=5.0Vdc, 480=48.0Vdc. The rated output voltage is rising in steps of 0.1V
YYYY	0100-3000	4 digit numbers which represents output current in A after diving by 1000. For example, 0100=0.1A, 3000=3.0A. The rated output current is rising in steps of 0.01A
Z	E, B	One capital letter representing the plug type for different countries: "E" denotes European plug; "B" denotes Britain plug.

Table B: Model list and output rating


Model	Output voltage (Vdc)	Output current (A)	Max Power (W)	Transformer
SG-XXXXYYY24Z GAT-XXXXYYY24Z SG-XXXXYYY24LZ GAT-XXXXYYY24LZ SG-XXXXYYY24BZ GAT-XXXXYYY24BZ SG-XXXXYYY24AZ GAT-XXXXYYY24AZ	5.0	0.1-3.0	15.0	EE17
	5.1-5.5	0.1-3.0	16.5	
	5.6-6.0	0.1-2.9	16.5	
	6.1-7.4	0.1-2.5	18.5	
	7.5-9.0	0.1-2.2	19.8	
	9.1-12.0	0.1-2.0	24.0	
	12.1-24.0	0.1-1.98	24.0	
	24.1-48.0	0.1-1.0	24.0	EE17-2



DongGuan PuBiao Testing Technology Co., Ltd

No. 3, 1/F., Building A, No.30, Minghua Road, Juzhou, Shijie, Dongguan, Guangdong, China.

Tel: +86 769 81813516 E-mail: service@pubiaotest.com Web: www.pubiaotest.com

Importer	COMHARBOR LIMITED
Address	Unit C,Swift Point, Cosford Lane, Rugby, CV21 1PY,GB
Email/URL	harborcomhar@gmail.com
Manufacturer	Guangdong sangu Technology Co., LTD
Add	402 Chuangye building,8-28,Shaqi community Central Road,Xinqiao street Bao'an District,Shenzhen
Email/URL	https://aoligd.1688.com/
Product identification	SG-120100024AB
Made In	China
	COMHARBOR LIMITED Unit C,Swift Point, Cosford Lane, Rugby, CV21 1PY,GB harborcomhar@gmail.com



Product Name:Power Adapter
Model:SG-120100024AB
Rated voltage:DC12V
Rated frequency:50/60HZ
Power:24W

Importeur	COMHARBOR LIMITED
Adresse	Unit C,Swift Point, Cosford Lane, Rugby, CV21 1PY,GB
Email/URL	https://www.decobusgroup.de
Hersteller	Shenzhen Aoli Optoelectronics Co.,LTD
Adresse	5th Floor, Building 3, Haitian Lanyu Science and Technology Park, Shilong Community, Shiyan Street, Bao'an District, Shenzhen
Email/URL	https://aoligd.1688.com/
Partienummer	12V A+C
Hergestellt in	China
	COMHARBOR LIMITED Unit C,Swift Point, Cosford Lane, Rugby, CV21 1PY,GB harborcomhar@gmail.com



Product Name:Embedded USB port
Model: 12V A+C
Rated voltage:DC12V
Rated frequency:50-60HZ
Power:10W

Importer	COMHARBOR LIMITED
Address	Unit C,Swift Point, Cosford Lane, Rugby, CV21 1PY,GB
Email/URL	harborcomhar@gmail.com
Manufacturer	Shenzhen Aoli Optoelectronics Co.,Ltd
Add	5th Floor, Building 3, Haitian Lanyu Science and Technology Park, Shilong Community, Shiyan Street, Bao'an District, Shenzhen
Email/URL	https://aoligd.1688.com/
Product identification	HZY-5050RGB-30D-12V
Made In	China
	COMHARBOR LIMITED Unit C,Swift Point, Cosford Lane, Rugby, CV21 1PY,GB harborcomhar@gmail.com



Product Name:LED strip
Model:HZY-5050RGB-30D-12V
Rated voltage:DC12V
Rated frequency:50/60HZ
Power:5W/M

Importer	COMHARBOR LIMITED
Address	Unit C,Swift Point, Cosford Lane, Rugby, CV21 1PY,GB
Email/URL	harborcomhar@gmail.com
Manufacturer	Dongguan Yihong Hardware Electronics Co., Ltd
Add	Room 1106, No.2, Shangheng Road, Chang' an Town, Dongguan
Email/URL	https://aoligd.1688.com
Product identification	YH-284
Made In	China
	COMHARBOR LIMITED Unit C,Swift Point, Cosford Lane, Rugby, CV21 1PY,GB harborcomhar@gmail.com



Product Name:LED CONTROLLER
Model:YH-284
Rated voltage:DC5-24V
Rated frequency:50/60HZ
Power:10W/M

Importer	COMHARBOR LIMITED
Address	Unit C,Swift Point, Cosford Lane, Rugby, CV21 1PY,GB
Email/URL	harborcomhar@gmail.com
Manufacturer	Dongguan Yihong Hardware Electronics Co.,Ltd
Add	Room 1106, No.2, Shangheng Road, Chang' an Town, Dongguan
Email/URL	https://aoligd.1688.com/
Product identification	YH-252
Made In	China
	COMHARBOR LIMITED Unit C,Swift Point, Cosford Lane, Rugby, CV21 1PY,GB harborcomhar@gmail.com

**UK
CA**



Product Name:LED CONTROLLER
Model:YH-252
Rated voltage:DC3V
Rated frequency:300MHZ-450MHZ
Power:1W/M



KEEP new and used batteries **OUT OF REACH** of **CHILDREN**.
Seek immediate medical attention if a battery is suspected to be swallowed or inserted inside any part of the body.
If the battery compartment does not close securely, stop using the product and keep it away from children.



If a battery has been ingested, or there is a possibility one might have been ingested, please seek medical attention and inform the medical authorities that you suspect battery ingestion.

It's not always clear when a child has swallowed a button battery, as there are no specific symptoms. However, they might:

- cough, gag, or drool;
- seem to have a stomach bug or virus;
- vomit;
- complain of pain in their stomach, chest, or throat;
- appear tired or sluggish; and
- lose their appetite.

Since the signs aren't obvious, it's important to keep a close eye on loose, used, or spare button batteries in your home, as well as the products that contain them.