Assembly Instructions

Caution: You must read this before you proceed

Chair



Parts List


Tures Elist					
Label	Picture	Description	QTY		
А		Backrest	1		
В		Seat	1		
С		Left Armrest /Leg	1		
D		Right Armrest /Leg	1		
E		Seat Cushion	1		

* *	1			
ш	ard	***	01	0
11	aru	W	al	

Label	Picture	Description	QTY			
1	() Name control	Bolt(M6x40mm)	11			
2		Bolt(M6x55mm)	3			
3	6	Washer	14			
4	Θ	Nut Cap	3			
5		Allen Key	1			

Assembly Preparation

Before Beginning Assembly:







- Read instructions, cover to cover-
- ♣ T Have 2 adults on hand for assembly-
- Do not assemble on flooring or carpet-
- Assemble on a clean non-marring surface (packing foam)-
 - Save all packaging until finished-

Assembly Steps

Overview



This Chair has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Chair parts, the above picture is to help you put the various parts into perspective. Please read through the instructions herebelow to familiarise the parts and steps before assembly.



Open the carton and place all the parts onto a clean and soft surface.


Unpack all packages of hardware.

Place the Backrest (A) with its inside facing skywards.

Attach Seat(B) to Backrest(A) using Bolt(1) and Washer(3)with Allen Key(5) as shown above


Do not fully tighten the bolts.

ATTENTION: Occasionally some of the PE Wicker shifts and covers the mounting positions preventing easy assembly. The PE wicker should never be cut, but moved away from the mounting positions.



Attach Left Armrest / Leg(C) to Seat(B) using Bolt(1) and Washer(3)with Allen Key(5) as shown above


Do not fully tighten the bolts.



Attach Right Armrest / Leg(D) to Seat(B) using Bolt(1) and Washer(3)with Allen Key(5) as shown above


Do not fully tighten the bolts.





Connect the Armrest/Leg (C&D) to Backrest (A) using using Bolt(②) and Washer(③)with Allen Key(⑤) as shown above

Note: DO NOT fully tighten a BOLT in one go and then move on to the next. Rather, In a sequential manner, gradually tighten each Bolt until all bolts are evenly secured. This methodology will ensure maximum evenness once all Bolts are fully tightened.



Place the Chair on a LEVEL SURFACE to see if it wobbles.

If it wobbles, lift the Chair to some 30cm to 50cm height from the ground.


Keep your feet and toes well away from the drop zone. Drop the Chair freely and vertically with the four legs, hitting the ground, at the same time.

This Drop Test will help to ensure that all the Bolts and gaps will all reach full alignment status. Test again for evenness on a LEVEL SURFACE. If no wobbles are found, lay down the Table down and proceed to tighten all the Bolts. When tightening these Bolts, tighten sequentially.

DO NOT tighten any Bolt fully and then move on to the next one. This may cause the frame to warp. If there are still wobbles, loosen the Bolts and execute this same drop test.

If the Chair is not stable it could lead to damage to the product.





And place PE Caps(4) on Bolts as shown.

Put the Seat Cushion(E) on the Seat.

Your Chair is ready for use.

The Chair can only be used on the flat and level surface.

Care & Maintenance





Do not put hot items directly on furniture surface







Do not clean furniture with harsh cleansers or polish.

To obtain the longest lifespan of your outdoor prodcts, minimizing exposure to direct sunlight is recommended.





Children should not climb or jump on the furniture.

Do not write on furniture without a padded barrier to protect the surface.



To obtain the longest lifespan of your outdoor products, avoid extended and lengthy exposure to rain, snow, and direct sunshine. Whenever possible cover the product and /or place under patio or awnings.



Not for commercial use. For residential use only .



Stains may be removed with mild soap solution and damp cloth.



Keep away from sources of ignition.



Dust and pick-up spills using a clean, non-colored, lint-free cloth.

Questions & Answers about Proposition 65

What is Proposition 65?

Proposition 65 requires businesses to provide warnings to Californians about significant exposures to chemicals that cause cancer, birth defects or other reproductive harm. These chemicals can be in the products that Californians purchase, in their homes or workplaces, or that are released into the environment. By requiring that this information be provided, Proposition 65 enables Californians to make informed decisions about their exposures to these chemicals.

Proposition 65 also prohibits California businesses from knowingly discharging significant amounts of listed chemicals into sources of drinking water.

Proposition 65 requires California to publish a list of chemicals known to cause cancer, birth defects or other reproductive harm. This list, which must be updated at least once a year, has grown to include approximately 900 chemicals since it was first published in 1987.

What types of chemicals are on the Proposition 65 list?

The list contains a wide range of naturally occurring and synthetic chemicals that include additives or ingredients in pesticides, common household products, food, drugs, dyes, or solvents. Listed chemicals may also be used in manufacturing and construction, or they may be byproducts of chemical processes, such as motor vehicle exhaust.

What does a warning mean?

If a warning is placed on a product label or posted or distributed at a workplace, a business, or in rental housing, the business issuing the warning is aware or believes that it is exposing individuals to one or more listed chemicals.

By law, a warning must be given for listed chemicals unless the exposure is low enough to pose no significant risk of cancer or is significantly below levels observed to cause birth defects or other reproductive harm.

Where can I get more information on Proposition 65?

If you have specific questions on the administration or implementation of Proposition 65, you can contact OEHHA's Proposition 65 program at P65.Questions@oehha.ca.gov, or by phone at (916) 445-6900.