







ASSEMBLY INSTRUCTIONS

eHemco 20" Water Hyacinth Trunk / eHemco 23.25" Water Hyacinth Trunk







MODEL #: 7266/7273 (CFV7015/CFV7016)

TWO PERSONS ASSEMBLY IS REQUIRED

PARTS LIST

NO.	DESCRIPTION	FIGURE	QTY
A	FRONT FRAME		1
B	BACK FRAME		1
C	LEFT SIDE FRAME		1
D	RIGHT SIDE FRAME		1
E	LID		1
F	BOTTOM PANEL		1

HARDWARE LIST

NO.	DESCRIPTION	FIGURE	QTY
1	BOLTS FOR LID & FRAMES		12
2	BOLTS FOR SAFETY HINGE		4
3	BOLTS FOR BOTTOM PANEL		6
4	HINGE, ONE SIDE PRE – ATTACHED ON LID		2
5	SAFETY HINGE		1
6	ALLEN WRENCH - 60x22x4mm		1

ASSEMBLY INSTRUCTIONS

eHemco 20" Water Hyacinth Trunk / eHemco 23.25" Water Hyacinth Trunk


MODEL #: 7266/7273 (CFV7015/CFV7016)

TWO PERSONS ASSEMBLY IS REQUIRED

STEP 1:


**** TWO PERSONS ASSEMBLY IS REQUIRED FOR THE STEP.**

- 1). Place front & back trunk frame (A,B) per drawing shown.
- 2). Place left and right side trunk frame (C,D) and align well to front & back trunk frames (A,B).
- 3). Insert bolts for lid and frames (1) and tighten with allen wrench (6) loosely tighten.



STEP 2:

- 1). Attach safety hinge (5) to left side frame (C) with bolts for safety hinge (2). Loosely tighten with Phillips- Head screwdriver (Not provided).



ASSEMBLY INSTRUCTIONS

eHemco 20" Water Hyacinth Trunk /eHemco 23.25" Water Hyacinth Trunk


MODEL #: 7266/7273 (CFV7015/CFV7016)

TWO PERSONS ASSEMBLY IS REQUIRED

STEP 3:

**** TWO PERSONS ASSEMBLY IS REQUIRED FOR THE STEP.**

- 1). Upside down the trunk assembled from step 1.
- 2). Place bottom panel (F) back side up into the trunk per drawing shown.
- 3). Hold bottom panel (F) to the metal brackets. Insert bolts (3) into each bracket to tighten the bottom panel (F) with Phillips-Head screwdriver (Not provided).



ASSEMBLY INSTRUCTIONS


eHemco 20" Water Hyacinth Trunk /eHemco 23.25" Water Hyacinth Trunk

MODEL #: 7266/7273 (CFV7015/CFV7016)

TWO PERSONS ASSEMBLY IS REQUIRED


STEP 4:

- 1). Upright the trunk assembled from step 2.
- 2). Place lid (E) per drawing shown and align hinges to the pre-drilled holes. Insert bolts (1) then loosely tighten with allen wrench (6) fully and turn to tight.



STEP 5:

- 1). Attach safety hinge (5) to METAL BRACKET on Lid (E) with bolts for safety hinge (2).
- 2). Loosely tighten with Phillips-Head screwdriver (Not provided).



ASSEMBLY INSTRUCTIONS


eHemco 20" Water Hyacinth Trunk /eHemco 23.25" Water Hyacinth Trunk

MODEL #: 7266/7273 (CFV7015/CFV7016)

TWO PERSONS ASSEMBLY IS REQUIRED

STEP 6:

- 1). Fully tighten all bolts.
- 2). Adjust floor gliders for leveling.
- 3). Trunk is ready for use.



IMPORTANT NOTE:

*** PLACE ALL PARTS ON A CLEAN AND SMOOTH SURFACE AS A RUG OR CARPET TO AVOID SCRATCHING THE PARTS

*** KINDLY FOLLOW THE ASSEMBLY INSTRUCTION STEP BY STEP

*** DO NOT STAND OR CLIMB ON THE TRUNK

*** DO NOT RECOMMEND TO USE POWER TOOL OR GENTLY USE IT

*** NOT FOR COMMERCIAL USE

* In case you need extra parts, please feel free to contact us directly instead of returning your order, we will be more than happy to help you within a business day.

CHICAGO STOOL & CHAIR INC

1230 St. Charles Street, Elgin, IL 60120, USA

Tel#847-2899955

Fax#847-2899911

Email: service@eHemco.com

www.eHemco.com