

TABLE

Assembly Instructions

MAX TOP LOAD : 80 lb.





TABLE Parts List

Please review all parts and hardware before disposing of any packaging.
Call Customer Service if missing hardware. Do not return to store/retailer.
Using a screw that is too long will cause damage. Before beginning assembly,
separate each type of screw. Carefully study the screw diagrams below . You may
receive extra hardware with your unit.

A



"NYLO" TABLE

#1


Quantity of 1



Table top

#2


Quantity of 1



Side Plate

#3


Quantity of 1



Side Plate

(A)


Quantity of 8



Bolt

(B)

Quantity of 4




"L" Connecting Strip

TABLE


Assembly Instructions

Step 1




- Spread clean blanket or towel onto work surface to prevent scratch damage to parts.
- Locate all parts in cartons. Be sure to check packing materials carefully. Check against parts list to insure all necessary parts and hardware available for assembly.
- Place 1pc "L" connecting strip (B) to one of the holes on the side plate, then insert the bolt (A) through the "L" connecting strip (B) . Also place 1pc "L" connecting strip (B) to the other hole against the side plate, then insert the bolt (A) through the "L" connecting strip (B) .

Step 2




- Let side plate #2 and side plate #3 cross place. Please refer to left photo.

Step 3



- Place table top on a clean blanket or towel, the face is down.
- Insert bolt (A) thru "L" connecting strip (B) on the side plate into screw hole on the back of table top. Insert 4pcs bolt (A) into 4 screw holes separately.

Step 4



- Finally, please turn over the table.