



Highline® Classic | K-4645-RA

Toilet tank, 1.6 gpf

Features

- KOHLER® plumbing products combine beautiful form and reliable function
- Combine with K-4304 or K-4304-L to create K-3493-RA Highline Pressure Lite toilet with right-hand trip lever
- Please see K-3493 Highline Pressure Lite toilet for full details
- Constructed of vitreous china.



Available Colors/Finishes

Color tiles intended for reference only.

- | | |
|----|---------|
| 0 | White |
| 96 | Biscuit |



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
7-29-2026 21:19 - US-CA

THE BOLD LOOK
OF **KOHLER**®

Codes/Standards

Plumbing codes may require elongated toilets and elongated, open-front seats in public bathrooms.

ASME A112.19.2/CSA B45.1

Technical Information

Flush Type: Pressure Lite

Flush Rate: 1.6 gpf (6 lpf)

Recommended Products/Accessories

K-4304 Elongated toilet bowl

K-4304-L Elongated toilet bowl with bedpan lugs

Warranty

See website for detailed warranty information.

KOHLER® One-Year Limited Warranty



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

7-29-2026 21:19 - US-CA

No image available.

This product is a component and not intended to be a standalone installation.

Installation Notes

Install this product according to the installation instructions.

Product dimensions are nominal and may vary per ASME
A112.19.2 tolerances.

