




97156 Product Installation Instructions







1x1




2x2




3x1




4x1




5x1




6x1




7x1




8x1




9x1



10x1



11x1



12x1



13x1




14x1




15x1




16x1




17x1




18x1




19x1




20x1



21x1






22x1











1

Product structure decomposition






Accessories list

(A)		Two In One Screw (6x28mm)	48pcs +5pcs
(B)		Two In One Nut (10x12mm)	48pcs +5pcs
(C)		Wood Chipping (6x30mm)	8pcs +2pcs
(D)		Handle & Screw (3.5x10mm)	4pcs +2pcs 2pcs
(E)		Iron wire(647-mm)	2pcs
(F)		Screw & Guide(12inch) (3x12mm)	10pcs +2pcs 2pcs
(G)		Screw & Guide(14inch) (3x12mm)	10pcs +2pcs 2pcs
(H)		Non-slip pads	8pcs +2pcs
(I)		Power Socket & Screw (3x10mm)	2pcs 1pcs
(J)		Fixing clip & screw (3x16mm)	10pcs +2pcs
(K)		Wire Clamp	1pcs +1pcs
(L)		Foot nail	2pcs +1pcs
(M)	   x 2   	Anti fall hardware	2pcs




Double-head screwdriver, use as required

A		16 PCS	B		16 PCS	D	 2 PCS	 4 PCS
E		2 PCS	F	 2 PCS	 4 PCS	G	 2 PCS	 4 PCS




Use parts ① and ②




Step1



Step2





Step3




Use a screwdriver to lock in the direction of the "+" sign

Disassemble along the direction of "-" sign


Step 1




Step 2




Step 3





Step 4





Step 5



Step 6



Step 7




Step 8


(B)



x 4








Step 9





8


Step 10



Step 11




Drawer rail breakdown diagram






Step 1 : Pull the rails apart


Step 2 : Push the nylon buckle outward ①



Step 12




Drawer rail breakdown diagram









Step 1 : Pull the rails apart



Step 2 : Push the nylon buckle outward ①





Step 13






A		32 PCS	B		32 PCS	C		8 PCS
F	 X6  X2		G	 X6  X2		H		8 PCS
I	 X1  X2		J	 x10  x10		K		1 PCS
L		2 PCS	M	   	2 pcs			





Step 14





Step 15



Step 16



Step 17




Step 18

(A)




x 6



Step 19

(A)



x 5

(F)



x 1



x 2






(G)



x 1



x 2



15

Step 20

(F)





x 1

(G)



x 1




This hole is for strengthening fixed hole customers can choose to install according to their needs.

Step 21

(A)





x 6



16


Step 22




(A)  x 5

(F)  x 1
 x 2

(G)  x 1
 x 2



Step 23



(F)  x 1

(G)  x 1



This hole is for strengthening fixed hole customers can choose to install according to their needs.

Step 24

(B)



x 5




Step 25

(B)






x 5

(H)



x 8





18

Step 26




Ⓒ





x 4





Step 27



Step 28




Step 29





As shown, When installing the drawer, pull the guide rail out first, Slide beads are also pulled out.

Step 30



If a large gap is found after installing the drawer the slide rail can be moved up and down to adjust the gap

Step 31





Step 32

Ⓛ





x 2




Use a hammer to drive the nail into the gap of the wooden board and fix the back board

Step 33



Install as required





User's Guide

A29

Thank you for purchasing this product.

To use this product, please connect it to a power source.

Please use if the product works normally after connecting to power.

Introduction

The box is an intelligent controller. It has 1 USB output port 1 Type-c port .

With 2 touch buttons, it can turn. ON/OFF the light, change light colors, and adjust the light luminance.it can and turn ON/OFF the induction function.

Operation




This touch button is used to turn on/off, change colors, and adjust brightness.

- A. Short touch -> lighting on -> short touch -> change light color -> short touch -> change light color -> short touch -> lighting off.
- B. Long touch -> adjust the luminance. (The brightness of each color can be adjusted individually)



This touch button is used to turn on/off the induction function.

- A. Short touch to turn on the induction function. It can auto-turn on the light when people are close to the controller in 1 meters. It can auto power off the light when the body is far away from the controller after 30 seconds.
- B. Long touch to turn off the induction function.
- C. Note: When you touch the light button to change the light modes, the induction function will automatically turn off. It is best to turn on this function after selecting the light color and adjusting the brightness you want.



ATTENTION PLEASE

1. If there is no touch response suddenly, Re-plug the power to reset the touch static electricity.
2. If you have any questions when installing, please feel free to contact us. Thank you.