



Bolero® | K-2611-SU

16-3/4" oval drop-in/undermount bathroom sink, no overflow

Features

- Oval basin
- Satin finish
- No faucet holes; requires wall- or counter-mount faucet



Available Colors/Finishes

Color tiles intended for reference only.

NA NA Not Applicable



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
7-29-2026 20:18 - US-CA

THE BOLD LOOK
OF **KOHLER**®

Codes/Standards

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.

ADA CSA B651 OBC

ASME A112.19.3/CSA B45.4

ADA

ICC/ANSI A117.1

CSA B651

OBC

Technical Information

Drain Hole Diameter:	1-5/8" (41 mm)
Basin Configuration:	Single Bowl
Basin Length:	15" (381 mm)
Basin Width:	10" (254 mm)
Basin Depth:	5-1/2" (140 mm)

Material

- Premium 20-gauge stainless steel

Recommended Products/Accessories

K-23726 Drain treatment

K-23729 Stainless steel cleaner

K-8998 Adjustable P-trap with tubing outlet, 1-1/4" x 1-1/4"

Warranty

See website for detailed warranty information.

KOHLER® One-Year Limited Warranty




1-800-4KOHLER (1-800-456-4537)


Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

7-29-2026 20:18 - US-CA



Note: Waterproof unprotected overhang area of the underside of wood counter.



	A
Drop-in (shown)	7" (178 mm)
Under-mount	7-3/4" (197 mm)

Installation

- Drop-in or undermount

Installation Notes

Install this product according to the installation instructions.

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.

