



ASSEMBLY INSTRUCTIONS

ITEM: MJ6002-13


MJ6002-23

MJ6002-33






















2 people for assembly


PACKAGE INCLUDE




PACKAGE CONTENT

ø7.8X30MM  A 26X+1	 B 12X+1	ø6X34MM  C 24X+1	ø15X12MM  D 24X+1	
ø3X12MM  E 4X+1	 F 2X	ø4X50MM  G 4X+1	ø4X25MM  H 12X+1	
 I 4X	ø4X14MM  J 24X+1	1/4"X25MM  K 6X+1	 L 1X	
 M 3X	 N 1X	 O 2X	ø5/32"X22MM  P 4X	
 Q 8X+1	 R 1X	ø3.5X15MM  S 28X+1	 T 2X	
 U 5X	ø3X10MM Included In Insert Screws  V 5X	ø7.8X20MM  W 4X+1	ø3.5X15MM  X 4X+1	 Y 2X


How to use the cam lock system




1. Screw cam bolt into panel




2. Push cam into panel - arrow feature on cam top points to panel edge



3. Align cam bolt(s) with cam(s) and insert all the way into cross-bored hole(s)




4. Rotate cam(s) clockwise 190°-230° to lock panels together



5. Panels should be tight against each other and connection should be rigid


Insert the wood dowel (A) at least half way by tapping lightly with a rubber mallet, IF NECESSARY



⚠ WARNING

- Unit must be placed on a level surface or leveled with included hardware (when applicable).
- Do not sit or stand on or allow children to climb, sit or stand on the assembled product.
- For safety reasons, it is imperative that this unit be mounted to the wall.
- Do not use without installing the tip restraint.
- Unit can tip over causing severe injury or death.
- Do not exceed the recommended weight limits.
- Evenly distribute the weight on each level and always keep the heavier loads on the bottom.
- Before cutting, drilling or hammering into any wall or floor surface, verify the location of electrical, plumbing and gas lines. Cutting may cause serious injury.

Now you can assemble the item.






The installation process is divided into six parts:

1. Install the cabinet body
2. Install the cabinet top part
3. Install the back part
4. Install the Iron frame of the hole part
5. Install the door part
6. Install the Iron basket and iron hook part

Tip:


Using an electric screwdriver will make assembly easier.

STEP 1




Try to clean the dust on the surface of the top panel and then paste the lamp strip



If you need to install the light strips, please follow this procedure for installation.




If you don't need to install the light strips, please skip to the next step directly.








STEP 2




Philips
Screwdriver
(Not Included)






STEP 3



 ④ X1	 ⑤ X1	 ⑫ X1	 ⑬ X1
 W X4	 H X4		




STEP 4





STEP 5




Back side





STEP 6




Back side





STEP 7




Philips
Screwdriver
(Not Included)





STEP 8




Back side





STEP 9



Back side




STEP 10







Philips
Screwdriver
(Not Included)

Back side




STEP 11




 ① X1		
 G X8	 E X4	 F X2




Philips
Screwdriver
(Not Included)





STEP 12




Back side




STEP 13



Before attaching the back panel be sure that the unit is at 90°.




Philips
Screwdriver
(Not Included)




2 people for assembly


Back side





STEP 14




Front side




STEP 15





Philips
Screwdriver
(Not Included)




Front side









Front side





STEP 16



Philips
Screwdriver
(Not Included)



STEP 18





Philips
Screwdriver
(Not Included)



How to adjust the European adjustable hinges on doors

Shipping may cause doors to go out of alignment. If you find that the doors need to be adjusted slightly, turn the appropriate screw as illustrated.


1. TO ADJUST DOOR FORWARD OR BACKWARD.
2. TO ADJUST DOOR TO RIGHT OR TO LEFT.
3. TO ADJUST DOOR UP OR DOWN.



STEP 19



STEP 20



SPECIFICATIONS


ASSEMBLED DIMENSIONS(W x D x H)

54.0" x 7.87 " x 35.6"
137.2 x 20.0 x 90.5 cm


MAXIMUM WEIGHT CAPACITY

Top: 50 lb

STEP 21




Remove the backplate screws from these two holes, and then install the anti-reverse hardware screws.



Back side

STEP 34




Warning/Avertissement/Advertencia

Young children can be seriously injured by tipping furniture. You must install the tipping restraint hardware with the unit to prevent the unit from tipping, causing any accidents or damage.

Les jeunes enfants peuvent se blesser grièvement si le meuble bascule. La trousse antibasculé doit être installée pour prévenir la chute du meuble causant des accidents ou des dommages à l'unité.

Los niños pequeños pueden sufrir graves por muebles que se caen. Debe instalar el herraje para restricción de movimiento con la unidad en servicio evitar que la unidad se vuelque, provocando accidentes o daños.



STEP 35

