




Assembly Instructions




Please check you have all the parts listed below



1 Back rest x 1



2 Leg frame x 1



3 Foot x 1



Safety and Care Advice

Important – Please read these instructions fully before starting assembly

Check you have all the components and tools listed

Remove all fittings from the plastic bags and separate them into their groups.

Keep children and animals away from the work area, small parts could choke if swallowed.

Make sure you have enough space to layout the parts before starting.

Assemble the item as close to its final position (in the same room) as possible.

Assemble on a soft level surface to avoid damaging the unit or your floor.

Do not fully tighten bolts until the chair is assembled.

Do not overtighten the nuts to avoid causing damage to the threads.



We do not recommend the use of power drill/drivers **for inserting screws,**

as this could damage the unit. Only use hand screwdrivers and Allen keys.

Dispose of all packaging carefully and responsibly.

Care and maintenance









Only clean using a damp cloth and mild detergent, do not use bleach or abrasive cleaners.

From time to time check that there are no loose screws on this unit.


This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.

 M8x20mm Allen Screw X3	 M8x22mm Metal Washer X3	 M6x18mm Allen Screw X4	 M6x16mm Metal Washer X4
 M6 mm Allen Key X1	 M4 mm Allen Key X1	 M8x12mm Spring Washer X3	 M6x10mm Spring Washer X4


Ruler - Use this ruler to help correctly identify the screws



Assembly Instructions


Step 1

Place the leg frame **2** seat face down on a flat raised surface . Using fixings **A**, **B** & **G** tighten the foot **3** onto the leg frame **2**.



Step 2

Insert the back rest **1** into the seat pad.
Using fixings **C** & **D** & **H** tighten onto the seat.



Step 3

Assembly completion

Sit on the chair and fully tighten all bolts.

