


ASSEMBLY INSTRUCTION

RUSSELL CHAIR



N769P334783A


1. 50% Tighten before fixing all screws, Allen wrench is recommended instead of an electric drill.
2. Place the item on a flat ground to adjust and make sure it remains stable.
3. Tighten up all screws with tools gradually.
4. If the screws are not aligned with holes during assembly, please loosen all the other screws to 50% and continue the assembly process.
5. If the item is not stable, please loosen all the screws, adjust it on a flat ground and tighten up all screws again.
6. Note : If one or some screws are fully tightened during assembly, chances are the others will not be aligned with holes. In addition, all the holes are designed to be relatively larger to provide more space for the adjustment of the screws.

Assembly Instructions


Caution : You must read this before you proceed

Sets often ship in multiple boxes and may arrive a day or two apart.

Chair





Part List

Label	Picture	Description	QTY
A		Seat	1
B		Seat Base	1
C		Seat Cushion	1

Hardware


Label	Picture	Description	QTY
①		Bolt (M6*40mm)	4
②		Washer (6.5/20x2mm)	4
③		Allen Wrench (M6)	1

Assembly Preparation

Before Beginning Assembly:	     
 • Read instructions, cover to cover-  • Have 2 adults on hand for assembly-  • Do not assemble on flooring or carpet-  • Assemble on a clean non-marring surface (packing foam)-  • Save all packaging until finished-	

Assembly Steps


Overview



This Chair has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Chair parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.

Assembly Steps

Step 1



Open the carton and place all the parts onto a clean, non-marring surface.

Align the Seat Base (B) with the Seat (A),

Attach the Seat Base (B) to the Seat (A) using Bolts(①) and Washers(②), with the Allen Wrench(③).

Tighten all the Bolts.

Note: Occasionally some of the PE wicker will cover the Bolt points, preventing easy assembly, the PE wicker should not be cut but moved away from the mounting positions.

Step 2



Place the Seat Cushion(C) on Chair.

Your Chair is ready for use.

This Chair can only be used on a flat, level surface.

Care & Maintenance

- ⊘  • Prolonged exposure to rain may cause rusting which can stain floors.
- ⊘  • Do not put hot items directly on furniture surface.
- ⊘  • Do not clean furniture with harsh cleansers or polish.
- ✓  • To obtain the longest lifespan of your outdoor products, minimizing exposure to direct sunlight is recommended.
- ⊘  • Children should not climb or jump on the furniture.
- ⊘  • Do not write on furniture without a padded barrier to protect the surface.
- ✓  • To obtain the longest lifespan of your outdoor products, avoid extended and lengthy exposure to rain, snow, and direct sunshine. Whenever possible cover the product and /or place under patio or awnings.
- ⊘  • Not for commercial use. For residential use only.
- ⊘  • Stains may be removed with mild soap solution and damp cloth.
- ✓  • Keep away from sources of ignition.
- ✓  • Dust and pick-up spills using a clean, non-colored, lint-free cloth.