



# ABS Mobile Cart

## User Manual

Model: YR-220



# Introduction

## Congratulations on your purchase of the mobile cart by Domccy

The mobile cart made of high-quality ABS plastic has the advantages of strong toughness, durability, strong bearing capacity and not easy to deform.

Compared with common carts, our products have thicker and taller guardrails, which can prevent items from slipping and reduce unnecessary trouble.

The design of the mobile cart absorbs the advantages of similar products. In addition, the armrests are increased, and the armrest angle conforms to the ergonomic test. It is more comfortable without bending over when pushing.

Use the universal mute wheel, the sound is very small, you can brake at any time, movement freely, and slip resistant, increased service life.

Domccy hopes you will like this product. We are proud to provide you with the best quality products and excellent service and support.

### Basic parameters:

Model	Machine's Size	Color	Product style	Material	Scope of application
YR-220	17"*25"*33"	Gray	Medium size, two drawers, two layers	ABS plastic	Beauty salons, Clinics, Hospitals, etc

# Important Tips

Please read and understand the following important tips prior to using your product

- ABS plastic is soluble in ketones, aldehydes and chlorinated hydrocarbons. It will cause stress cracking when corroded by glacial acetic acid and vegetable oil. Please be careful not to spill iodophors on the product.
- ABS plastic has poor weather resistance and is prone to degradation under the action of ultraviolet light. Please be careful not to expose the product to the sun for a long time.

# Assembly Diagram

Follow 14 steps to install the mobile cart:



Step1: Parts list



Step 2: Install the fence



Step 3: Complete the installation of the fence



Step 4: Install the armrest



Step 5: Insert the armrest



Step 6: Flip the reverse side



Step 7: Install the guide post



Step 8: Install the fence again



**Step 9: Align the holes and insert the fence**



**Step 10: Install the bottom plate, align the bevel edge to the end without fence**



**Step 11: Install the pulley, the wheel with brake must be installed diagonally**



**Step 12: Install the frame of the dirt bucket**



**Step 13: Place the dirt bucket**



**Step 14: Complete**

### **Demand of install**

- ABS plastic has poor weather resistance and is prone to degradation under the action of ultraviolet light. Please be careful not to expose the product to the sun for a long time.
- When installing the bottom plate, the inclined side of the bottom plate should be aligned with the side without fence.
- When installing wheels, please install wheels with brakes diagonally.