



# Ceiling Fan with Light Specification Sheet




**DOE**


# Included Components




①




②




③




④




⑤




⑦



⑧



⑨



⑩

# Electrical, Light & Motor Specs

---

No.	Name	Qty.
①	Motor Assembly	1
②	Blades	5
③	Downrod (5 inches and 10 inches, 5 inches one with hanger ball)	1 Set
④	Mounting Bracket	1
⑤	Canopy	1
⑥	Light Shade	1
⑦	LED Light Kit	1
⑧	Upper Cover	1
⑨	Remote Set	1
⑩	Screws and Washers Package	1

---

# Dimensions & Materials

---

Dimension/ Material	Specification
Product Width	48 in.
Downrod Size(s)	5 in., 10 in.
Number of Blades Accommodated	5
Blade Length - End to End	21.1 in.
Blade Width - At the Widest Point	5.7 in.
Package Length	22.8 in
Package Width	11.6 in
Package Height	11.4 in
Product Weight	12.6 lb.
Package Weight	16.8 lb.
Distance From Ceiling To Bottom Of Fan	5 in. Downrod: 13.78 in. 10 in. Downrod: 18.70 in.
Body Material	Metal
Blade Material	Plywood
Shade Material	PMMA
Shade Color	Milky White

# Electrical, Light & Motor Specs

---

Category	Technical Details
Input Voltage	120V
Motor Type	DC Motor (Energy Efficient)
Motor Power	22 Watts
Motor Speed	6 Speeds / Max 200 RPM
Operation Mode	Reversible (Summer/Winter Mode)
Light Source	Integrated LED Module
Light Wattage	20 Watts
Luminous Flux	2000 Lumens
Color Temp (CCT)	3-Color Selectable (2700K / 4000K / 6500K)
Color Rendering (CRI)	≥ 80 Ra
Dimmable	Yes (Remote+Mobile App)
LED Lifespan	25,000 Hours

# Replacement Accessories & After-Sales Support

---

No.	Accessories
1	Remote
2	Remote Receiver
3	12 in. Downrod (Black, White, Gold, Brushed Nickel)
4	24 in. Downrod (Black, White, Gold, Brushed Nickel)
5	Extension Cord (with Light)
6	Extension Cord (without Light)
7	Light Plate

**Note:** The above-listed accessories are not included in the package as standard. They are intended solely for the replacement of lost or damaged parts of your ceiling fan with light in the future.