


# \*\*\*NOTICE BEFORE ASSEMBLY\*\*\*

Please choose the **CHAISE** will be on the **LEFT** or **RIGHT** hand side


ASSEMBLY INSTRUCTION

## CHAISE ON THE LEFT




### PARTS LIST

BOX-1



\*Cushions, pillow and legs included

BOX-2




\*Cushions, pillow and legs included

1.  x12

2.  x12


3.  x12

4.  x12

5.  x1

6.  x8


### BEFORE ASSEMBLY




Open up the Velcro of Non-Woven Fabric cover on the bottom of the seat frame to remove seat cushions, back cushions and pillow

\*\*\*PLEASE REMOVE ALL PARTS FROM SEAT FRAMES AND SEAT BACKS BEFORE ASSEMBLY\*\*\*



### CHAISE ON THE LEFT



### CHAISE - BOX 1





### SOFA - BOX 2





## CHAISE ASSEMBLY INSTRUCTION-BOX 1

### STEP 1- INSERT THREADED RODS INTO SEAT BACKS & ARM


\* Shorter end of the threaded screw going into the back panel.\*



### STEP 2- MOUNT SEAT BACKS & ARM INTO THE SEAT FRAME





### STEP 3- PUT BACK THE FABRIC COVER AND INSERT LEGS



## SOFA ASSEMBLY INSTRUCTION-BOX 2



### STEP 1- INSERT THREADED RODS INTO SEAT BACKS & ARM

& ARM




\* Shorter end of the threaded screw going into the back panel.\*

### STEP 2- MOUNT SEAT BACKS & ARMS INTO THE SEAT FRAME



### STEP 3- PUT BACK THE FABRIC COVER AND INSERT LEGS




# \*\*\*NOTICE BEFORE ASSEMBLY\*\*\*

Please choose the **CHAISE** will be on the **LEFT** or **RIGHT** hand side


## ASSEMBLY INSTRUCTION

**CHAISE ON THE RIGHT**




### PARTS LIST

BOX-1



\*Cushions, pillow and legs included

BOX-2



\*Cushions, pillow and legs included

1.  x12

2.  x12


3.  x12

4.  x12

5.  x1

6.  x8


### BEFORE ASSEMBLY




Open up the Velcro of Non-Woven Fabric cover on the bottom of the seat frame to remove seat cushions, back cushions and pillow

\*\*\*PLEASE REMOVE ALL PARTS FROM SEAT FRAMES AND SEAT BACKS BEFORE ASSEMBLY\*\*\*



**CHAISE ON THE RIGHT**



**CHAISE - BOX 1**





**SOFA - BOX 2**




**CHAISE ASSEMBLY INSTRUCTION-BOX 1**

**STEP 1- INSERT THREADED RODS INTO SEAT BACKS & ARM**


\* Shorter end of the threaded screw going into the back panel.\*



**STEP 2- MOUNT SEAT BACKS AND ARM INTO THE SEAT FRAME**





**STEP 3- PUT BACK THE FABRIC COVER AND INSERT LEGS**




**SOFA ASSEMBLY INSTRUCTION-BOX 2**

**STEP 1- INSERT THREADED RODS INTO SEAT BACKS & ARM**


\* Shorter end of the threaded screw going into the back panel.\*



**STEP 2- MOUNT SEAT BACKS AND ARM INTO THE SEAT FRAME**



**STEP 3- PUT BACK THE FABRIC COVER AND INSERT LEGS**



\* Shorter end of the threaded screw going into the back panel.\*