


TURNER BIANCA	Brands	Pre-Production Review			
Brand:	CATHERINE LANSFIELD				
Design Name:	SEERSUCKER FRILL STRIPE				
BDS:	61202				
Season:	SS26				
Category:	ADULT BEDDING				
Factory:	MOUNT FUJI				
Products:	BEDDING				
Country of Origin	PAKISTAN				
Agreed Pack Fold Image					
Packaging Type Required	CL LOFT				
Colour	BLUE				
Colour Standard agreed - CAD, lab dip, swatch, etc.					
FACTORY DESIGN QUALITY FRONT	55% COTTON 45% POLYESTER				
FACTORY DESIGN QUALITY REVERSE	55% COTTON 45% POLYESTER				
FACTORY DESIGN QUALITY TRIMS	SEERSUCKER WITH FRILL				
TC OR WEIGHT	75x30/114x62				
PRINT TECHNIQUE	STANDARD				
FACE PRINT TYPE	ROTARY				
REVERSE	ROTARY				
PILLOWCASE	ROTARY				
Fill Composition					
Fill Weight					
Sizes Selected	S D K SK				
Finishes Face					
Finishes Reverse / Lining					
Technique					
Print Technique Face					
Print Technique Reverse / Lining					
Print Technique Pillowcase Front					
Print Technique Pillowcase Reverse					
Dye Class Face					
Dye Class Reverse / Lining					
Printed on optic?					
Any concerns re. differential shrinkage?					
Any concerns re. cross staining?					
Any compromise on physical performance?					
Is the fabric directional?					
Any batch consistency challenges?					
Any speciality - glitter, pearl, foil?					
Does the speciality print perform to 25 washes?					
Proposed: Care Symbols Wash Instructions Logo's Proposed	SYMBOLS:40 DEGREE,DO NOT BLEACH,1 DOT TUMBLE DRY,2 DOT IRON,DO NOT DRY CLEAN,ADDITIONAL COMMENTS:WASH BEFORE USE,WASH DEEP COLOURS SEPARATELY,DO NOT BLEACH OR DRY CLEAN,TUMBLE DRY ON A LOW HEAT,SETTING,IRON ON REVERSE ONLY,KEEP AWAY FROM FIRE				
Any additional disclaimers required?					
Red Seals required?					
User Trials required?					
Styling Details					
Additional Styling Details (e.g. width / colour / etc.)					
Cutting (Random / Precision etc)					
Trims Embellishment					
Opening / Fastening					
Fastening Colour - dyed to match?					
Amendments Requested					
Any other comments from the factory					
Any other comments					
Approved Buying Sample Image or CAD layout					

FABRIC SPECIFICATIONS TO BE COMPLETED

**TURNER
BIANCA**

PLEASE COMPLETE THIS DOCUMENT FOR WOVEN, KNITTED & TERRY CONSTRUCTIONS:

TURNER BIANCA FABRIC SPECIFICATION

PRODUCT DETAILS					
DATE	05/09/2018				
BDS NUMBER	37660,47168,53699 and 42451		FIBRE COMPOSITION - GRIEGE	55% C- 45% P	
PRODUCT SUPPLIER			FIBRE COMPOSITION - FINISHED	55% C- 45% P	
FABRIC SUPPLIER	Mount Fuji Textiles Ltd		FABRIC DESCRIPTION	CVC 114x62	
FABRIC COUNTRY OF ORIGIN	Pakistan		FABRIC QUALITY	CVC 114x62	
FIBER COUNTRY OF ORIGIN	Pakistan				
FABRIC CONSTRUCTION DETAILS					
GREIGE SOURCE				DYER/FINISHER	
FINISHING ROUTE					
DYE CLASS	ANY PROMOTIONAL CLAIM				
FOR KNITTED FABRICS					
GAUGE	YARN COUNT		TYPE OF SPINNING (OE/Ring, Carded/Combed/Compact...)		
WIDTH (cm)	WEIGHT (gsm)		COURSES	WALES	
FOR WOVEN FABRICS					
WIDTH (cm)	280	WEIGHT (gsm)	85-90	WEFT-YARN COUNT	50 C
ENDS - GRIEGE	114	PICKS - GRIEGE	114	Twist of WEFT	Twist of WARP
ENDS - FINISHED	62	PICKS - FINISHED	62	TYPE OF SPINNING (OE/Ring, Carded/Combed/Compact...)	WARP-YARN COUNT 75 D
FOR TOWELLING					
WIDTH (cm)	WEFT YARN COUNT		WARP YARN COUNT		PILE YARN COUNT
WEIGHT (gsm)	Twist of WEFT		Twist of WARP		Twist of PILE
ENDS	PICKS		TERRY RATIO		LOOP LENGTH (mm)
TYPE OF SPINNING (OE/Ring, Carded/Combed/Compact...)					

PLEASE REQUEST COMPLETION OF THIS DOCUMENT FOR BATH MATS & RUGS:

	SPECIFICATION
PILE	
BASE	
COTTON DYES	
POLYESTER THREAD	
PIPING	
YARN TWIST	
FABRIC WEIGHT	
FABRIC STRUCTURE	
STAPLE LENGTH mm	
DYE CLASS USED	
FINISH USED	
PIECE WEIGHT	
PILE YARN COUNT	
PICKS (SPI)	
GAUGE (REED)	
PILE HEIGHT	
QUALITY OF YARN IN PILE	
QUALITY OF YARN IN CANVAS	

**TURNER
BIANCA**

Brands

Brand	CATHERINE LANSFIELD	Technologist	ALEX ARMSTRONG
Design Name	SEERSUCKER FRILL STRIPE	Product Exec	SALLY ROBERTS
BDS	61202	Designer	KATE ANDERSON
Factory	MOUNT FUJI	Date	

GENERAL COMMENTS/ OBSERVATIONS/ APPROVALS

02.07.25
natural - approved



TB TECHNICAL / COMMERCIAL / DESIGN COMMENTS

APPROVED **REJECTED**

Severity / Probability	Slight Harm 1	Harm 2	Serious Harm 3
Highly Unlikely 1	1	2	3
Unlikely 2	2	4	6
Likely 3	3	6	9
Highly Likely 4	4	8	12

Injury Scenarios	Probability	Severity	Comments

Buying Sample Log

BUYING SAMPLE - Images / Observations/ Comments/ Actions

18/02/2025

The natural version this design is approved. Please ensure that the fringe runs straight and does not slope so that its runs straight with the seamstress design.

6120-81202 Seersucker frill stripe prod/peeps/natural

Natural - approved

Pink and green color cards will be created asap.

Placeholder are a panel in this design, they have been uploaded to the fig site.

Any questions please let me know.

Thanks



Brands		Approved Packaging Soft Copy	
Brand	CATHERINE LANSFIELD	Technologist	ALEX ARMSTRONG
Design Name	SEERSUCKER FRILL STRIPE	Product Desc	SALLY ROBERTS
BDS	61202	Marketing & Graphics	KATE ANDERSON
Factory	MOUNT FUJI	Date	

APPROVED SOFT COPY IMAGES/ SCREEN SHOTS



STYLE CODE	OPTION	BARCODE
BD/61202/W/SQS/PK	SINGLE DUVET SET	5056841309777
BD/61202/W/DQS/PK	DOUBLE DUVET SET	5056841309685
BD/61202/W/KQS/PK	KING DUVET SET	5056841309715
BD/61202/W/SKS/PK	SUPER KING DUVET SET	5056841309746
BD/61202/W/SQS/GR	SINGLE DUVET SET	5056841309753
BD/61202/W/DQS/GR	DOUBLE DUVET SET	5056841309661
BD/61202/W/KQS/GR	KING DUVET SET	5056841309692
BD/61202/W/SKS/GR	SUPER KING DUVET SET	5056841309722
BD/61202/W/SQS/NT	SINGLE DUVET SET	5056841309760
BD/61202/W/DQS/NT	DOUBLE DUVET SET	5056841309678
BD/61202/W/KQS/NT	KING DUVET SET	5056841309708
BD/61202/W/SKS/NT	SUPER KING DUVET SET	5056841309739



SEERSUCKER FRILL STRIPE NATURAL



	Client Approval	Date : 31-03-2022
	Party Name : Mountfuji Textile PO # New Safety warning sticker	Version 1 Hamza Irfan
<small>Please Check this approval for correctness upon approval to ensure an accurate reproduction. Unauthorised changes/alterations will not be responsible for document errors/overheads after signed approval. Any Parties cannot reference any for installation purposes only. To use actual colours, please consult the appropriate Pantone Matching System color guide. Please do not make changes to any graphics by using soft filters or as we may make changes if the colour you desire changes. These notices are mandatory to use these notices to follow and guidelines.</small>		
Note: This area is not a part of printing process it is just for the reference of MR SERVICES, please do not delete it from the soft layouts.		

165 mm

CREATED WITH SUSTAINABILITY IN MIND - RECYCLE THIS TRANSIT BAG

<p style="margin: 0;">SAFETY WARNING</p> <p style="margin: 0; font-size: 8px;">TO AVOID DANGER OF SUFFOCATION KEEP THIS BAG AWAY FROM BABES AND CHILDREN</p>	<p style="margin: 0;">DISPLAY</p> <p style="margin: 0; font-size: 8px;">REMOVE THIS BAG FOR DISPLAY</p>	<p style="margin: 0;">RECYCLING THIS BAG</p> <p style="margin: 0; font-size: 8px;">CHECK LOCAL RECYCLING OR RECYCLE WITH BAGS AT LARGER STORES</p>
---	--	---

100% RECYCLED PAPER WITH SUSTAINABLE SOURCE PAPER

30 mm

TURNER BIANCA		Brands		Test Report Results				
Testing Required	Requirements	Reference	Accredited Testing House	Colour / Item Tested	Test Report Number	Date of report	*Results / Grade	Comments
BS EN ISO 105 E01	Colourfastness to water - Requirement: Change 4 staining 4		INTERTEK	NAT,PINK, GREEN	PAKT00060640; PAKT00060641; PAKT00060642	25-Sep-2025;	PASS	
BS EN ISO 105 X12	Colourfastness to Rubbing (Wet & Dry) - Requirement: Dry 4, Wet 4		INTERTEK	NAT,PINK, GREEN	PAKT00060640; PAKT00060641; PAKT00060642	25-Sep-2025;	PASS	
BS EN ISO 105 B02	Colourfastness to Light - Requirement: Standard 4		INTERTEK	NAT,PINK, GREEN	PAKT00060640; PAKT00060641; PAKT00060642	25-Sep-2025;	PASS	
BS EN ISO 105 C06	Colourfastness to washing - Requirement change 4 staining 4		INTERTEK	NAT,PINK, GREEN	PAKT00060640; PAKT00060641; PAKT00060642	25-Sep-2025;	PASS	
1007/2011/EU	Fibre composition							
EN ISO 6330:2012	Dimensional Stability to Washing- Requirement +/- 3% for synthetic blends & +/-5% for cotton		INTERTEK	NAT,PINK, GREEN	PAKT00060640; PAKT00060641; PAKT00060642	25-Sep-2025;	PASS	
EN ISO 6330:2012	Appearance after Machine Washing (1 wash as per care label) - Requirement +/-3% and general appearance graded as satisfactory.		INTERTEK	NAT,PINK, GREEN	PAKT00060640; PAKT00060641; PAKT00060642	25-Sep-2025;	PASS	
PRINT DURABILITY	GRADE 4		INTERTEK	NAT,PINK, GREEN	PAKT00060640; PAKT00060641; PAKT00060642	25-Sep-2025;	PASS	
EN ISO 13934-2	Tensile Strength - Requirement 25KG							
EN ISO 13937-1	Tear Strength - Requirement 1000cN							
EN ISO 13935-2	Seam strength - Requirement: >120N							
EN ISO 13936-1	Seam Slippage - Requirement: 6mm Seam opening 12KG Load							
EN ISO 12945-2	Pilling Resistance - Requirement 2,000 revs, Grade 4							

