


Assembly Instruction

—— CBN257A ——



General Guidelines

- Please read the following instructions carefully and use the product accordingly.
- Please keep this manual and hand it over when you transfer the product.
- This summary may not include every detail of all variations and considered steps. Please contact us if further information or assistance is needed.


Notes

- The product is intended for indoor use only. It must be assembled and used in accordance with the provisions of the manual. Personal injury and/or damage to the product may occur if the product is used outside of its intended purpose and/or if it has been changed/modified from its original design. The seller does not assume any responsibility or liability for injury or damage caused by incorrect assembly or improper use.
- Avoid long-term exposure to humid environments to prevent mildew.
- Keep the product away from fire sources and high temperatures. Do not expose the product to direct sunlight.
- Do not place any hot objects on the surface of the product.
- If there are any defective or missing parts after unpacking, please cease assembly immediately and contact us.
- Assemble the item on a spacious surface and avoid placing the unwrapped product directly on the ground to prevent damage.
- Do not stand or sit on the wooden boards.
- Wear gloves during the assembly and/or disassembly process to avoid scratches from any sharp edges.
- Match each part and fitting based on the part number in the manual.
- If a part does not match the fitting, please check the manual for clarification.
- During assembly, first loosely align all screws with the corresponding pre-drilled holes, then tighten them one by one.
- Periodically inspect the screw tightness while the product is in use. Retighten if necessary to ensure structural integrity.
- If you accidentally spill water or any other liquid on the surface, immediately wipe it clean with a dry towel.
- Keep the product away from sharp, pointed objects and corrosive substances to prevent damage.
- Place the item on level, solid ground during use.





Warnings

- During assembly, keep all small parts out of the reach of children, as they may be fatal if swallowed or inhaled.
- Children should not climb or play on the product to avoid tipping over and causing serious injury.
- To avoid the potential danger of suffocation, keep all packaging materials (film, plastic bags, foam, etc.) away from babies and children.

Exploded(EN)







Parts List(EN)




1 x1	2 x1	3 x1	4 x1
5 x1	6 x1	7 x1	8 x4
9 x2	10 x1	11 x1	12 x1
13 x1	14 x1	15 x1	16 x1
17 x1	18 x1	19 x2	20 x2

Parts List(EN)




21




x2

22




x2

23




x2

24




x1

25




x1

26






x1















27



x4

Hardware List(EN)



A  6*40mm 39+2PCS	B  15*9.5mm 39+2PCS	C  6*30mm 22+2PCS	D  8*20mm 8+1PC
E  M3.5*12mm 46+3PCS	F  M3.5*25mm 24+2PCS	G  4PCS	H  18+1PC
I  5*15mm 4+1PC	J  2PCS	K  1PC	L  39+2PCS
M  1PC	CL  300mm 3PCS	CR  300mm 3PCS	DL  300mm 3PCS
DR  300mm 3PCS			

Instructions For Fastening CAM-BOLT and CAM-LOCK




CAM-BOLT




CAM-LOCK


Tools Required




INSERTING AND TIGHTENING CAM-BOLT



Place Cam-bolt on pre-drilled hole and screw in vertically




Shoulder is flushed (on the same level) with the panel



Shoulder is above the panel

Place Cam-bolt on the designated pre-drilled holes on the panel. Use a Phillips Screwdriver to screw-in Cam-bolt vertically until shoulder is flushed (on the same level) with panel.

INSERTING CAM-LOCK




Insert Cam-lock with arrow align to Cam-bolt head

CORRECT

WRONG

TIGHTENING CAM-LOCK




Align the arrow on the Cam-lock to the Cam-bolt head and insert the Cam-lock. Ensure Cam-lock is fully inserted.


Use a Flat-head Screwdriver to turn Camlock clockwise so it locks onto the head of the Cam-bolt. Turn until it is snug (about 3/4ths of a turn) -- over-tightening could damage Cam-lock or/and Cam-bolt.

Assembly Steps(EN)

STEP 1





STEP 2




Assembly Steps(EN)

STEP 3



B		x3
M		x1



STEP 4




F		x2
D		x2
M		x1

Assembly Steps(EN)


STEP 5





E		x2
CL		x1
M		x1

⚠ Pay attention to the position of the screws.


STEP 6




A		x4
M		x1


Assembly Steps(EN)



STEP 7



B		x3
M		x1




STEP 8




F		x6
D		x6
M		x1

Assembly Steps(EN)




STEP 9




⚠ Pay attention to the position of the screws.

E		x6
CR		x3
M		x1

STEP 10




⚠ Pay attention to the position of the screws.


E		x4
CL		x2
M		x1

Assembly Steps(EN)

STEP 11








STEP 12






Assembly Steps(EN)


STEP 13



B		x2
C		x2
M		x1



STEP 14



A		x2
M		x1



Assembly Steps(EN)

STEP 15




B		x2
C		x2
M		x1

STEP 16




Assembly Steps(EN)

STEP 17




STEP 18




Assembly Steps(EN)

STEP 19




STEP 20




Assembly Steps(EN)

STEP 21






STEP 22





Assembly Steps(EN)

STEP 23



F		x4
M		x1



STEP 24




H			x18
M			x1




Assembly Steps(EN)


STEP 25



E		x2
K		x1
M		x1


STEP 26




A		x4
M		x1

Assembly Steps(EN)

STEP 27




STEP 28




Assembly Steps(EN)

STEP 29




STEP 30




Assembly Steps(EN)

STEP 31





E		x2
G		x1
M		x1

STEP 32




x2


A		x8
M		x1

Assembly Steps(EN)

STEP 33







STEP 34






Assembly Steps(EN)

STEP 35




F		x8
M		x1

STEP 36




! Pay attention to the position of the screws.

E		x8
DL		x2
DR		x2
M		x1

Assembly Steps(EN)



STEP 37



x2




E		x4
G		x2
M		x1

STEP 38



Assembly Steps(EN)

STEP 39



I




x4





If you encounter the following situation, please follow the steps to correct it.

- 1.The function of the front screw is to adjust the size of the gap between the door and the side panel.
- 2.The function of the rear screw is to adjust the distance between the front and rear of the door.





Scan the QR code to get the hinge video installation method

A. When the door panel is higher than the side panel.





If the gap is too big between side panel and door or the door is over the edge of side panel, loose the back screw as shown, then move in the door with hinge and tighten the back screw as shown when the gap is just well.

B. When the door panel is lower than the side panel, an indentation occurs.





If the gap is too small between side panel and door or the door sank in side panel, loose the back screw as shown, then move out the door with hinge and tighten the back screw as shown when the gap is just well.

C





If the gap between the two doors is too small, follow the diagram.

D





If the gap between the two doors is too large, follow the diagram.

E





If the gap between the door and the side panel is too small, loose the front screw as shown.

F





If the gap between the door and the side panel is too large, tighten the front screw as shown.



G. When door is leaning



H. When door is leaning




I. When the door is higher on top





If the doors are not in same level, losse the back screws on wing, then adjust the door up and down, tighten the screws when both doors are in same level.
Screw front two screws on wing when all are in place.



Assembly Steps(EN)

STEP 40



Before installing the door panels, please study and read the following steps. For possible problems, we have given some suggestions to solve the problems you encounter.





E		x8
J		x2
M		x1

Assembly Steps(EN)

STEP 41






When the top and bottom gaps of the door are adjusted to be equal, lock the two front screws.



NOTE:



If there is a large gap in the installation of the door, you can return to page 27 or page 28 to view the installation video and installation tutorial.




E		x6
G		x1
M		x1

Assembly Steps(EN)

STEP 42



Apply screw stickers over exposed screw holes for aesthetics.



Finish!