


INSTRUCTION MANUAL



13FT x 15FT Wood Gazebo Series A04

**IF YOU PURCHASED THE GAZEBO ONLINE AND HAVE ANY
QUESTIONS OR CONCERNS
PLEASE CONTACT US VIA EMAIL,TEXT,OR PHONE**

EMAIL:service2outdoor@gmail.com
TEXT(SMS ONLY): +1 628-263-4608
PHONE:+1 877-561-6450

Date of Manufacture : 26W16

Warnings and Cautions

Thank you for choosing our gazebo. Please read and understand this entire manual before attempting to assemble or install the product.

GENERAL BEST PRACTICES FOR ASSEMBLY

1. Please check with your local governing authority/local municipal codes regarding installation and permitting of such structures before assembly.
2. The assembled gazebo should be located at least 6 feet from any obstruction such as fence, garage, house, overhanging branches, laundry lines or electrical wires.
3. Familiarize yourself with the product and check all parts against the packing list. If any parts are missing or damaged, do not install. Contact us immediately.
4. Some parts may contain sharp edges. Wear protective gloves if necessary, during assembly.
5. Assembly process pay attention to the parts orientation.
6. Save all packing materials until assembly is complete to avoid accidentally discarding smaller parts or hardware.

WARNINGS



To reduce the risk of serious injury, read the following safety instructions thoroughly before assembling and using the gazebo.

1. The product is required to be installed on level solid surface and is not intended for unsecured use. The gazebo is to be anchored to the surface with appropriate bolts or anchors. These anchors need to be purchased separately for the specific installation surface. Do not assemble the gazebo on soil, earth, or bare ground.
2. Keep children and pets away from the working area during assembly and adjustments.
3. On snowy days, in order to avoid damage, it is necessary to regularly clear the accumulated snow.

Please do not climb. You can use plastic rakes to remove the excessive snow and ice blocks on the roof. Take corresponding safety precautions to prevent the fallen snow from causing damage.

4. In case of stormy weather, please leave the risky gazebo as they might be damaged by the strong wind.

5. Requires two or more people to assemble and install safely and correctly.

6. Never leave children unsupervised around or under the gazebo.

7. Do not climb onto the gazebo or hanging heavy things on it, The middle hook of the pavilion can bear a load of 50 pounds.

8. If any scratch paint, please touch up to prevent rusting.

9. For outdoor use only. This product has passed the 9-level (54 miles per hour) wind resistance test and the 2100-pound top load-bearing capacity test.

WARRANTY

WHAT IS COVERED?

The limited warranty is extended to the original purchaser and applies to material and manufacturer's defect provided the item is maintained with care and used only for personal residential purposes.

Warranty: 1 Year

Lost Accessories or Parts Policy :

Lost accessories or parts costs will be incurred after 90 days of the date of purchase.

TIP: Our products have been designed for safety and quality. Any modifications made to the original product could damage the structural integrity of the product leading to failure and possible injury. We can not assume any responsibility for modified products. Furthermore, modifications void any and all warranties.

MAINTENANCE

1. Steel components for this gazebo are treated with rust inhibiting paint that protects it from rusting. However, due to the nature of steel, surface oxidation (rusting) will occur if these protective coatings are scratched. This is not a defect and thus not covered by the warranty.
2. To minimize this condition, it is recommended to use care when assembling and handling the product to prevent scratching the paint. Should any scratching or damage occur, it is recommended to cover the scratch immediately with rust inhibiting paint (not included).
3. Surface rust can also be easily removed with a very light application of regular cooking oil or WD-40. If surface oxidation (rusting) occurs and if no measure is taken to prevent this, the oxidation may start dripping onto deck or patio and cause damaging stains, which may be difficult to remove. This can be prevented if the above-mentioned measures are taken to keep the product from oxidizing.
4. Do not use bleach, acid, or other abrasive cleaners on the roof or frame parts.
5. Keep instruction manual for future reference.
6. Periodically check and ensure that all bolts are well-tighten during use.
7. The lumber is Chinese cedar, cedar is the best natural preserved lumber, we have done coating treated to prevent fiber decay and anti-UV. You may redo the coating treated every 1 year on the lumber surface. You could buy the painting in Home depot or Lowe's. Hope this helps.

Tools Needed (Not Included)



Pistol Drill



Tape Measure




Hammer



Screwdriver




Ladder




5 people


















Parts List (Box A)










Parts List (Box B)









Parts List (Box C)

 02 2x	 03 2x		
 04 2x	 05 2x		
 D1 1x	 R1 1x		
 K21 2x	 K22 2x	 F5 4x	
 F6 2x	 06 4x	 07 4x	
 C 4x	 B 4x	 W1 8x	 W2 18x
 W3 12x	 W4 10x	 W5 8x	 W6 2x

 (E5) 4x	 (T) 104x	 (U5) 1x	 (U6) 1x
 (08) 8x	 (U7) 1x	 M6x15 (GG) 504x	 M6x40 (QQ) 16x
 M6x60 (SS) 2x	 Rubber Gasket (V) 18x	 (P) 1x	 (PP) 8x
 Wrench M6 (Z1) 2x	 (Z5) 1x		

Parts List (Box D)

 (01) 2x	 (E11) 2x	
 (K16) 4x	 (K17) 4x	 (K20) 2x
 (M7) 4x	 (M8) 4x	




(R3) 4x




(R4) 4x


Parts List (Box E)




(01) 2x




(G1) 4x




(L7) 4x



(L11) 8x




(K18) 2x




(I1) 4x



(S1) 4x



(S2) 16x



(E3) 2x




(N3) 2x

<1>


01 4x




C 4x



B 4x





II 4x





M6x15

GG 32x



01



<2>

02 2x

03 2x

04 2x


05 2x


08 8x




M6x15

GG 24x





06 2x






07 2x





M6x15

GG 32x

<3>




<4>



M6x15

GG 32x



<5>

G1 4x


W3 8x

W1 4x

M6x15

GG 24x

13






M6x15

GG 16x



<6>

Please measure to make sure the length of d1 is equal to d2 before moving to next step to ensure a square frame and best results. Keep the beam at right angles to the post, the post at right angles to the ground, and keep the beam horizontal.


i d1=d2




Rt=90




<7>



(E3) 2x



(E11) 2x






(E5) 4x



M6x15

(GG) 16x







<8>




M6x15


GG 8x




<9>




H3 8x



W4 8x



W5 8x




W2 16x



M6x15

GG 40x








M6x15

GG 24x


<10>







M6x15

GG 4x




N3 2x


<11>




<12>



F5 4x



W3 4x




W1 4x







M6x15

GG 16x





<13>



M6x15

GG 6x





D1 1x




M6x15

GG 14x











P 1x





<14>




<15>




23



<16>



Install L12 and L13 with
velcro facing down



(L7) 2x

(L11) 8x

(L12) 2x

(L13) 4x

(L14) 2x





M6x15

(GG) 36x




<17>

U7 1x




Tip: The small top frame and U7 mesh netting are equipped with hook-and-loop fasteners. Simply align them properly and then adhere them together.


<18>




(P1) 4x




(P2) 4x



(Q3) 2x



(Q4) 2x



(Q5) 2x



(S1) 2x






(S2) 4x



M6x15

(GG) 20x




26



<19>


(R1) 1x

(R4) 4x




27

(QQ) 8x



M6x40

(SS) 2x




M6x60


(V) 10x




<20>




(M7) 4x




(M8) 4x



(L7) 2x



(L20) 8x





(L14) 2x

28




M6x15

(GG) 40x




Tip: #M7/#M8 sunshade rod, pay attention to the assembly direction.


<21>




(P1) 4x




(P2) 4x




(P3) 4x




(P4) 4x



(P5) 4x



(P6) 4x




(Q2) 6x



M6x15

(GG) 36x

29



<22>



(S1) 2x



(S2) 12x




(R3) 4x



M6x15

(GG) 52x







M6x40


(QQ) 8x

30

(V) 8x



<23>





<24>

U5 1x



U6 1x

0

T 104x

