










# Assembly Instructions

Thank you for purchasing this quality product. Be sure to check all packaging material carefully for small parts that may have come loose inside the carton during shipment.





## COMPONENT LIST:

FIGURE	DESCRIPTION	QTY
	Hardware Bag	1 pce
	Table Top	1 pce
	Apron Hinge	4 pcs
	Leaf Hinge	3 pcs
	Clamp Lock	4 pcs
	Trestle Bar	1 pce
	Mounting Plate	2 pcs


## COMPONENT LIST:

FIGURE	DESCRIPTION	QTY
	Trestle Base	2 pcs
	Adjustable Leveler	4 pcs

## HARDWARE LIST1#:

PART NO	FIGURE	DESCRIPTION	QTY
1		Hex Nut	8pcs
2		Lock Washer	20pcs
3		Flat Washer	20pcs
4		Wrench	1 pc
5		JCBB Bolt	12pcs
6		Allen Key	1 pc

## HARDWARE LIST2#:

PART NO	FIGURE	DESCRIPTION	QTY
1		Wood Plug	4pcs


This product will take 15-20 minutes to assemble.

### Reminders

1. Use only the hardware supplied.
2. Once the product is assembled, level and tighten all the bolts.
3. Do not over-tighten bolts.
4. This item may require periodic tightening

### NOTE:

1. Two or more people are needed for assembly
2. Please keep all hardware parts out of the reach of children.




# Assembly Instructions

## ASSEMBLY :


### STEP 1

1.1- Step 1.1 Attach the Leg Stretcher to the Trestle Base using the suplie hardware as shown.




### STEP 2

2.1- Attached Mounting Plate to the Base Assembly by using the suply hardware as shown on Fig.2



### STEP 3

3.1- Place the Table Top upside down on a soft Protective surface such as a carpet. Remove cleats as shown on Fig 2 .




# Assembly Instructions

## ASSEMBLY :

### STEP 4

3.1-Turn Table Top upside down on a soft protective surface such as carpet. Attached Base Assembly to the Table Top by using the supply hardware as shown on Fig.3




**Fig.4**

### STEP 5

4.1-Unlock the hook lock from underneath the table top and pull the table from both ends.

4.2-Lift both leaves from the compartment.


4.3-Flip up the aprons and unfold leaf and place the leaf on the Table Top surface carefully.



### STEP 6

5.1-Push Table Top from both ends to close. Lock the hooks underneath the table.

5.2-Cover the holes located in the left and right table assembly with the wood Plugs provided.



**Assembly is now Completed.**

#### CARE INSTRUCTION

~ Be sure to use the same type of polish consistently. Your furniture will appear cloudy or streaky if oil based or wax based polishes are interchanged.  
~ Spray your furniture surface evenly. Wipe in a circular motion with a soft clean cloth.