


Assembly Manual

Sofa

4 Armless Sofas
CS011-B




x4

Please read this manual carefully before any operation and keep it properly for future use.

If any problems on our product, please feel free to contact us at [**ecservice@isunon.com**](mailto:ecservice@isunon.com).

Exploded View




Components List

15 min

Assembly Time




One People




J

Seat frame*4




D

front frame*8




L

Back frame*4




E

foot*8




F

foot*8



N

Back cushion*4



O

Seat cushion*4

Components List







15 min

Assembly Time



One People



Note: The number after "+" sign indicates the extra piece(s).

1			2			3			4		
											
Bolt	M6x45mm	56+2	Washer	M6x14*1.5mm	64+2	Allen wrench	#5	1	Bolt	M6x30mm	16+2
5			6			10			11		
											
Nut	M6	24+2	Allen wrench	10#	1	snap fastener		6	Allen wrench	M4	1

Assembly instruction

STEP 1

Connect the side panel (D) to the back panel (L) using bolts (1), washers (2), nuts (5), and wrenches (3) (6). Do not fully tighten the bolts until all bolts have been installed in the correct holes. This will allow for minor position adjustments during the assembly process.






x4

 D*2	
M6x45  1*4	 L*1
 2*8	 5*4
 3*1	 6*1

STEP 2

Connect the seat board (J) to the side panels (D) and the back panel (L) using bolts (1) (4), washers (2), nuts (5), and wrenches (3) (6). Do not fully tighten the bolts until all bolts have been installed in the correct holes. This will allow for minor position adjustments during the assembly process.




x4

 J*1	
M6x45  1*2	 2*8
M6x30  4*4	 5*2
 3*1	 6*1

Assembly instruction


STEP 3

Use bolts (1) and a wrench (11) to connect the plastic feet (E) (F) to the sofa. Do not fully tighten the bolts until all bolts have been installed in the correct holes. This will allow for minor position adjustments during the assembly process.



STEP 4


Connect the two sofas using the clips (10). Align the two sofas front to back first, then snap them together.



Assembly instruction

STEP 5

Place the seat cushion (O) and back cushion (N) on the assembled product. Insert the end of the seat cushion (O) with the zipper opening toward the back panel (L). Insert the end of the back cushion (N) with the zipper opening toward the seat cushion (O).



x4

