



Attention: Do not tighten the bolts and screws before all the allen bolts are in place

USER'S MANUAL

Stool

20NDVNBS01BR3

DETAIL:




BEFORE YOU GET STARTED, A FEW POINTS

Having a friend to help makes assembly extra-easy

Mind the important safety information

PLEASE MAKE SURE ALL THE PARTS ARE INCLUDED


1



*3

Seat

2



*6

Left legs


3



*6

Right legs


4



*6

Short Rails


5



*6

Long Rails

A



Bolts
1/4"x50mm
(24pcs)

B

Wood Screw
M4x50
(24pcs)

C




Spring Washer
Ø6"*11x1.5mm
(24pcs)

D



Flat Washer
Ø6"*16x1.5mm
(24pcs)

E




Allen Key
M4x60mm
(1pc)

Missing parts? hyltech@outlook.com

ASSEMBLY INSTRUCTIONS - ATTENTION


Step 1:

Please open the fabric layer underneath.



Step 2:


Please only tighten bolts A to 60% in this step.



ASSEMBLY INSTRUCTIONS - ATTENTION

Step 3:


Assembly Short rails (4),
Assembly Long rails (5) to Left legs (2), Right legs (3) by using the Screws (B) and tighten them with the screwdriver.



ASSEMBLY INSTRUCTIONS - ATTENTION


Step 4:

Please completely tighten bolts A.



Step 5:


Please recover the fabric layer underneath.




ASSEMBLY INSTRUCTIONS - ATTENTION

Step 6:

If the chair feet are not flat, you can also adjust the adjustable levelers on the bottom of the chair feet to improve balance.



Completed:



WARNING



Read the instructions carefully.



Please follow the assembly steps

Safety maximum Weight: 250 LBS

To ensure proper assembly, follow all steps and use all parts, do not use power tools. Failure to follow this warning can result in serious injury to yourself or others.

Please inspect all items before assembly, if for any reason you need to return this item, please kindly return in its original packaging.

To avoid misalignments, leave the screws loose and do not tighten them until all are in their respective places.

Do not tighten all bolts and screws completely until the entire unit has been assembled and set up.

Do not over tighten or force the screws as they could break, strip, or damage the threads of the holes.

Using the wrong size of screws on a part could result in damage to the screw or the part.

Lubricate all moving parts and tighten all bolts/screws every 6 month or whenever needed.

Do not use if this product become damaged, and/or components are broken or missing.