Assembly Instructions

Caution: You must read this before you proceed

Care & Maintenance



Not for commercial use. For residential use only.



Prolonged exposure to rain may cause rusting which can stain floors.



Do not put hot items directly on furniture surface.



Do not clean furniture with harsh cleansers or polish.



 To obtain the longest lifespan of your outdoor products, minimizing exposure to direct sunlight is recommended.



• Children should not climb or jump on the furniture.



 Do not write on furniture without a padded barrier to protect the surface.



To obtain the longest lifespan of your outdoor products, avoid extended and lengthy exposure to rain, snow, and direct sunshine. Whenever possible cover the product and /or place under patio or awnings.



 Stains may be removed with mild soap solution and damp cloth.



· Keep away from sources of ignition.



Dust and pick-up spills using a clean, non-colored, lint-free cloth.

Please look in carton flap for hardware packs.

Sets often ship in multiple boxes and may arrive a day or two apart.

Barstool




<u>Parts List</u>				
Label	Picture	Description	QTY	
Α		Backrest	1	
В		Seat Panel	1	
С		Base	1	

<u>Hardware</u>				
Label	Picture	Description	QTY	
1		Allen Wrench	1	
2		Bolt (M6*35MM)	4	
3		Bolt (M6*55MM)	5	
4		Washer	9	
5		Bolt Cap	5	

Assembly Preparation

Before Beginning Assembly:





Read instructions, cover to cover-



Have 2 adults on hand for assembly-



Do not assemble on flooring or carpet-




Assemble on a clean non-marring surface (packing foam)-



Save all packaging until finished-


Assembly Steps



This Barstool has multiple parts and may require up to 30 minutes to assemble.


To give you an overview of the Barstool parts, the above picture is to help you put the various parts into perspective. Please read through the instructions herebelow to familiarise yourself with the parts and steps before assembly.





Open the carton and place all the parts onto a clean, non-marring surface. Place Backrest(A) on the ground, as shown in picture above.






Attach Seat Panel(B) to Backrest(A) using Bolts(②) and Washers(④) with Allen Key(①). **DO NOT FULLY TIGHTEN THE BOLTS.**


ATTENTION: Occasionally some of the PE Wicker shifts and covers the mounting positions preventing easy assembly; The PE Wicker should never be cut, but moved away from the mounting positions.





Attach the Base(C) to Seat Panel(B) using Bolts(3) and Washers(4) with Allen Key(1) and cover the bolts with bolts cap(5).

DO NOT FULLY TIGHTEN THE BOLTS.



Place the barstool on a LEVEL SURFACE to check for wobbles.

If it wobbles lift the barstool to some 30cm to 50cm height from the ground.

Keep your feet and toes well away from the drop zone.

Drop the barstool freely and vertically with the four legs, hitting the ground, all at the same time.

This Drop Test will help to ensure that all the bolts and gaps to all reach full alignment status.

Test again for evenness on a LEVEL SURFACE.

If no wobbles found, slowly and steadily turn the barstool upside down.

Then, proceed to tighten all bolts in a sequential manner.

CAUTION: When tightening these bolts, tighten sequentially.

DO NOT tighten any screw fully and then towards the next one.

This would cause the frame to warp.

If there is still wobbles, loosen the bolts and execute this same drop tests.

WARNING!! IF BARSTOOL IS NOT STABLE, IT COULD LEAD TO DAMAGING THE PRODUCT.





Your Barstool is ready for use.

This Barstool can only be used on a flat, level surface.