

Instruction manual



Ostafersales@outlook.com

If you have any product problems, please contact us immediately, we will reply to you within 24 hours.

version: 2025-1229-PTZ-US

Content

1. Cautions Before Assembly

2. Assembly Guide 01

3. Parts List 02

4. Installation steps

· Install the Left Leg	04
· Install the Right Leg	05
· Install the Bottom Board	06
· Install the Side Board	07
· Install the drawer frame	08
· Install the Connector	10
· Install the Turntable	11
· Install the Angle Adjuster.....	11
· Screws for installing the Desktop and Bracket	12
· Connect the Angle adjuster and Bracket	13
· Install the Drawer	14
· Put the Cover	15
· Adjust the Angle and Lay the Puzzle Table Flat	16

Scan the QR code and watch the video
before assembly.
It will save your time up to 10 minutes.



WARNING

Cautions Before Assembly

- 1.** Before assembling, please check if all panels and parts are complete. If there are any missing parts, please contact our customer service(Ostaftersales@outlook.com) to get the parts.
- 2.** Before starting the installation, first arrange all the accessories neatly according to the parts list. This will make it easier to find the accessories for a quicker installation.
- 3.** We recommend 2 people to work together for faster and easier assembly.
- 4.** Make sure to assemble the product away from children.


Cleaning & Maintenance

- 1.** Daily clean, to the puzzle table cleaning, you should use a clean soft cotton rag to wipe the table surface dust, Do NoT use hard, sharp objects to wipe the bookshelf surface.
- 2.** Stubborn dirt in the cleaning can use toothpaste or the use of professional detergents diluted to wipe, it will be able to easily remove stubborn dirt clean, but DO NoT choose to use the time containing alkaline acidchemical composition of the cleaning agent to clean.
- 3.** Keep the indoor air dry, you should often open the windows and doors to ventilate, so as to avoid the wood moisture deformation, moldy problems.
- 4.** Daily use should avoid sharp objects bumping the surface of the puzzle table, so it is easy to leave scratches on it.


Please feel free to contact us if anything is missing or damaged. We are glad to solve any problems you may have during the assembly.

Ostaftersales@outlook.com


Assembly Guide




Parts List




Puzzle Board x1




Cover x1




Left Leg x1




Right Leg x1




Bottom Wooden Board x1




Side Wooden Board x1




Front Rod x1



Rear Rod x1



Desktop Bracket x1



Drawer x1




Left Side of the Drawer x1




Middle of the Drawer x1




Right Side of the Drawer x1



Drawer Bottom Plate x1




Turntable x1



Angle adjuster x1



Connector x1



Front Wheel
with Brake x2



Rear wheel x2



Height Adjuster x4



Screw x9



Longest Bolt x4



Second Longest Bolt x10




Third Longest Bolt x5



Shortest Bolt x9



Open-end Wrench x1





Screwdriver x1



Allen wrench x1

• Step 1



Left Leg

X 1




Height Adjuster

X 2

Install the Left Leg

Take out the left leg and place it with the two holes facing upward, then install the height adjuster on the left leg.

• Step 2



Front Wheel with Brake

X 1



Rear wheel

X 1




Open-end Wrench

X 1


Install the Left Leg

Install the rear wheel on the left side and the Front Wheel with Brake on the right side. Please note that you can first tighten the bolt by hand, and when it is almost tight, use open-end wrench to finish tightening it.

· Step 3



long side



Right Leg

X 1




Height Adjuster

X 2

Install the Right Leg

Take out the right leg and place it with the two holes facing upward, then install the height adjuster on the right leg.

· Step 4



Rear wheel

Front Wheel with Brake



Front Wheel with Brake

X 1



Rear wheel

X 1




Open-end Wrench

X 1

Install the Right Leg

Install the Front Wheel with Brake on the left side and the rear wheel on the right side. Please note that you can first tighten the bolt by hand, and when it is almost tight, use open-end wrench to finish tightening it.


• Step 5



Install the Bottom Board

Take out the bottom wooden board, align the two holes of the bottom wooden board with the two holes of the left leg, and install them with screws.

• Step 6



Screwdriver

X 1





Open-end Wrench

X 2

Install the Bottom Board

Place the left leg and right leg with their wheels facing upward, then install the right leg and the holes on the other side of the bottom wooden board with screws.

• Step 7



Side Wooden Board

X 1



Screwdriver

X 1







Open-end Wrench

X 4

Install the Side Board

Place the rear wheels facing forward. Align the four holes of the side panel with the corresponding positions, then fix them with screws.





• Step 8



Install the drawer frame

Position the front wheel facing forward, then install the front rod in the second hole using the second longest bolt.

• Step 9





Install the drawer frame

Position the rear wheel facing forward, then install the rear rod in the first hole using the second longest bolt.

• Step 10



Front end height higher than rear end !



Install the drawer frame

Place the left side of the drawer, the middle side of the drawer, and the right side of the drawer in the positions as shown in the diagram. Please note that the longer section should be placed facing forward.


• Step 11



Install the drawer frame

Install the drawer frame on the front rod with the second longest bolts, and then install the drawer frame on the rear rod with the longest bolts.

· Step 12



Connector

X 1



Allen wrench

X 1




Third Longest Bolt

X 2


Install the Connector

Install the adjuster at the middle position of the rear rod with the third longest bolts.


· Step 13



downward



downward



Turntable

X 1



Allen wrench

X 1




Shortest Bolt

X 4

Install the Turntable

Place the desktop bracket with its four holes facing upward. Place the turntable on the desktop bracket. Rotate the top layer of the turntable clockwise to the position shown in the diagram, then secure it with the shortest bolts.

• Step 14



Allen wrench

X 1





Shortest Bolt

X 4

Install the Turntable

Place the turntable and the back of the tabletop as shown in the diagram. Please note that the convex part of the desktop bracket should be placed facing upward. First, let's insert the four shortest bolts into their corresponding holes, then install them.

• Step 15



Angle Adjuster

X 1



Allen wrench

X 1






Third Longest Bolt

X 2

Install the Angle Adjuster

Install the angle adjuster on the back of the tabletop and secure it with the third longest bolt.


• Step 16



Screws for installing the Desktop and Bracket

Place the tabletop on the installed bracket, adjust the position, make sure the angle adjuster is aligned with the middle of the drawer. Then place the second-longest bolts into their corresponding holes, and then fasten them with an Allen wrench.




• Step 17




Connect the Angle Adjuster and Bracket

Lift the other end of the tabletop slightly, unfold the angle adjuster, and insert it into the connector.

• Step 18



Drawer Bottom Plate X 1





Drawer X 2

Install the Drawer

First, unfold the drawer. Then, place the drawer bottom plate inside the drawer. Finally, put the drawer into the drawer frame.


• Step 19



Put the Cover

Put the cover on the puzzle board.


• Step 20



Adjust the Angle and Lay the Puzzle Table Flat

You can directly lift the adjustable component to adjust the angle.

• Step 21



Adjust the Angle and Lay the Puzzle Table Flat

If you want to flatten the tabletop, you just need to adjust the adjustable component to the highest position, and then you can lower it to lay flat.

· Step 22



Done!