



Owner Manual



Per Seat Weight Limitation

110 LBS

Thank You For Choosing Our Furniture

▀ If you have any questions or concerns,
don't hesitate to reach out to us. ▴

NOTE:

This brochure contains
IMPORTANT safety info.
Please read and keep it
for future reference.

MAINTENANCE AND WARNINGS



Before You Start

Please follow the steps below:

-  Check the packaging for any damage, deformation, or water stains. If there is significant damage, please contact us promptly.
-  Open the packaging and confirm that the panels, hardware, screws, etc are complete.
-  Please read the installation instructions carefully to understand the installation steps and precautions to ensure proper installation.
-  Clean the installation area in advance and ensure the ground is level and there is enough space to avoid damaging the furniture or making installation difficult.
-  Lay a protective mat on the ground to prevent scratching the floor during installation.

After-Sales Service

- If you encounter any issues or need technical support during use, please contact our after-sales team. We offer long-term maintenance and warranty services.



Precautions

-  This product for indoor use only. Do not expose it to outdoor elements or high-humidity environments.
-  Keep the product away from high heat or open flames to prevent fire hazards.
-  Do not allow children to climb on the product to prevent personal injury caused by tipping




Safety Warnings

-  If you notice any loose or damaged parts, stop using the product immediately and contact customer service.
-  Do not attempt to disassemble or replace any components yourself, as this may affect the stability and safety of the product.







Daily Maintenance

- Regularly clean the surface of the sofa with a soft cloth to prevent dust accumulation.
- Do not use cleaning agents containing acids, alkalis, or corrosive substances, as they may damage the surface. It is recommended to use neutral cleaning agents or specialized furniture cleaners
- Avoid exposing furniture to humid environments for extended periods to prevent swelling or deformation of the boards. Use a dehumidifier or desiccant during humid weather.
- Avoid direct contact of furniture with water. If water is accidentally spilled, wipe it dry immediately.
- Avoid placing excessively heavy objects on the furniture: ensure the weight is within a reasonable load-bearing range.
- Avoid using sharp or rough items on the furniture surface to prevent scratches. Handle items gently when moving them

Explosive view



Parts list

A  x1	B  x1
C  x1	D  x1
E  x1	F  x2
G  x1	H  x1




Installation:
30minutes.



Two Person


Parts list

I












x1

J



x1


Hardware List




1  x2	2  x3+1	3  x4+1 8x30mm
4  x16+1 φ21	5  x16+1 Ø6x35mm	6  x16+1 Ø15x11mm
7  x8+1	8  x2+1 #8x1"	9  x4
10  x1	11  x1	

Step 1

1. Insert bolt #5 into the corresponding hole of top panel (A), tighten bolt #5 with screwdriver #10.



2. Use screw #8 to attach part (H) to the corresponding hole of top panel (A), tight screw with screwdriver 10.





10	x1	8	x2	5	x8
					
		#8x1"		Ø6x35mm	

Step 2


1. Insert wooden dowel #3 into the corresponding hole of panel (A)
2. Insert the panels (D & C & E) into the side panels (A), make sure all holes aligned and insert cam bolt #6 into the corresponding hole of panel (D & C & E), tighten cam bolt #4 with screwdriver #10, Cover the two screw holes in the (D & C & E) side panel with lap tape # 4.




3	x2	10	x1	6	x8	4	x8
							
8x30mm				#8x1"		Ø6x35mm	

Step 3


1. Carefully align and slide panel (F) into the groove along rear edge of pre-assemble step 2.
2. Insert wooden dowel #3 into the corresponding hole of panel (C & D)





3	x2
	
8x30mm	

Step 4


Insert bolt #5 into the corresponding hole of top panel (B), tighten bolt #5 with screwdriver #10.




10	x1	5	x8
			
		Ø6x35mm	

Step 5


Insert the panels (D & C & E) into the side panels (B), make sure all holes aligned and insert cam bolt #6 into the corresponding hole of panel (D & C & E), tighten cam bolt #4 with screwdriver #10, Cover the two screw holes in the (D & C & E) side panel with lap tape # 4.





10	x1	6	x8	4	x8
					
		#8x1"		Ø6x35mm	

Step 6




Use screw #12 to attach part #12 to bottom panel(A&B),tighten screw #12with screwdriver #10.



10	x1	12	x8
			


Step 7



Insert shelf holder #2 into the corresponding hole of panel (C/D/E), make sure shelf holder #2 are level, and then attach panel(G) to it.



Step 8


Use screw #9 to attach hinge #9 to door (I&J) , tighten screw #9 with screwdriver #10.





10	x1	9	x4
			

Step 9


Use screw #9 to attach left door (I) and right door (J) to pre-assemble unit at step 8 ,tighten screw #9 with screwdriver #10 .




10	x1	9	x4
			

Step 10


Use screw #1 to attach middle door (I & J) pre-assemble unit at step 9 ,tighten screw #1 with screwdriver #10 .




10	x1	1	x2
			

Door Hinge Adjustment Instructions


Concealed hinges are three-way adjustable:




Horizontal
by screw adjustment!




Concealed hinges are three-way adjustable:




In-and-out
by loosening the hinge arm
mounting screw or via cam
adjustment!



Concealed hinges are three-way adjustable:




Vertical via slots in
the mounting plate
or via cam adjustment!



Hinge adjustment method




Step 11

Use screw #11-2 to attach part #11-1 to back (E) , tight screw with screwdriver 10.



11	x1	11	x2	11	x1	10	x1


Step 12

11	x1	11	x2	11	x2	11	x1	10	x1
									



1. Install the anti-collapse device.

2. Mark the position on the wall, that corresponds to the location of part #11-1 on the of panel (E); Drill and insert the expandable screw #11-4 by hammer.

3. Assemble the part #11-1 to the wall. Align the hole in the part #11-1 with the expandable screw #11-4, use screw #11-3 to attach it and tighten by screwdriver 10.








NOT PROVIDED



Step 13

Let the plastic belt #11-5 pass through the both part #11-1 and pull tightly.



WARRANTY

- We strive to offer quality products, and we also try our best to satisfy every customer who orders from us with products or services as needed.
- We provide 30 days warranty starting from the time you receive the item. Each customer must provide a record of their orders such as the order number, or item receipt for any items that are out of the warranty period you may also still receive.
- Replacement parts by purchasing them from our company if they are available.
- For return, please check the return policy with the retailer or market place you bought from

Appreciate your purchasing from us.
Pop up your life by our furniture piece!