
12'×16' Metal Patio Gazebo ASSEMBLY MANUAL



MODEL#: LGMF1598

Missing part? Damaged? Contact us via email at service@domioutdoorliving.com

www.domioutdoorliving.com

Pre-assembly



 Two or more people are required for assembly.



You will need one or more stepladders.



Wearing protective gloves is recommended.



You may need a safety hat.



5. Please use a Phillips screw driver.



For ease of construction, you may need a drill.



7. You may need a safety goggle.





Do not fully tighten screws prior to complete assembly.


Warning & Attention


- -Try to assemble this product on the flat ground, otherwise it is difficult to carry out;
- -It would be much easier to assemble the product with three or more people;
- -After assembly, please check whether all screws are tightened, to prevent parts from falling apart.


▲ Use bolts to secure the frame to the ground to against the strong wind.








































E1) 4×



(U) 4x




1) 1x




M6x16

8 12x

Assemble the 4 Corner Roof Bars:





(1) Connect Part #E1 and Part #E with 2 Bolts #8.





- (2) Attach Part #U to Part #E with Bolt #8.
- (3) Repeat the above procedures to assemble the other 3 corner roof bars.


13













(3) Repeat the above procedures to assemble the opposite side.

18





Inside View





(1) Secure Part #T to Part #S and Part #S1.


ATTENTION: The holes of Part #S and Part #S1 need to be aligned, on the same vertical line.
































ATTENTION: The bigger roof panel need to cover the smaller one.





- (1) Insert Part #N1, Part #N2 and Part #N3 into the frame.
- (2) Insert Part #N5, Part #N4 and Part #N3 into the frame.





(3) Repeat the above procedures to assemble the opposite side.



















































Place Part #K and Part #K3 on Part #E; Put on Part #X3 and secure with Self-tapping Screw #2.

Repeat the above procedures to assemble the other 3 corners.



ST5x16

3) 8x




Attach roof panels to finishing bars with 2 Self-tapping Screws #3.


Repeat the above procedures to assemble the other 3 sides.





How to Put the 128 Hooks into the Double-track


Double-track














Thanks for your purchase.

At domi outdoor living, we believe in our products.

That's why we provide a 12-month warranty and

friendly, casy-to-reach after-sales service. So if you

have any questions about our product and assembly-

,please feel free to contact us. We will be here for you.

Support:





After-sales contact email:

service@domioutdoorliving.com

Please tell us your order ID when contact.

Attach photos of damaged part for instant reply.