Seven bucket cabinets





IMPORTANT INFORMATION!

please read the entire manual before starting to assemble and/or using this product.follow the manual thoroughly and keep it for further reference.





AVOID SCRATCHES!

In order to avoid scratching this furnuture should be assembled on a soft layer-could be a rug.



IMPROVE EFFICIENCY!

Try to find a partner to install with you, which can speed up the installation efficiency and shorten the time.









ANTI-TOPPLE WARNING!

Overturned furniture can cause serious or fatal crush injuries. To prevent tipping over, be sure to use the wall attachment, if not included with this product. Please purchase the wall attachment that fit your wall. If unsure, seek professional advice. Please read and follow each step of the instructions carefully.


IMPORTANT!

It is important that any product which is assembled using any kind of screw is re-tightened 2 weeks after assembly,and once every 3 months - in order to assure stability through-out the lifespan of the product.


For regular maintenance and cleaning of the product, for the frame, please use a rag dipped in neutral detergent to fully wipe it, and then dry it with a clean rag. For glass materials, wipe with a rag dampened with water glass cleaner, and then dry with a dry rag.

Do not use an electric screwdriver, and do not use too much force when installing, because the board is easy to break.


Board Identification




PARTS LIST




PARTS LIST





PARTS LIST
















When installing, please carefully confirm whether each screw corresponds to the manual, accessories with similar shapes can be distinguished by size






























X4






























































































Warning: If you overturn the furniture, it may cause serious or fatal crushing injuries. We have a wall connection device attached, please use it to hold the furniture following these instructions.

(1/8°)


- 1. Mark the corresponding hole positions where you want to place the furniture;
- 2. Use a impact drill to drill holes and pay attention to avoid wires and water pipes;
- 3. Knock the expansion pipes into the wall holes;
- 4. Place the furniture in the corresponding position and tighten the wall connection device with screws.








-LED lamp with effective remote control distance of 5 meters



1. Take out the remote control gasket




2. Align romote controller to the RGB Control box to adjust the color mode



- Installation complete.





LotusLantern APP Manual

1. Software Overview

1. Software Overview
1.1 Overview
1.1 Overview
1.1 Overview
1.1 Overview
1.2 Overvi

- 1.2 Features

 Adjust color EED strips with 60,000 colors to change color and brightness and adjust monochrome LED stips to change brightness and color temperature.

 Play music or turn on a sound pileptox device, you can let the light change the color and brightness with the rhythm of music. He music rhythm beautiful

 Incide multiple settling mode for color change and control LED strips without mobile

 Long distance control with orm directional anteron, and many-to-many group control mode

 Once the connection is successful, connect automatically next time

Control flower APP is easy for use as well as great compatible for all kinds of smart phones: After the actual test of hundreds of mobile phones verification, the compatibility is above 95% of mobile phones in the market. APP is small and convenient, it consumes less system resources, so the requirements of the mobile configuration are low. Control delay is small, the operation feel good, light control is smooth with people' svisual sense.

2. Operating Environment

ires phones of system above Andriod 4.3 and iOS 8.0. Mobile phone configuration is not limited.

3. Instuctions

Scan the QR code IOS and Android systems can download the "LotusLantern" APP by scanning the QR code. Open the browser or other tools with "Scan QR code" function, scan the "LotusLantern" OR code as below:

2

3.2 App Operation

(1) Click on the LotusLantern APP icon, enter the APP




(2) After entering the APP interface, if Bluetooth is not enabled, "Louts Lantern wants to turn on Bluetooth .' Click [Allow]






3



4





6



LotusLantern APP Manual

1. Software Overview

1.1 OverView

Chatsclantern is a mobile APP to control LED strip by both Apple and Android phones.

The traditional control ways like infrared, 433MHz, 2.4GHz and others old wired ways will be replaced by mobile phone control way with convenient, powerful and scalable features.

Through this mobile APP, you can not only control the color, brightness and color temperature of the LED strips but also set up all kinds of fancy flash mode; Also this APP can change the light of the LED strip according to the rhythm of the music. This APP can set and control several LED strips through Bluetooth and the operation is very simple, easy to learn and easy to use.

- Adjust color LED strips with 60,000 colors to change color and brightness and adjust monochrome LED stips to
- Adjust color LED strips with 60,000 colors to change color and brightness and adjust monochrome LED stips to change brightness and color temperature

 Play music or turn on a sound playback device, you can let the light change the color and brightness with the rhythm of music, the music rhythm beautiful

 Inside multiple setting mode for color change and control LED strips without mobile

 Long distance control with ownit-directional antenna, and may-to-many group control mode

 Once the connection is successful, connect automalically next time

Lotus Lantern APP is easy for use as well as great compatible for all kinds of smart phones; After the actual test of hundreds of mobile phones verification, the compatibility is above 95% of mobile phones in the market. APP is small and convenient, it consumes less system resources, so the requirements of the mobile configuration are low. Control delay is small, the operation feel good, light control is smooth with people' s visual sense.

2. Operating Environment

This APP program requires phones of system above Andriod 4.3 and iOS 8.0. Mobile phone configuration is not limited.

3. Instuctions

Note: Android version and iOS version download and use the same method, here in the Android version as an example. 3.1 APP Download

Scan the OR code

IOS and Android systems can download the "LotusLantern" APP by scanning the QR code. Open the browser or other tools with "Scan QR code" function, scan the "LotusLantern" QR code as below:

2

3.2 Ann Operation (1) Click on the LotusLantern APP icon, enter the APP pa

(2) After entering the APP interface, if Bluetooth is not enabled, "Louts Lantern wants to turn on Bluetooth



(3.) Switch to color and brightness, interface:



3

Notices

1.Please pull out the battery insulated plastic chip before using remote.

2. Press the lock key, the remote keys will be locked, press the lock key again, all the remote keys will be unlocked.

(4) Click to show the lamp list, view lamp list:



(5) Click to RGB manual adjustment view: (6) switch to the mode interface:



(7) switch to the music rhythm interface:




(8) Switch to the microphone rhythm interface:



(9) Switch to the schedule interface:



(10) Switch to the modify pin sequence interface:



6