
WF-JQ9040-3T-方形喇叭状镜前灯-英文说明书
尺寸:A5（展开尺寸：296*210mm　对折尺寸：148*210mm）
材质:128g铜版纸+正反面1C+骑马钉
封面封底背面留白

SUNMORY



User Manual

Vanity Lights

Model: JQ9040-3T

For tutorial videos, customer service, extended 12-month warranty, and more information, please visit:

https://www.sunmory.com

Or scan the QR code below:

Importer:
Shenzhen Yioumai Technology co., Ltd
Address : 2nd Floor, Building 9, Fu'an Phase II industrial City，Xin Tian Community, Fuhai Street, Bao'an District, Shenzhen City，Guangdong Province, China

Manufacturer:
Guangdong Jusheng Lighting Co.,Ltd
Address : No. 17, Fuheng North Road, Henglan Town, Zhongshan City, Guangdong Province, China

Made in China

@sunmory_official @Sunmory @Sunmory Home us@sunmory.com

Introduction

Thank you for purchasing SUNMORY products.
For your safety and satisfaction, please read this manual carefully before installation and use.
This manual includes complete instructions for installing and operating your vanity mirror light.

Warnings

Always turn off the power supply before installation to avoid electric shock.
Ensure the ground wire is properly connected for electrical safety.
Do not use bulbs exceeding the rated wattage (marked on the product).
Regularly check screws and wiring for looseness and tighten as needed.


Parameter

Lamp	
Model	JQ9040-3T
Material	Iron + Glass
Input Voltage	AC 110-120V
CCT	3000K-6000K
Power	9W
Maximum Power	60W
Brightness	900LM
Control Method	Standard Wall Switch
Dimmable	Yes

Warranty and Our mission

Light the world, Warm your heart, which is the goal that we have been pursuing. We'd like to provide the best lamps and service to you. We provide a 12-month warranty for you. If you have any questions or suggestions, please contact us (E-mail: us@sunmory.com) soon, we would do our best to solve the problem and improve ourselves. Wish you enjoy the lamp and our service.

Package List




A. Light Fixture ×1




B. Mounting Bracket ×1



C. Nut ×2



D. Glass Lampshade ×3



E. Lamp Holder Nut ×3




F. Screw ×3



G. P3 Teminal ×3

Tools used



You may need the tools below (Not included) :


- Screwdrivers
- Wrench
- Ladder
- Wire Strippers
- Electrical Tape
- Power drill

Installation steps

Pre-Installation Warning：Always disconnect the power supply before installing the light to avoid the risk of electric shock.


Step 1: Prepare the Mounting Bracket

Loosen the nuts(C) to separate the mounting bracket (B) and light fixture (A). Leave the screw attached to the bracket.




Step 2: Attach the Mounting Bracket

Use screws (F) to fix the mounting bracket (B) to the electrical junction box.




Step 3: Connect the Wires

1. Black wire → Connect to Hot (Live) wire (typically black or red).
2. White wire → Connect to Neutral wire (typically white).
3. Bare copper wire → Wrap the ground wire of the J-BOX around the green screw (GND) of the mounting bracket before connecting it to the ground wire of the light fixture.
4. Secure all connections with P3 terminals (G) (wire connectors) to prevent loosening.



Step 4: Mount the Lamp Fixture to the Mounting Bracket

Align the light fixture with the bracket and tighten using the nuts (C).



Step 5: Install the Glass Lampshades

Place the glass lampshade (D) onto the lamp holder and secure it with the lamp holder nut (E). Then install the light bulb.

(Note: Bulb is not included. Please use an E26 base bulb.)

