
Pantry

IMPORTANT NOTE

Carefully remove all the parts from the carton and put them individually on a soft cloth to prevent scratches or other damages occurring to the parts.

We have taken great care in the design of this product and request that you carefully and strictly follow our assembly instructions to ensure a completed product as it was designed.







Pantry

IMPORTANT NOTE

Carefully remove all the parts from the carton and put them individually on a soft cloth to prevent scratches or other damages occurring to the parts.

We have taken great care in the design of this product and request that you carefully and strictly follow our assembly instructions to ensure a completed product as it was designed.






Assembly Instructions 2/6

IMPORTANT


- * Do not tighten up all the screws until each part is properly assembled.
- * You should keep Hex Wrench in a safe place as you may need to tighten up the Cam Locks in the future.
- * Use a soft cloth between these parts and the floor.
- * After assembly, item must be level to work properly. Use the included adjustable levelers to level.



(see Figure 2)

Figure 2

Assembly Instructions 3/6



Assembly Instructions 4/6


STEP 5


Attach Back Piece (M) to Back Stretchers (J).

Slide Back Panels (N) into position.


Attach Side Panels (E) and (F) to unit with Cam Locks.

Attach the unit to Bottom (P) with Cam Locks.





Assembly Instructions 5/6



Assembly Instructions 6/6

Attention!

To help reduce the risk of the unit tipping over, the Tipover Restraint <u>must</u> be installed following these instructions exactly!

Place unit at desired location.

Drill a 3/8" hole in wall at the appropriate location.

Insert Anchor into the wall hole and attach Bracket with Wall Screw.

Attach Bracket at pre-drilled hole at top of unit with Wood Screw.

Use Tipover Restraint to secure Bracket on unit to Bracket on wall. (see Figure X)

Put tie end of Tipover Restraint into loop end of Tipover Restraint and pull until tight.




Figure X

