

# LINK TABLE

## DESCRIPTION

Link modernizes the classic pantograph task lamp, incorporating the most advanced LED lighting technology to date. Designed with a dual-purpose shade/handle, Link seamlessly balances performance and style to satisfy focused lighting needs in any environment. The wide range of Link models include medium and small table, floor, clamp, and wall mount options to accommodate all residential, office, and hospitality task lighting applications.

## FIXTURE TYPE

Table

## LIGHT SOURCE

(99x) High-output LED array

## PRODUCT CODES

Link Medium Table (Silver):	LINK MED TBL SLV
Link Medium Table (White):	LINK MED TBL WHT
Link Medium Table (Black):	LINK MED TBL BLK
Link Medium Table (Orange):	LINK MED TBL ORG
Link Medium Table (Green):	LINK MED TBL GRN
Link Small Table (Silver):	LINK SML TBL SLV
Link Small Table (White):	LINK SML TBL WHT
Link Small Table (Black):	LINK SML TBL BLK
Link Small Table (Orange):	LINK SML TBL ORG
Link Small Table (Green):	LINK SML TBL GRN

## LIGHT CONTROL

Rocker switch (high, low, off)

## FEATURES

- 360° rotation at base
- Full-range height adjustability
- 180° front to back head tilt
- Advanced LED array eliminates multiple shadows
- Ships flat-packed
- OCC model available upon request

## SPECIFICATIONS

- Voltage: 120/220V 60Hz
- Power Consumption: 7W
- Color Temperature: 3000K
- Luminosity: 305 Lumens
- Luminaire efficacy: 44 Lumens/Watt
- Color Rendition Index: 90 CRI
- 50K hour lifespan
- Cord length: 8' (244cm)
- Global multi-plug adapter available
- 1 year warranty

## CERTIFICATIONS



## PACKAGING WEIGHT AND DIMENSIONS

Link Small:	3.25LBS	33" X 6.5" X 4.5"
	1.5KGS	84cm X 17cm X 11cm
Link Medium:	3.05LBS	33" X 6.5" X 4.5"
	1.4KGS	84cm X 17cm X 11cm
Link Table Base:	7.65LBS	12.5" X 12" X 4"
	3.5KGS	32cm X 30cm X 10cm

## NOTES

- Surface grommet mount available upon request
- Occupancy sensor model available upon request
- Custom requests can be considered on volume orders




## FINISHES




## DIMENSIONS


LINK MEDIUM TABLE




LINK SMALL TABLE



LINK MEDIUM SURFACE MOUNT



LINK SMALL SURFACE MOUNT



SURFACE MOUNT AVAILABLE FOR 2-1/2\"/>

# LINK CLAMP

## DESCRIPTION

Link modernizes the classic pantograph task lamp, incorporating the most advanced LED lighting technology to date. Designed with a dual-purpose shade/handle, Link seamlessly balances performance and style to satisfy focused lighting needs in any environment. The wide range of Link models include medium and small table, floor, clamp, and wall mount options to accommodate all residential, office, and hospitality task lighting applications.

## FIXTURE TYPE

Table

## LIGHT SOURCE

(99x) High-output LED array

## PRODUCT CODES

Link Medium Clamp (Silver):	LINK MED CLP SLV
Link Medium Clamp (White):	LINK MED CLP WHT
Link Medium Clamp (Black):	LINK MED CLP BLK
Link Medium Clamp (Orange):	LINK MED CLP ORG
Link Medium Clamp (Green):	LINK MED CLP GRN
Link Small Clamp (Silver):	LINK SML CLP SLV
Link Small Clamp (White):	LINK SML CLP WHT
Link Small Clamp (Black):	LINK SML CLP BLK
Link Small Clamp (Orange):	LINK SML CLP ORG
Link Small Clamp (Green):	LINK SML CLP GRN

## LIGHT CONTROL

Rocker switch (high, low, off)

## FEATURES

- 360° rotation at base
- Full-range height adjustability
- 180° front to back head tilt
- Advanced LED array eliminates multiple shadows
- Hi-low dim control
- Ships flat-packed
- OCC model available upon request

## SPECIFICATIONS

- Voltage: 120/220V 60Hz
- Power Consumption: 7W
- Color Temperature: 3000K
- Luminosity: 305 Lumens
- Luminaire efficacy: 44 Lumens/Watt
- Color Rendition Index: 90 CRI
- 50K hour lifespan
- Cord length: 8' (244cm)
- Global multi-plug adapter available
- 1 year warranty

## CERTIFICATIONS



## PACKAGING WEIGHT AND DIMENSIONS

Link Clamp Small:	3.4LBS	33.5" X 7" X 4.5"
	1.5KGS	85cm X 18cm X 11cm
Link Clamp Medium:	3.6LBS	33" X 6.5" X 4.5"
	1.6KGS	84cm X 17cm X 11cm

## NOTES

- Surface grommet mount available upon request
- Occupancy sensor model available upon request
- Custom requests can be considered on volume orders




## FINISHES




## DIMENSIONS


LINK MEDIUM CLAMP




LINK SMALL CLAMP



LINK MEDIUM SURFACE MOUNT



LINK SMALL SURFACE MOUNT



SURFACE MOUNT AVAILABLE FOR 2-1/2" (5-3cm)  
AND 1-2-3" (3-7.6cm) WORKSURFACES

# LINK FLOOR

## DESCRIPTION

Link modernizes the classic pantograph task lamp, incorporating the most advanced LED lighting technology to date. Designed with a dual-purpose shade/handle, Link seamlessly balances performance and style to satisfy focused lighting needs in any environment. The wide range of Link models include medium and small table, floor, clamp, and wall mount options to accommodate all residential, office, and hospitality task lighting applications.

## FIXTURE TYPE

Floor

## LIGHT SOURCE

(99x) High-output LED array

## PRODUCT CODES

Link Medium Floor (Silver):	LINK MED FLR SLV
Link Medium Floor (White):	LINK MED FLR WHT
Link Medium Floor (Black):	LINK MED FLR BLK
Link Medium Floor (Orange):	LINK MED FLR ORG
Link Medium Floor (Green):	LINK MED FLR GRN
Link Small Floor (Silver):	LINK SML FLR SLV
Link Small Floor (White):	LINK SML FLR WHT
Link Small Floor (Black):	LINK SML FLR BLK
Link Small Floor (Orange):	LINK SML FLR ORG
Link Small Floor (Green):	LINK SML FLR GRN

## LIGHT CONTROL

Rocker switch (high, low, off)

## FEATURES

- 360° rotation at base
- Full-range height adjustability
- 180° front to back head tilt
- Advanced LED array eliminates multiple shadows
- Ships flat-packed
- OCC model available upon request

## SPECIFICATIONS

- Voltage: 120/220V 60Hz
- Power Consumption: 7W
- Color Temperature: 3000K
- Luminosity: 305 Lumens
- Luminaire efficacy: 44 Lumens/Watt
- Color Rendition Index: 90 CRI
- 50K hour lifespan
- Cord length: 8' (244cm)
- Global multi-plug adapter available
- 1 year warranty

## CERTIFICATIONS



## PACKAGING WEIGHT AND DIMENSIONS

Link Small:	3.25LBS	33" X 6.5" X 4.5"
	1.5KGS	84cm X 17cm X 11cm
Link Medium:	3.05LBS	33" X 6.5" X 4.5"
	1.4KGS	84cm X 17cm X 11cm
Link Floor Base:	10.1LBS	12.5" X 12" X 1.5"
	4.6KGS	32cm X 30cm X 4cm

## NOTES


- Occupancy sensor model available upon request
- Custom requests can be considered on volume orders



## FINISHES



## DIMENSIONS



# LINK WALL

## DESCRIPTION

Link modernizes the classic pantograph task lamp, incorporating the most advanced LED lighting technology to date. Designed with a dual-purpose shade/handle, Link seamlessly balances performance and style to satisfy focused lighting needs in any environment. The wide range of Link models include medium and small table, floor, clamp, and wall mount options to accommodate all residential, office, and hospitality task lighting applications.

## FIXTURE TYPE

Wall

## LIGHT SOURCE

(99x) High-output LED array

## PRODUCT CODES

Link Medium Wall (Silver):	LINK MED WAL SLV
Link Medium Wall (White):	LINK MED WAL WHT
Link Medium Wall (Black):	LINK MED WAL BLK
Link Medium Wall (Orange):	LINK MED WAL ORG
Link Medium Wall (Green):	LINK MED WAL GRN
Link Small Wall (Silver):	LINK SML WAL SLV
Link Small Wall (White):	LINK SML WAL WHT
Link Small Wall (Black):	LINK SML WAL BLK
Link Small Wall (Orange):	LINK SML WAL ORG
Link Small Wall (Green):	LINK SML WAL GRN

## LIGHT CONTROL

Rocker switch (high, low, off)

## FEATURES

- 180° rotation at base
- Full-range height adjustability
- 180° front to back head tilt
- Advanced LED array eliminates multiple shadows
- Ships flat-packed
- OCC model available upon request

## SPECIFICATIONS

- Voltage: 120/220V 60Hz
- Power Consumption: 7W
- Color Temperature: 3000K
- Luminosity: 305 Lumens
- Luminaire efficacy: 44 Lumens/Watt
- Color Rendition Index: 90 CRI
- 50K hour lifespan
- Cord length: 8' (244cm)
- Global multi-plug adapter available
- 1 year warranty

## CERTIFICATIONS



## PACKAGING WEIGHT AND DIMENSIONS

Link Wall Small:	3.4LBS	33.5" X 7" X 4.5"
	1.5KGS	85cm X 18cm X 11cm
Link Wall Medium:	3.6LBS	33" X 6.5" X 4.5"
	1.6KGS	84cm X 17cm X 11cm

## NOTES

- Occupancy sensor model available upon request
- Custom requests can be considered on volume orders



## FINISHES



WHITE



BLACK



SILVER




GREEN



ORANGE

## DIMENSIONS

LINK MEDIUM WALL



LINK SMALL WALL

