


General Assembly Guidelines


- I. Ensure that all parts and hardware are available before beginning assembly.
- II. Follow each step carefully to ensure the proper assembly of this product.
- III. Two people are recommended for ease in the assembly of this product.
- IV. The three main types of hardware used to assemble this product are: wood dowels, screws and bolts.
- V. The provided glue is to secure wood dowels in place. When first inserting dowels, locate the appropriate hole for the dowel, place a small amount of glue in the hole and insert the dowel. Wipe away excess glue immediately.




In future assembly steps when dowels are necessary to attach assembly parts together, place a small amount of glue on the end of the dowel before attaching parts together. Wipe away excess glue immediately.




VI. A Phillips head screwdriver is required for the assembly of this product.



VII. Power tools should not be used to assemble this product.







Hardware List


Α		Ø10*35(mm)	Wooden dowel	64 pcs
В	Auttitu ()	Ø4*38(mm)	Long screw	4 pcs
С	4mm	Ø4*32(mm)	Short screw	110 pcs
D		Ø6*70(mm)	Bolt	2 pcs
E		Ø8*60(mm)	Bolt	8 pcs
F		Ø5/16"	Spring washer	8 pcs
G		Ø5/16"	Washer	8 pcs
Н			Table lock	4 pcs
J			Table lock	4 pcs
K	«m—®	Ø3.5*16(mm)	Screw	24 pcs
L			Bracket	4 pcs
M		M4(mm)	Allen	1 pc
N		M5(mm)	Allen	1 pc
Р			Glue	2 pcs

The hardware quantities listed above are required for proper assembly. Some extra hardware may also have been included.





Insert dowels (A) into slats (7,14,15,17) and crossbar (18) as shown above.






Insert dowels (A) into table top pieces (1,2,3).






Attach slats (6,7) to table top pieces (1,2,3) using screws (C).




Attach slats (5) to table top pieces (1,2,3) using screws (C).




Attach corner blocks (13) to slats (5,6) using screws (C).







Attach corner blocks (12) to slats (8,9,10) using screws (C). Repeat this step for second set of slats (8,9,10).




Attach slats (8,9,10) to table top pieces (1,2,3) using screws (C).









Insert dowels (A) into slats (11). Attach table locks (J) to slats (5) using screws (K).




Attach crossbars (19) to crossbar (18) using bolts (D). Tighten bolts (D) with wrench (M).




Attach crossbars (19) to legs (20,21) using screws (B). Attach end caps (22) to crossbars (19) using dowels as guides.




Step 15




Attach slats (17) to leaf (4) using screws (C). Repeat this step for second leaf (4).




Attach slats (14,15,16) to leaf (4) using screws (C). Repeat this step for second leaf (4).



Attach corner blocks (13) to slats (14,16,17) using screws (C). Attach table locks (H) and brackets (L) to slat (15) using screws (K). Repeat this step for second leaf (4).





Pull slats (11) through leaves (4). Lock leaves (4) to main table assembly using table lock pieces (H,J).

