

ASSEMBLY INSTRUCTIONS


Nailhead Console Table

ASSEMBLY REQUIREMENTS


2-Person
Assembly

1.5 Hours
Assembly Time
(Approximate)

Tools Required
(Not Provided)



Phillips Screwdriver



Flat Screwdriver




Mallet

Thank you for purchasing our product!

Please refer and use this assembly instruction to assemble the product. Contact our customer service department in case there are any missing or damage parts or hardware.

We appreciate your business!



ASSEMBLY PREPARATION

1. Remove all packaging materials, staples and packing straps from the carton.
2. Refer to Parts List and Hardware List, and ensure parts and hardware are complete before assembly.
3. Contact customer service for missing parts.
4. Place all wooden parts on a clean, flat and soft surface (e.g. carpet or rug) to prevent parts from getting scratched.

SAFETY PRECAUTION

1. KEEP ALL HARDWARE PARTS OUT OF REACH OF CHILDREN.
2. DISPOSE PLASTIC PACKAGING MATERIAL IMMEDIATELY TO AVOID ANY RISK OF SUFFOCATION TO CHILDREN AND ANIMALS.

TIPS FOR ASSEMBLY

1. Allow ample room for assembly and in close proximity to where product will be placed.
2. Assemble the product on a surface that does not scratch or damage the exterior gloss and finish of the furniture.
3. Identify all of the parts, hardware and quantities required for each step.
4. During assembly, do not over-tighten any fittings as this may cause damage.
5. DO NOT USE POWER TOOLS TO ASSEMBLE THIS PRODUCT.
6. Always place the product on a flat, level surface.
7. Do not sit or stand on the partially assembled product; only use the product for which it is intended.

CARE AND MAINTENANCE













- Use a slightly damp cloth to clean the product. Do not use bleach or abrasive cleaning material.
- Check all the fittings periodically and re-tighten as necessary. Do not use the product if any of the parts is damaged or broken.
- Never allow any kind of liquid to remain on your furniture. Absorption can cause wood to warp or delaminate.
- Do not place hot items (e.g. hot drinks) directly onto the wood surface.
- Do not drag and/or pull the furniture.

This product is for indoor and household use only - not for commercial use.






ASSEMBLY INSTRUCTIONS

Nailhead Console Table

HARDWARE LIST

Item	Description	Part	Qty	Item	Description	Part	Qty
1A	Bolt		8	3C	Strap		1
1B	Spring Washer		8	3D	Wall Anchor		1
1C	Flat Washer (Ø20)		8	3E	Screw (M3.5*12)		1
2	Allen Key		1	3F	Screw (M3.5*30)		1
3A	Flat Washer (Ø18)		1	4A	Angle Bracket		4
3B	Flat Washer (Ø9)		1	4B	Screw (M3.5*15)		16

PARTS LIST


<p>TABLE TOP 1PC</p>  <p>A</p>	<p>CENTER LEG 2PCS</p>  <p>B</p>	<p>SHELF 1PC</p>  <p>C</p>
<p>LEFT LEG 1PC</p>  <p>D</p>	<p>RIGHT LEG 1PC</p>  <p>E</p>	

NOTE: THE BOTTOM SIDE OF THE TABLE TOP AND SHELF IS INDICATED WITH A STICKER.

ASSEMBLY INSTRUCTIONS


Nailhead Console Table

STEP 1 ASSEMBLE LEG AND SHELF



- Place Shelf (C) as shown on a material that does not scratch or damage the part.
- Refer to Drawing 1A - Fit Leg (B, D & E) to attach to Shelf (C) and align the bolt hole on each leg to the respective bolt hole on (C).
- Refer to Drawing 1B - Use Bolt (1A) fitted with Spring Washer (1B) and Flat Washer (1C) to fasten (B & D) to (C). Use Allen Key (2) to drive (1A). Do not tighten (1A) completely at this time.

STEP 2 - INSTALL TABLE TOP




- Place Table Top (A) bottom-side up on a material that does not scratch or damage the part.
- Refer to Drawing 2A - Insert the tenon-end of Leg (B) to fit into the mortise on (A), and attach Leg (D & E) to the left and right edges of (A & C), respectively.
- Refer to Drawing 1B - Use Bolt (1A) fitted with Spring Washer (1B) and Flat Washer (1C) to fasten legs (B, D & E) to (A). Use Allen Key (2) to drive (1A). Tighten (1A) completely but do not over-tighten.

ASSEMBLY INSTRUCTIONS

Nailhead Console Table

STEP 3 - Fasten Leg (D & E) to Shelf (C)



- a) Refer to Drawing 3B - Fasten horizontal plate of Angle Bracket (4A) to the rim (top edge) of Shelf (C) next to Leg (E) using Screw (4B).
Note: Do not fasten the vertical plate of Angle Bracket (4A) to Leg (E) at this time.
- b) Fasten horizontal plate of Angle Bracket (4A) to the rim (top edge) of Shelf (C) next to Leg (D). Note: Do not fasten the vertical plate of Angle Bracket (4A) to Leg (D) at this time.
- c) Check and adjust Shelf (C) gently to ensure it is level and even, and then tighten Bolt (1A) completely on (C) that is not completely tighten in STEP 1c.
- d) Check and adjust Shelf (C) gently to ensure it is level and even - again - and use Screw (4B) to fasten the vertical plate of Angle Bracket (4A) to Leg (D & E). Tighten the screws completely at this time.
- e) Refer to Drawing 3A - Use Screw (4B) to fasten Angle Plate (4A) to Leg (B) and Shelf (C).
- f) Refer to Drawing 3C - Use Screw (3E) fitted with Washer (3B) to fasten Strap (3C) to the straight-back of Table Top (A) as shown.
- g) Set the Console Table right-side up.

The assembly of the Console Table is complete.

STEP 4 - Secure Console Table

Do not ignore this step

- a) Select the location to place the console table.
- b) Drill a hole in the dry wall that would fit Anchor (3D) snugly.
- c) Push in or use a mallet to lightly tap in the Anchor (3D). Ensure that the anchor fits securely in the wall.
- d) Use Screw (3F) fitted with Washer (3A) to screw through Strap (3C) to screw into Anchor (3D).

