MODEL: IG10600122-N



OWNER'S MANUAL

The Fusion 6'x8' Cedar Wood Hardtop Grill Gazebo

TABLE OF CONTENTS	QUESTIONS?
USING YOUR PRODUCT 04	E-mail: support@modernshade.org
November 29, 2024	Toll Free: 1-888-666-3070
	Mon-Fri: 9am5pm PST.

ASSEMBLY GUIDE

PARTS LIST

A1 Post 1	A2 Post 2	A3 Post 3	A4 Post 4	B Foot Base	C Foot Cover
(1 piece)	(1 piece)	(1 piece)	(1 piece)	(4 pieces)	(4 pieces)
P0010002301	P0010002401	P0010002501	P0010002601	P0030000701	P0020000701
D1 Cross Beam 1 (2 pieces)	D2 Cross Beam 2 (2 pieces)	D3 Cross Beam 3 (2 pieces)	E1 Support Bracket 1 (2 pieces)	E2 Support Bracket 2 (2 pieces)	E Lower Cross Beam (2 pieces)
P0040006201	P0040006301	P0040006401	P0050002101	P0050002201	P0050002301
G Roof Rib (4 pieces)	Roof Support 1 (2 pieces)	H2 Roof Support 2 (2 pieces)	J1 Roof Border 1 (1 piece)	J2 Roof Border 2 (1 piece)	Roof Border 3 (2 pieces)
P0090006901	P0090007001	P0090007101	P0090007201	P0090007301	P0090007401
J4 Roof Border 4 (1 piece)	J5 Roof Border 5 (1 piece)	K Shelf (2 pieces)	L1 Shelf support bracket 1 (2 pieces)	L2 Shelf support bracket 2 (2 pieces)	M1 Connector 1 (4 pieces)
P0090007501	P0090007601	P0140000201	P0050002401	P0050002501	P0060003801
M2 Connector 2 (2 pieces)	M3 Connector 3 (4 pieces)	M4 Connector 4 (4 pieces)	M5 Connector 5 (4 pieces)	M6 Connector 6 (4 pieces)	M7 Connector 7 (2 pieces)
			0.5		
P0060003901	P0060004001	P0060004101	P0060004201	P0060004301	P0060004401
N Paper Tower Rack (1 piece)	P Rotatable Rack (2 pieces)	Q Cell Phone Dock (1 piece)	R Roof Plate (8 pieces)	S Patch Panel Case (1 piece)	T Patch Panel Cover (1 piece)
				a la	
P1000000901	P1000001001	P1000001101	P0130003401	P0240000201	P0260000101



HARDWARE

AA Bolt M5*20 (144+8 pieces)	BB Bolt M5*35 (7+1 pieces)	CC Bolt M5*55 (4+1 pieces)	Bolt M6*45 (8+1 pieces)	EE Bolt M8*35 (16+1 pieces)	FF Bolt M3*9 (4+1 pieces)
+ ATTEN	THE REPORT OF THE PARTY OF THE	**************************************			
H0008008144	H0008008135	H0008008136	H0008008137	H0008008099	H0008008092
GG Bolt M10*65 (8+1 pieces)	HH Bolt M5*25 (9+1 pieces)	JJ Bolt M6*20 (38+2 pieces)	KK Bolt M8*30 (4+1 pieces)	Bolt M10*150 (8+1 pieces)	MM Anti-slip Screw Nut M10 (8+1 pieces)
					(0+1 pieces)
H0008008100	H0008008138	H0008008036	H0008008139	H0008008165	H0008008126
NN Four-claw Screw	PP M5 Flat washer	QQ M6 Flat washer	RR M8 Flat washer	ss M10 Flat washer	Ⅲ M5 Sealant
Nut M8*8	(16+1 pieces)	(46+3 pieces)	(20+2 pieces)	(24+2 pieces)	Washer (7+1 pieces)
(4+2 pieces)					
H0008008127	H0008008056	H0008008057	H0008008058	H0008008141	H0008008059
Double Open End Wrench M6/M8 (2 pieces)	W Wrench M10 (2 pieces)	WW M6 Allen Key with Screw Driver (1 piece)	M6 Allen Key (1 piece)	M8 Allen Key (2 pieces)	ZZ Concrete Anchor M6*60 (8 pieces)
H0008008062	H0008008142	H0008008132	H0008008133	H0008008143	H0008008095

IMPORTANT:

This instruction manual contains important information necessary for the proper assembly and safe use of the product.

Read and follow all warnings and instructions before assembling and using the product.

Follow all warnings and instructions when using the product.

Keep this manual for future reference.

Installer/Assembler: leave these instructions with the consumer.

SAFETY ALERT KEY

A DANGER

Indicates a hazardous situation that, if not avoided, will result in death or serious injury.

A CAUTION

Indicates a hazardous situation that, if not avoided, could result in minor or moderate injury.

MARNING

Indicates a hazardous situation that, if not avoided, could result in death or serious injury.

NOTICE

Indicates information considered important, but not hazard-related (e.g.messages related to property damage).

ASSEMBLY INSTRUCTIONS

Please carefully unpack each of the components and hardware.
 check the components against the parts list and make sure there are no missing parts. lay pieces on cardboard or a soft mat to help protect the pieces from scratches.

A CAUTION


Watch for sharp edges when handling the pieces, wear gloves to avoid injury.

- •For ease of assembly, it is recommended to have 3 or more people and allow enough time to completely finish the assembly. assembly can take 6-8 hours. a step-ladder is required for assembly (not included).
- •Follow step by step instructions, and follow all safety warnings provided with your tools.
- •DO NOT tighten screws until all the screws and washers are properly installed. Tighten screws securely, do not over tighten.
- •Gazebo should not be used in inclement weather and high winds.

STEP 01 Slide foot cover C and foot base B onto post A1.

Use four (4) [AA] bolts to attach one (1) foot base B to post A1.

Repeat with post A2, A3 and A4.




STEP 02 Slide lower cross beam F into post A1.

Use six (6) [AA] bolts to attach two (2) connector 1 M1 to one end of lower cross beam F and post A1.

Use six (6) [AA] bolts to attach two (2) connector 1 M1 to the other end of lower cross beam F and post A4.

Repeat with the other lower cross beam F to post A2 and A3.




STEP 03 Use four (4) [AA] bolts to attach one (1) paper tower rack N to lower cross beam F.

Use two (2) [AA] bolts to attach one (1) rotatable rack P to lower cross beam F.

Repeat with the other rotatable rack P.






STEP 04 Use one (1) [GG] bolt, one (1) [LL] bolt, three (3) [SS] flat washers and one (1) [MM] anti-slip screw nut to attach one end of cross beam D3 to post A1.

Use one (1) **[GG]** bolt, one (1) **[LL]** bolt, three (3) **[SS]** flat washers and one (1) **[MM]** anti-slip screw nut to attach the other end of cross beam 3 **D3** to post **A4**.


Repeat with the other cross beam 3 D3 to post A2 and A3.



STEP 05 Attach two (2) [NN] bolts to cross beam 2 D2.

Connect cross beam 1 D1 with cross beam 2 D2. Use eight (8) [AA] bolts, two (2) [KK] bolts and two (2) [RR] flat washers to attach one (1) connector 2 M2 to cross beam D1 and D2.


Repeat with the other cross beam D1 D2 and connector 2 M2.




STEP 06 Use one (1) [GG] bolt, one (1) [LL] bolt, three (3) [SS] flat washers and one (1) [MM] anti-slip screw nut to attach one end of cross beam assembly D1 D2 to post A1.

Use one (1) [GG] bolt, one (1) [LL] bolt, three (3) [SS] flat washers and one (1) [MM] anti-slip screw nut to attach the other end of cross beam assembly D1 D2 to post A2.

Repeat with the other cross beam assembly D1 D2 to post A3 and A4.



STEP 07 CRITICAL: SQUARE UNIT BEFORE PROCEEDING TO NEXT STEPS. ONCE SQUARE, TIGHTEN ALL HARDWARE.




STEP 08 Use four (4) [EE] bolts and four (4) [RR] flat washers to attach one (1) support bracket 1 E1 to post A1 and cross beam assembly D1 D2.

Repeat with the other support bracket 1 E1 to post A3 and cross beam assembly D1 D2.

Use four (4) [EE] bolts and four (4) [RR] flat washers to attach one (1) support bracket 2 E2 to post A2 and cross beam assembly D1 D2 .

Repeat with the other support bracket 2 E2 to post A4 and cross beam assembly D1 D2.

[EE] x 16 [RR] x 16



STEP 09 Use four (4) [JJ] bolts and four (4) [QQ] flat washers to attach one (1) shelf K to four (4) connectors 1 M1 on the post A1 and A4.

Repeat with the other shelf K to post A2 and A3.

Use two (2) [JJ] bolts and two (2) [QQ] flat washers to attach one end of shelf support bracket 1 L1 to shelf K.

Use two (2) [DD] bolts and two (2) [QQ] flat washers to attach the

other end of shelf support bracket 1 L1 to shelf K. Repeat with the other support bracket 1 L1 to the other shelf K. Use two (2) [JJ] bolts and two (2) [QQ] flat washers to attach one


Use two (2) **DD** bolts and two (2) **QQ** flat washers to attach the other end of shelf support bracket 2 L2 to shelf K.

Repeat with the other support bracket 2 L2 to the other shelf K.

[JJ] x 16

[DD] x8

[QQ] x 24



STEP 10 Use three (3) [AA] bolts to attach one (1) connector 3 M3 to cross beam assembly D1 D2.


Repeat with the other three (3) connector 3 M3.

Use three (3) [AA] bolts to attach one (1) connector 4 M4 to cross beam assembly D1 D2.

Repeat with the other three (3) connector 4 M4.

Use four (4) [AA] bolts to attach both ends of one (1) roof rib G to connector M3 and M4.

Repeat with the other three (3) roof rib G.





STEP 11 Connect roof support 1 H1 to roof support 2 H2.

Use four (4) [AA] bolts to attach one (1) connector 7 M7 to roof support H1 and H2.

Repeat with the other connector 7 M7 to roof support H1 and H2.

[AA] x8





STEP 13 Slide roof support assembly H1 H2 into connector 6 M6.

Use two (2) [AA] bolts to attach one end of roof support assembly H1 H2 to the connector 6 M6 on roof border 3 J3. Use two (2) [AA] bolts to attach the other end of roof support assembly H1 H2 to the connector 6 M6 on roof border 3 J3. Repeat with the other roof support assembly H1 H2.


Use two (2) [AA] bolts to attach each connector 6 M6 on roof border 3 J3 to roof rib G

Repeat with the other roof border 3 J3.


Use two (2) [CC] bolts to attach the middle part of one (1) roof support assembly H1 H2 into roof ribs G.

Repeat with the other end of roof support assembly H1 H2.


[AA] x 16 [CC] x 4



STEP 14 Slide roof border J1 into J2. Use one (1) [JJ] bolt and one (1) [QQ] flat washer to attach roof border J1 to J2. Use one (1) [JJ] bolt and one (1) [QQ] flat washer to attach each end of roof border assembly J1 J2 to roof border 3 J3. Use two (2) [JJ] bolt and two (2) [QQ] flat washer to attach one (1) connector 5 M5 to roof border assembly J1 J2. Use two (2) [AA] bolts to attach one (1) connector 5 M5 to roof rib G. Repeat with the other connector 5 M5.




STEP 15 Slide roof border J4 into J5. Use one (1) [JJ] bolt and one (1) [QQ] flat washer to attach roof border J4 to J5. Use one (1) [JJ] bolt and one (1) [QQ] flat washer to attach each end of roof border assembly J4 J5 to roof border 3 J3. Use two (2) [JJ] bolt and two (2) [QQ] flat washer to attach one (1) connector 5 M5 to roof border assembly J4 J5. Use two (2) [AA] bolts to attach one (1) connector 5 M5 to roof rib G. Repeat with the other connector 5 M5.



STEP 16 Use one (1) [HH] bolt and one (1) [PP] flat washer to attach each hole of the top part of roof plate to roof border assembly J4 J5 .


Use one (1) [BB] bolt, one (1) [PP] flat washer and one (1) [TT] sealant washer to attach each hole of middle part of roof plate R to roof support assembly H1 H2.




STEP 17 Mark "cross" with a pen at the appropriate positions on the post A4 according to the distance between the holes on the back of patch panel case s.

Attach four (4) [AA] bolts to the marks, then hook the patch panel case S to post A4.


STEP 18 Use four (4) [FF] bolts to attach patch panel cover to patch panel case S.






STEP 19 Use two (2) [AA] bolts to attach cell phone dock Q to post A4 in the appropriate position.

STEP 20 Use two (2) [AA] bolts to attach Bottle Opener U to post A2.






[AA] x 2

STEP 21 Use two (2) [ZZ] expansion bolts to anchor each foot base B to the ground.


[ZZ] x 8




Outdoor Structure anchoring guide for anchoring gazebo to wood or concrete: If step 21, on page 12 in the assembly instructions is not properly completed, this will void the warranty.



WARNING! If your gazebo is not properly anchored, damage could occur. It is highly recommended for maximum safety that you mount and secure to wood or concrete footers. This is far better and safer than using ground stakes. The following are some examples of how to mount the structure to wood or concrete surfaces. Refer to local building codes or consider consulting a licensed contractor for assistance in the anchoring of this product.





If digging for foundation, please double check for possibility of any underground utilities such as gas, telephone, cable or sprinkler lines. Refer to your local building and city codes, ordinances, neighborhood covenants, or height restrictions regarding this type of structure for guidance on acceptable installation requirements.

A CAUTION

DO NOT climb or walk on roof for any reason.

- •Our components are intended for privacy, decorative and ornamental use only.
- •Product is NOT INTENDED for the following:
- •A safety barrier to prevent unsupervised access to pools, hot tubs, spas or ponds.
- As load bearing support for a building, structure, heavy objects or swings.
- •Used in structures that trap wind, rain or snow that would create extra load on the product.
- •Accumulated snow must be removed from roof.
- •DO NOT climb or walk on roof for any reason.

LIMITED WARRANTY

We warrants this product against defects in materials and workmanship for a period of one (1) year from the original date of purchase. To the extent any such defects occur, our products will send the appropriate replacement part(s) at no charge.

This warranty does not cover:

- •Inspection costs or labor for replacement of any defective parts);
- Incidental or consequential damages;
- •Cosmetic defects which DO NOT affect performance;
- Normal wear and tear:
- •Damage due to vandalism; acts of nature, including but not limited to wind, storms, hail, floods;
- •Improper assembly, installation, or use;
- •Discoloration or fading of the finish as a result of exposure to chemicals, spills, pool or salt water
- Corrosion/ rust.

Your product has been designed for safety and quality.

Any modifications made to the original product could compromise its structural integrity or function, and could lead to product failure or personal injury. As such, modifying this product voids any and all warranties.

This product is warranted for RESIDENTIAL USE ONLY, and is not for commercial, contract or other non-residential purposes. Products disclaims all other representations and warranties of any kind, express or implied.

The warranty applies to the original purchaser and is non-transferable. It does not apply to purchases of display models, or when the product is sold on clearance or "as is".

We makes no warranty whatsoever in respect to accessories or parts not supplied with it. This warranty shall apply only within the boundaries of the United States of America and Canada. This warranty gives the original purchaser specific rights, and the original purchaser may also have other rights, which vary from state to state.

WARRANTY