


12' × 12' Metal Patio Wood Gazebo

ASSEMBLY MANUAL



MODEL#:LGMF1586

Missing part? Damaged? Contact us via email at

service@domioutdoorliving.com

www.domioutdoorliving.com

Pre-assembly



1. Two or more people are required for assembly.



2. You will need one or more stepladders.



3. Wearing protective gloves is recommended.



4. You may need a safety hat.



5. Please use a Phillips screw driver.



6. For ease of construction, you may need a drill.



7. You may need a safety goggle.



8. Do not fully tighten screws prior to complete assembly.

Warning & Attention



-Try to assemble this product on the flat ground, otherwise it is difficult to carry out;

-It would be much easier to assemble the product with three or more people;

-After assembly, please check whether all screws are tightened, to prevent parts from falling apart.



▲ Use bolts to secure the frame to the ground to against the strong wind.

1




×12

If the deck is hard wood and the depth of it is over 3 inch, you can use **5/16 in. ×4 in. Structural Wood Screw** to mount the gazebo.







2




If the ground is concreted and the depth of it is over 3 inch, you can use 1/4 inch expansion bolts to mount the gazebo


3



Or you can make a concrete footing for gazebo, **15×15×15 inches** is recommended. use expansion bolts to mount the pergola like ② shows.

IMPORTANT:
Anchor is not recommended





A 4x Wood Pole



C 4x Beam



C1 4x Beam




E 4x Corner Roof Bar



E1 4x Corner Roof Bar Connector




E2 4x Roof Bar



F 8x Solidfying Bar




H 4x Finishing Bar




J 4x Finishing Bar




K 4x Finishing Bar




K1 4x Finishing Bar




L1 4x Roof Panel




L2 4x Roof Panel




L3 4x Roof Panel




L4 4x Roof Panel




M1 4x Roof Panel



(M2) 4x Roof Panel




(M3) 4x Roof Panel




(M4) 4x Roof Panel



(M5) 4x Roof Panel




(M6) 4x Roof Panel




(M7) 4x Roof Panel




(M8) 4x Roof Panel




(Q) 4x Net Frame




(B) 4x Base




(B1) 4x Base Cover




(B2) 4x Joint Cover




(B3) 4x Joint Cover




(C2) 4x Union Bar




(R) 4x Corner Solidifying Bar



(R1) 4x Corner Solidifying Bar




(S) 1x Inside Roof Cover




(S1) 1x Outside Roof Cover




(T) 1x J-Hook



(T1) 4x Bracket




(U) 4x Bracket



(U1) 4x Bracket



(U2) 4x Bracket



(U3) 4x Joint Cover




(V) 112x Hook


<div> </div> <div>4</div>	<div> </div> <div>W 116x Spacer</div>	<div> </div> <div>X 4x Bracket</div>	<div> </div> <div>X1 4x Corner Cover</div>	<div> </div> <div>X2 4x Finishing End</div>
	<div> </div> <div>X3 12x Finishing End</div>	<div> </div> <div>Y 4x Solid Sidewall</div>	<div> </div> <div>Y1 4x Mosquito Sidewall</div>	<div> </div> <div>Z 72x Plastic Bracket</div>
	<div> </div> <div>Z1 8x Plastic Bracket</div>	<div> </div> <div>Z2 8x Plastic Bracket</div>	<div> </div> <div>1 1x</div>	<div> </div> <div>2 12x</div>
	<div> </div> <div>3 24x</div>	<div> </div> <div>4 16x</div>	<div> </div> <div>5 132x</div>	<div> </div> <div>6 16x</div>
	<div> </div> <div>7 16x</div>	<div> </div> <div>8 124x</div>	<div> </div> <div>9 8x</div>	<div> </div> <div>10 72x</div>
	<div> </div> <div>11 4x</div>	<div> </div> <div>12 32x</div>	<div> </div> <div>13 32x</div>	<div> </div> <div>14 16x</div>
	<div> </div> <div>15 16x</div>	<div> </div> <div>16 1x Drill</div>	<div> </div> <div>17 16x</div>	<div> </div> <div>18 16x</div>
	<div> </div> <div>19 16x</div>			



A 4x



B 4x



B1 4x



ST6. 3X35

13 16x





M3x65


16 1x

X4


B1



(1) Put Part #B on the bottom of Part #A, after adjusting the position, use Drill #16 to drill holes at the holes in Part #B.









(2) Secure Part #B and Part #A with 4 Bolts #13.




(3) Cover Part #B1 on Part #B.


(4) Repeat the above procedures to assemble the other 3 Part #A.




(2) Insert the other side of Part #C2 into Part #C and secure with 3 Bolts #8.




(3) Connect Part #C1 and Part #C through Part #C2.




(1) Insert Part #C2 into Part #C1 and secure with 3 Bolts #8.




(4) Insert Part #X into the beam and secure with 1 Bolt #8.




(5) Secure the bottom of Part #X and Part #C/C1 with 3 Bolts #8.



(6) Repeat the above procedures to assemble the other 3 sides.



1 1x



ST8X30

14 16x




M8X160

17 16x



M8

18 16x




(1) Connect Part #C1 to Part #A with 2 Bolts #17, and fix from the other side with 2 Nuts #18.**(The first row of screw holes)**


(2) Connect Part #C to Part #A with 2 Bolts #17, and fix from the other side with 2 Nuts #18.**(The second row of screw holes)**

(3) Secure Part #C & #C1 with 4 Bolts #14.

(4) Repeat the above procedures to assemble the other 3 corners.



B2 4x



B3 4x




1 1x




M6x16

8 16x




(1) Affix Part #B2 and Part #B3 to the Beam with 4 Bolts #8.




(2) Repeat the above procedures to assemble the other 3 corners.

⚠ Please don't tighten all bolts.




(1) Affix Part #R to the Part #B3 with 2 Bolts #6, 2 Washers #15 and 2 Nuts #5.

(2) Affix Part #R1 to the Part #B2 with 2 Bolts #6, 2 Washers #15 and 2 Nuts #5.




(3) Use Drill #16 to drill holes in the holes reserved for Part #R/#R1.

(4) Affix Part #R and Part #R1 to the posts with 4 Bolts #13.




(5) Repeat the above procedures to assemble the other 3 corners.

⚠ Please don't tighten all bolts.



(R) 4x



(R1) 4x



S4

(1) 1x



M6

(5) 16x



M6x38

(6) 16x



ST6. 3X35

(13) 16x




D6. 6*2

(15) 16x



M3x65

(16) 1x



X1 4x




ST5x16


3 16x




19 16x




(1) Put 4 Part #19 on the 4 holes.




(2) Cover the corner with Part #X1.




(4) Secure with 2 Self-tapping Screws #3. (from bottom to top)




(3) Secure with 2 Self-tapping Screws #3. (from top to bottom)



(5) Repeat the above procedures to assemble the other 3 corners.






U 4x



ST5x30

4 16x

(1) Connect Part #U to Part #A with 4 Bolts #4.



(2) Repeat the above procedures to assemble the other 3 corners.

⚠ Tighten all bolts.



E 4x



E1 4x



S4



1 1x




M6x16

8 8x


Assemble the 4 Corner Roof Bars:



(1) Connect Part #E1 and Part #E with 2 Bolts #8 .



(2) Repeat the above procedures to assemble the other 3 corner roof bars.



(S) 1x



(1) 1x




M6x16

(8) 16x



Please have a freestanding ladder ready at the center of the gazebo.

(1) Place 4 Part #E1 on the 4 corners of Part #S.
Secure with 8 Bolts #8 (from bottom to top)


ATTENTION: You can also finish this step on the ground and then lift 4 corner roof bars and inside roof connector to the top together.
(Need 2 people and 2 ladders)







Outside View









Inside View






(2) Place 4 Part #E on 4 Part #A; Secure with 4 Part U and 8 Bolts #8.


E2 4x

U1 4x

S4
1 1x

M6x10
7 4x






(1) Attach Part #U1 to Part #E2 with Bolt #7 .

(2) Repeat the above procedures to assemble the other 3 roof bars.




(1) Place Part #E2 on part #S.
Secure with Bolt #8 (from bottom to top).

Outside View




Inside View




(2) Connect Part #E2 and the Assembled Beam(C&C1) with part #U1.
Secure with 2 Bolts #8 .

(3) Repeat the above procedures to assemble the other 3 sides.




(S1) 1x




(T) 1x


Secure Part #T to Part #S and Part #S1.(from bottom to top)




Outside View



ATTENTION: The holes of Part #S and Part #S1 need to be aligned, on the same vertical line.



(F) 8x



(U3) 4x



(1) 1x



M6x10

(7) 4x






M6x16

(8) 8x

(1) Insert Part #U3 into 2 Part #F.

(2) Attach 2 Part #F to Part #E2 with 1 Bolt #7 and 2 Bolts #8.



(3) Repeat the above procedures to assemble the other 3 sides.



U2 4x




1 1x






M6x16


8 12x




Inside View



(4) Repeat the above procedures to assemble the other 3 corners.



J 4x



Q 4x



1 1x



M6

5 8x



M6x10



7 8x




M6x16

8 4x

(1) Connect Part #J and Part #Q with 2 Bolts #7 and 2 Nuts #5.



(2) Place the Assembled Part #J & #Q on Part #E2, securing with 1 Bolt #8.



(3) Repeat the above procedures to assemble the other 3 sides.



(X3) 4x





(1) 1x



ST6.3x15

(2) 4x

(1) Place 2 Part #J on Part #E;
put on Part #X3 and secure with Self-tapping Screw #2.




(2) Repeat the above procedures to assemble the other 3 corners.


Cover Part #Z, #Z1 & #Z2 to Roof Panels.



L1 4x



L2 4x



L3 4x



L4 4x



Z 16x






Z1 8x




Z2 8x

21


Section View



X2



X4



(H) 4x





(1) 1x



M6x16





(8) 4x

ATTENTION: The bigger roof panel need to cover the smaller one.



(1) Insert Part #L1 and Part #L2 into the frame.

(2) Insert Part #L3 and Part #L4 into the frame.



(3) Attach Part #H to Part #E2, securing with Bolt #8.

(4) Repeat the above procedures to assemble the other 3 sides.



(X3) 4x




(1) 1x




ST6.3x15

(2) 4x

(1) Place 2 Part #H on Part #E1;
put on Part #X3 and secure with Self-tapping Screw #2.



Outside View




(2) Repeat the above procedures to assemble the other 3 corners.


Cover Part #Z to Roof Panels




M1 4x




M2 4x



M3 4x




M4 4x



M5 4x



M6 4x



M7 4x




M8 4x





Z 56x

24








Section View






▲ Part #W should be inserted between roof panels and solidifying bar or beams, then secure with bolts and nuts.





(W) 12x



(1) 1x



M6


(5) 12x




M6x28

(10) 12x


ATTENTION: The bigger roof panel need to cover the smaller one.




(1) Insert Part #M1 and Part #M2 into the frame.




(2) Insert Part #M8 and Part #M7 into the frame.




(3) Place 6 Part #W between roof panels and beams. Then secure with 6 Bolts #10 and 6 Nuts #5.



(4) Repeat the above procedures to assemble the opposite side.



(W) 20x



(1) 1x




M6

(5) 20x



M6x28

(10) 12x




M6x50


(12) 8x

ATTENTION: The bigger roof panel need to cover the smaller one.


(1) Insert Part #M3 into the frame.



(3) Place 4 Part #W between roof panels and solidifying bars. Then secure with 4 Bolts #12 and 4 Nuts #5.




(2) Insert Part #M6 into the frame.



(4) Place 6 Part #W between roof panels and beams. Then secure with 6 Bolts #10 and 6 Nuts #5.

(5) Repeat the above procedures to assemble the opposite side.



(W) 24x

S4




(1) 1x



M6

(5) 20x




M6x25

(9) 4x



M6x28

(10) 12x




M6x50


(12) 8x

ATTENTION: The bigger roof panel need to cover the smaller one.


(1) Insert Part #M4 into the frame.



(3) Place 4 Part #W between roof panels and solidifying bars. Then secure with 4 Bolts #12 and 4 Nuts #5; Place 1 Part #W between roof panels and Part #E2. Then secure with 1 Bolt #9 and 1 Nut #5.




(2) Insert Part #M5 into the frame.



(4) Place 6 Part #W between roof panels and beams. Then secure with 6 Bolts #10 and 6 Nuts #5; Place 1 Part #W between roof panels and Part #E2. Then secure with 1 Bolt #9 and 1 Nut #5.

(5) Repeat the above procedures to assemble the opposite side.



(W) 12x



(1) 1x



M6


(5) 12x




M6x28

(10) 12x


ATTENTION: The bigger roof panel need to cover the smaller one.




(1) Insert Part #M1 and Part #M2 into the frame.




(2) Insert Part #M8 and Part #M7 into the frame.




(3) Place 6 Part #W between roof panels and beams. Then secure with 6 Bolts #10 and 6 Nuts #5.



(4) Repeat the above procedures to assemble the opposite side.



W 20x



1 1x




M6

5 20x



M6x28

10 12x





M6x50


12 8x

ATTENTION: The bigger roof panel need to cover the smaller one.


(1) Insert Part #M3 into the frame.



(3) Place 4 Part #W between roof panels and solidifying bars.
Then secure with 4 Bolts #12 and 4 Nuts #5.




(2) Insert Part #M6 into the frame.




(4) Place 6 Part #W between roof panels and beams.
Then secure with 6 Bolts #10 and 6 Nuts #5.

(5) Repeat the above procedures to assemble the opposite side.



(W) 24x

S4




(1) 1x



M6

(5) 20x




M6x25

(9) 4x



M6x28

(10) 12x




M6x50


(12) 8x

ATTENTION: The bigger roof panel need to cover the smaller one.


(1) Insert Part #M4 into the frame.



(3) Place 4 Part #W between roof panels and solidifying bars. Then secure with 4 Bolts #12 and 4 Nuts #5; Place 1 Part #W between roof panels and Part #E2. Then secure with 1 Bolt #9 and 1 Nut #5.




(2) Insert Part #M5 into the frame.




(4) Place 6 Part #W between roof panels and beams. Then secure with 6 Bolts #10 and 6 Nuts #5; Place 1 Part #W between roof panels and Part #E2. Then secure with 1 Bolt #9 and 1 Nut #5.

(5) Repeat the above procedures to assemble the opposite side.



(W) 4x




(1) 1x



M6



(5) 4x




M6x45

(11) 4x


(1) Place Part #W between roof panels and Part #E2.
Then secure with Bolt #11 and Nut #5.



(2) Repeat the above procedures to assemble the other 3 sides.



(K) 4x



(K1) 4x



(X2) 4x





(1) 1x



M6x16

(8) 4x

(1) Place Part #K and Part #K1 on Part #E2;
Put on Part #X2 and secure with Bolt #8.



(2) Repeat the above procedures to assemble the other 3 sides.




X3 4x



ST6.3x15

2 4x




(1) Place Part #K1 and Part #K on Part #E;
Put on Part #X3 and secure with Self-tapping Screw #2.

(2) Repeat the above procedures to assemble the other 3 corners.



ST5x16

3 8x






(1) Attach roof panels to finishing bars with 2 Self-tapping Screws #3.

(2) Repeat the above procedures to assemble the other 3 sides.

How to Put the 112 Hooks into the Double-track

Double-track





T1 4x



V 112x




1 1x





M6x16

8 4x


(1) Place 7 hooks on each slot of the Sidewall Track(C1&C).



(2) Install Part #T1 at the joint of Part C&C1 with Bolt #8.




(3) Repeat the above procedures to assemble 4 sides.




Y1 4x


Hang up Mosquito Sidewalls to **Inside Track**



Y1




Y1




Y1


Y1




Y1



Y1









Y1



Y 4x

Hang up Solid Sidewalls to **Outside Track**



Thanks for your purchase.

At domi outdoor living, we believe in our products.

That's why we provide a 12-month warranty and

friendly, easy-to-reach after-sales service. So if you

have any questions about our product and assembly-

,please feel free to contact us. We will be here for you.

Support:



After-sales contact email:

service@domioutdoorliving.com

Please tell us your order ID when contact.

Attach photos of damaged part for instant reply.