


TRANSPARENT CABINET

TEMPERED GLASS WINE CABINET / DISPLAY CABINET



KG/LB **MAX**
5KG/11LBS

1


2

3

4

KG/LB **MAX**
50KG/110.23LBS

PACKING



Accessory Package

1 1576*390*4 mm / Back glass / X1


2 1576*345*4 mm / Side glass / X2

3 1555*387*5 mm / Door glass / X1

5 425*365*25mm / Top panel / X1





4 385*315*4mm / Shelf glass / X3

6 425*365*25mm / bottom panel / X1



SCALE AND PERSPECTIVE

The installation graphics in this installation manual are only for illustration purposes and are not drawn at a 1:1 equal scale. The perspective angle is a multi-angle perspective, and some graphics are drawn using the principle of scatter perspective in order to highlight the key points !



ENGLISH

GOOD TO KNOW ABOUT TEMPERED GLASS

IMPORTANT :

HANDLE WITH CARE! A DAMAGED EDGE OR SCRATCHED SURFACE CAN IN EXCEPTIONAL CASES CAUSE THE GLASS TO CRACK SUDDENLY. HOWEVER, NEVER INTO SHARP FRAGMENTS, ONLY INTO SMALL PIECES. AVOID COLLISIONS FROM THE SIDE – THIS IS THE MOST FRAGILE PART OF THE GLASS.

WARNING

FURNITURE TIPPING-OVER COULD RESULT IN INJURY OR DEATH TO THE INSTALLER.

ALWAYS SECURE THIS PRODUCT PERMANENTLY TO THE WALL.



The only wall mount included in the package is suitable for wooden walls or other solid walls.

For wooden walls, please only use the screws, the included plastic screw accessory is only an option. For hard walls, please drill holes with a hammer and then insert the screws and plastic accessories. The included wall mount is not suitable for walls with weak holding force, such as plasterboard. To attach this product to the plasterboard, please make sure the screws are securely fastened to the keel. Please choose the proper safety devices according to the type of wall in your house.

01 Tempered glass has a 0.3% risk of self-explosion. In case of such an accident, please contact us and we will replace the damaged glass. During installation, please wear gloves, long-sleeved shirts, pants and socks to avoid possible injury ;

02 To avoid possible accidents, please keep children away during installation. Please make sure that the installation is done by two adults ;

03 During installation, use cardboard or carpet as a buffer layer to prevent the glass corner from colliding with hard objects such as the floor. Especially when installing tempered glass, make sure the corners do not hit the floor to prevent the tempered glass from exploding due to force changes ;

04 When installing a display case, install the anti-tilt device first to avoid possible serious or fatal injury. To prevent possible tipping over, the display case must be permanently attached to the wall. Wall mounting is not limited to the fixtures we offer. You are free to install similar fixtures to avoid possible hazards ;

05 DO NOT operate the cabinet door frequently, and DO NOT shake the cabinet to avoid the risk of colliding with the cabinet door or dropping objects. Again, install an anti-tipping device and keep children away (at least 2 meters/6.6 feet away) from this display case. Please also install a door lock to avoid possible injury from accidental operation by children ;

06 The top/bottom panel of this cabinet is made of MFC/PVC-covered particle board, which is not fireproof ;

07 For disposal, please contact the relevant local authorities or qualified companies ;

08 The product is a partially transparent tempered glass display case, it is not fully transparent. After installation, the distance may be different due to the different fixing forces ;

09 No part of this product can be swallowed, played with, or used for other purposes ;


10 Please adjust the footrest on the product after installation. The maximum load of the glass plate is 5.00 kg/11 lbs. Note that the load capacity is for stored items only ;

11 Product dimensions may have a tolerance of 10 mm/0.4 inch due to different measuring tools or methods ;


12 After installing the cabinet, check and tighten all screws to avoid potential safety hazards, such as shelves falling and cabinet structures becoming loose due to loose screws ;




Please make sure to install two anti fall devices




Manual preservation/maintenance




Cabinet movement instructions



Please use gloves during installation










When installing, please start from one side


















PRODUCT COMPONENT LIST

NO	ASSEMBLY	SIZE	NUMBER	TEXTURE OF MATERIAL
1	Back glass	1576*390mm(δ4mm)	1	Tempered glass
2	Side glass	1576*345mm(δ4mm)	2	
3	Door glass	1555*387mm(δ5mm)	1	
4	Shelf glass	385*315mm(δ4mm)	3	
5	Top plate	425*365mm(δ25mm)	1	MFC/PVC edge banding
6	bottom plate	425*365mm(δ25mm)	1	MFC/PVC edge banding
7	Accessory Package	Various specifications	X	Various materials

! Product dimensions may have an error with 10mm due to the usage of different measuring tools or methods;
If you find that the number of parts in the kit is not consistent with the manual, the excess number can be used as a backup.

1  1576*390*4 mm	2  1576*345*4 mm	3  1555*387*5 mm	4  385*315*4mm
Back glass / x1	Side glass / x2	Door glass / x1	Shelf glass / x3
5  425*365*25mm	6  425*365*25mm	 INSTRUCTIONS FOR USING TEMPERED GLASS HANDLE WITH CARE! EDGE DAMAGE OR SURFACE SCRATCHES CAN CAUSE SUDDEN GLASS BREAKAGE IN EXCEPTIONAL CASES. HOWEVER, IT WILL NEVER BECOME SHARP SHARDS, ONLY BREAKING INTO SMALL PIECES. PLEASE AVOID SIDE IMPACTS - THIS IS THE WEAK POINT OF THE GLASS.	
Top panel / x1	bottom panel / x1		

ASSEMBLY PARTS LIST

A 	B 	C 	D 
ConnectorA / x6	ConnectorB / x8	Screw / x36	Nut / x26
E 	F 	G 	H 
Gasket(white) / x53	lock / x1	Washer(black) / x26	Door stopper / 1
I 		J 	
Anti-tipping device / x1		Anchor / x4	
K 		L 	M 
Glove / x2		Screwdriver / x1	Door stopper / x1
N 		W 	
Door clip set / x1		Horn guard / x1	

2


4x

J


L

or


3





4





5




- When installing, please start from one side;
- The installation sequence of tempered glass is **2-1-2-3-4...**;
- Please fill the bottom plate slot with tempered glass No.2 and push it to the innermost position;







11




12




13




14




15




16




Anti-tipping device







17








18




19




Depending on the circumstances!




It is recommended that two or three people install it together !







20





21





22



23



24



WARNING

Serious or fatal crushing injuries can occur from furniture tip-over.
To prevent this furniture from tipping over it must be permanently fixed to the wall.

