








INSTALLATION


Product Manual

Version: 510027US-00-25A-HB






Icons and their uses you will see throughout this manual



You will need to make sure that your assembly is square before tightening your bolts.




This icon warns you to not over tighten your bolts. This is to prevent structural damage and also splintering your wood.



For proper assembly you will need to ensure that your structure is level before proceeding to the next step.




This icon will show you what drill attachments are needed. For this example you will need a Phillips head attachment .




Some steps in the assembly process will require an extra set of hands. Make sure you have a helper available.



This size of the open-end wrench on these icons should correspond to the size of the nut.




BOX 1/4




1

Front left column
Qty: 1




2

Front right column
Qty: 1



3

rear left column
Qty: 1




4


Rear right column
Qty: 1



Manual




BOX 2/4




5

Former Central Line
Qty: 1




8

Posterior horizontal bar
Qty: 1




11

side bar
Qty: 2




27

Left side plate
Qty: 1




28

Right side plate
Qty: 1




29

support strip
Qty: 2




30

Border pull strip
Qty: 2




35

Big cover plate
Qty: 6




36

Small cover plate
Qty: 1




38

Middle pull strip
Qty: 1




Wood Components (Not to Scale)

BOX 3/4




15

Article above and below
Qty: 2




16

Article above and below
Qty: 2



17

Panel bar
Qty: 3




18

Panel bar
Qty: 3




19

Horizontal bar above
Qty: 2




20

Posterior horizontal bar
Qty: 2




21

side bar
Qty: 2




23

Vertical bar
Qty: 2




24

Connecting rod
Qty: 6




25

Front left panel
Qty: 1




26

Front right panel
Qty: 1




31

Lid
Qty: 8




BOX 3/4




32

rear panel
Qty: 1




33

Baffle
Qty: 1




37

Back plate
Qty: 2




40

Front and rear core boards
Qty: 5




41

Rear middle core board
Qty: 1




42


Side middle core board
Qty: 1




Pipe




Pipe



Pipe




BOX 4/4




6

Previous left item
Qty: 1




7

Previous right item
Qty: 1




12

left lateral side
Qty: 2




13

Right lateral
Qty: 2




14

Medial side
Qty: 4




22

vertical bar
Qty: 6




34

Fixed bar
Qty: 2




39

Septum strip
Qty: 6



43

Side core board
Qty: 2




TV stand




Hardware


Hardware Components




Wooden tenons




Screw




Fixing frame




Screw




Screw




screws




screws




Nut




Hex key




screws




connect iron sheet




Flat washer



Support point




Support point




connect iron sheet


Hardware Components




Earth screw




Gum Pad




open end wrench




Screw




Screw




3
rear left column
Qty: 1









4
Rear right column
Qty: 1





8
Posterior horizontal bar
Qty: 1

-  1. Pay attention to the inner side of component 8 with lead holes, and the lower position is shorter
- 2. Thread hardware G through hardware L, and then use tool hardware I to install component








Former Central Line
Qty: 1




1. Pre-install the hardware B for the pilot hole, and then install the other holes of the hardware B.

 2. Please note that the hole positions of the pilot holes must be aligned







1
Front left column
Qty: 1






2
Front right column
Qty: 1



6
Previous left item
Qty: 1





7
Previous right item
Qty: 1





1. First, connect hardware S to components 1 and 2, and then install component 5, 6, 7
2. Thread hardware G through hardware L, use tool hardware I to install component 5, 6, 7


! 3. Pay attention to the orientation of the components in the diagram







	
1460	
	X 1

1. Insert the hardware T into one end of the pillar, and then install the other end
2. Two people need to cooperate to do it











11

side bar


Qty: 2

1. Thread hardware G through hardware L, use tool hardware I to install component 11
2. The pillar forms a 90 degree angle with the ground
3. Front and rear interior width 1560MM, side interior width 1430MM
4. Two people need to cooperate to do it









Connecting rod
Qty: 4

	
M4*60	
E	x 12


1. Install components 24 onto the pillars respectively

 2. Pay attention to the proper installation of the lead hole






24
Connecting rod
Qty: 2



34
Fixed bar
Qty: 2




1. Install components 24 and 34 onto the pillars respectively




2. Pay attention to the proper installation of the lead hole

There are some inward guide holes




There are two lead holes above





side bar

Qty: 2





vertical bar


Qty: 2

	
M4*50	
	x 12

1. Install components 21 and 22 on the rack respectively



 2. Pay attention to the proper installation of the lead hole







39



Septum strip
Qty: 2

	
M4*25	
	x 4


1. Install component 39 onto the frame

 2. Pay attention to the proper installation of the lead hole





42
Side middle core board
Qty: 1



43
Side core board
Qty: 2






M3.5*16

B

x 24


1. Install components 42 and 43 into the frame respectively






19

Horizontal bar above
Qty: 2



20

Posterior horizontal bar
Qty: 2



22



vertical bar
Qty: 4






1. Pay attention to separating components 19 and 20, with a lead hole on the other side of component 20



2. Pay attention to the proper installation of the lead hole









	
M4*25	
	x 8

39
Septum strip
Qty: 4


1. Install component 39 onto the frame

 2. Pay attention to the proper installation of the lead hole






40
Front and rear core boards
Qty: 5




41
Rear middle core board
Qty: 1




1. Install components 40 and 41 into the frame respectively




2. Note that component 41 is located in the middle of the bac







Vertical bar
Qty: 2


	
M4*40	
D	x 8


1. Install component 23


 2. Pay attention to the proper installation of the lead hole




1. Install hardware F through hardware L and prepare to install the TV stand


	
M8*60	
F	x 4


	
Ø21	
L	x 4







1. Hardware F passes through the hole on the TV stand and is installed with hardware H

	M8
H	x 4

	
P	x 1


	
U	x 1





rear panel








Qty: 1




Baffle




Qty: 1



1. Connect component 32 and component 33 first
2. Install hardware O on hardware M and hardware N. First, use hardware to install hardware M, then use hardware to move to the hole position, and use hardware J to install it






1. Align component 32 with the back of the pillar, and then use hardware D to install component 32






12

left lateral side
Qty: 1




13

Right lateral
Qty: 1




14

Medial side
Qty: 2



16


Article above and below
Qty: 2



Ø8*30

A

x 12





M4*40

D

x 12


1. First, install hardware A onto component 14, then install 16, and finally install hardware D
2. Using the same method, install hardware A first, then components 12 and 13, and finally use hardware D to install them






12

left lateral side
Qty: 1




13

Right lateral
Qty: 1





14

Medial side
Qty: 2





15

Article above and below
Qty: 2




1. First, install hardware A onto component 14, then install 15, and finally install hardware D
2. Using the same method, install hardware A first, then components 12 and 13, and finally use hardware D to install them







1. Align the back of component 15 and component 16 with the back of the pillar, and then install them with hardware D

M4*40	
D	x 16






17

Panel bar

Qty: 3



18

Panel bar

Qty: 3



M4*30


C



x 48

1. Install components 17 and 18 in their respective positions




2. Pay attention to the proper installation of the lead hole





30

Border pull strip
Qty: 2



38

Middle pull strip
Qty: 1

1. Install hardware B onto components 30 and 38



⚠ 2. Pay attention to the position of the lead hole, there is a lead hole on top and a lead hole in front

⚠ 3. Pay attention to the proper installation of the lead hole


M3.5*16	
B	x 15


K	x 3

The top two holes of hardware K are equipped with guide holes





The top two holes of hardware K are equipped with guide holes






- ⚠ 1. Pay attention to placing component 38 in the middle and component 30 on both sides
- 2. First, install hardware B on the rear beam, and then install the front beam

	
M3.5*16	
B	x 30






Installation of front and rear panels of the top frame


Step 25



25
Front left panel
Qty: 1






26
Front right panel
Qty: 1





37
Back plate
Qty: 2


1. First, use hardware A to connect the components, and then use hardware D for installation





	
Ø8*30	
A	X 8


	
M4*60	
E	X 8

	
M4*40	
D	X 8






Left side plate
Qty: 1




Right side plate
Qty: 1





support strip
Qty: 2






1. Pay attention to the proper installation of the lead hole

	
M4*40	
D	x 10






1. First, use hardware A to connect the components, and then use hardware D for installation




Cover plate installation

Step 28





Lid

Qty: 8




- ⚠ 1. Pay attention to the proper installation of the lead hole
- 2. Install the ones with guide holes first, and then install the others






Cover plate installation



Step 29



35
Big cover plate
Qty: 6



36
Small cover plate
Qty: 1




1. Starting from the left, press one side of the first piece with every two pieces, as shown in the diagram




2. Pay attention to the hole on top








3. Pay attention to the proper installation of the lead hole





1. Install hardware Q on all four sides of the four feet
2. Use hardware R to pass through Hardware Q and Installed underground



WARRANTY

WARRANTY CLAIMS

- There is a 30-day warranty for broken furniture or any other problems that do not work properly. The warranty will start from the date of purchase which must be verified by proof of purchase.
- Before making a claim, we may be able to answer your query, simply call us. Please leave your purchase order number, along with some details of the problem, if you want a replacement part. We will arrange within 48 hours. If there is out of stock, we will reply with a shipping date.
- The product must be used in accordance with the instructions provided. For health reasons.
- For other reasons, if the furniture needs to be returned, it must be cleaned and dried and operated within 30 days of receipt.

Type of Warranty Claim

- Failure to follow the furniture instructions will invalidate the warranty. Attention please.
- Does not include damage during installation, but includes damage during transportation.

Scope of responsibility

- Shall not bear any responsibility for misuse or user damage and / or loss of parts during the installation of furniture.
- After using, the damage and scratches of the furniture are not covered by the warranty.

The Warranty Relates to All Bought in The Us and Covers The Following Areas

- Sheet parts: 1 month from the date of purchase.
- Electrical parts: 1 month from the date of purchase.

RETURNS

CHANGED YOUR MIND AND NEED TO RETURN YOU ITEM?

PLEASE FOLLOW THE BELOW INSTRUCTIONS:

- If you have purchased and have simply changed your mind, follow the retailer's instructions for returns.

DEFECTIVE ITEMS

- If your item is defective in any way, i.e. it doesn't work but you can't identify why, in the first instance, please call us.

DAMAGED ITEMS

- If you receive an order with obvious shipping damage from the retailer, then we suggest the delivery is refused. If the delivery has been accepted and then shipping damage is found, please follow the specific instructions advised by the retailer. In all circumstances please save all packaging material and paperwork for the order. Please be aware that if you dispose of packaging material or attempt to return the merchandise without contacting the fulfiller, you jeopardise your chances of making a claim, and you may not receive a credit for the return.

AFTER-SALES CONTACT



adelahu@fufugaga.com



208-820-0068

208-820-0799