

MIRROR

Installation Instruction

MIRROR PRODUCT POWER METER

LED FULL LENGTH MIRROR PARAMETERS (Straight Light Belt)		
Product Specification	Power	Lumen
1750*600	25W	2460M
1800*600	27W	2500LM
1800*800	45W	4500LM
1900*700	45W	4500LM
1950*750	47W	4680LM
2000*800	49W	4860LM
2000*900	51W	5050LM
2050*850	51W	5100LM
2100*900	53W	5300LM
2400*1000	60W	6000LM

THE PERFORMANCE PARAMETERS	
Input Voltage	100-240V
Output Voltage	DC 24V
Working Hours	30000H
CRI	82


PRODUCT DISPLAY

Mirror Accessories




Floor Standing

1. Press the touch button to turn on/off the mirror light.
2. Short press the button to change the light colors.
3. Long press the button to adjust the light brightness.





PRODUCT DISPLAY

Wall Mount




Backside





The plug may be loose due to transportation bumps, please check and insert it tightly after receiving it.

PRODUCT DISPLAY



Installation Notes:

- ❶ The mirror must be placed horizontally before installation.
- ❷ Pull up the bracket and align the holes.
- ❸ Press the extensible-button on both sides of the bracket, align with the holes and release to complete the installation.

Notes:

Please pay attention to the sharp part of the bracket avoiding hit and break the mirror when pull up the bracket!