



# Desk Stool

SZY014

Assembly Instructions




# Assembly Overview




# Parts List

## 1 Seat Cushion




1 PC

## 2 Seat Frame Strip




2 PCS

## 3 H-Shaped Leg Frame



2 PCS


## 4 Connecting Rod



1 PC

# Hardware & Tools


## A Hex Socket Head Screw



M6 × 35MM

**10+1 PCS**


## B Flat Washer



M6 × Ø13MM

**10+1 PCS**

## C Hex Key




M4 × 100MM

**1 PC**

Tool - reuse as needed

# Hardware & Tools (continued)

## D Nonwoven Pad




Ø20 × 3MM

**4 PCS**


# Before Assembly

After unpacking, check all parts and hardware against the lists.  
Use the correct screws to prevent damage to the components.


## Example



**Incorrect: board may split**




**Correct screw size**



# Step 1

Connect rod 4 to the two leg frames 3, as shown.  
Fasten with screws A and washers B using hex key C.


**Screws A × 2; washers B × 2. Tool: C.**



## Step 2

Attach the two seat frame strips 2 to the assembly from Step 1.  
Fasten with screws A and washers B using hex key C.



Screws A × 4; washers B × 4. Tool: C.



## Step 3

Attach seat cushion 1 to the assembly from Step 2.  
Fasten with screws A and washers B using hex key C.


Screws A × 4; washers B × 4. Tool: C.



## Step 4

Attach pads D to the bottom of each leg.

Pads: D × 4.



## Step 5

Place the assembled stool upright.  
Assembly complete.

