
# ROCK TEXTURE BATHTUB INSTRUCTION



**Customer Service: contactus24service@gmail.com**

**Phone: (951)213-4742**

# INSTALLATION &MAINTENANCE INSTRUCTIONS

Thank you for choosing our bathtub, please read this installation and maintenance instructions for this product carefully. Correct installation and maintenance will give you the best bathing experience.

## 1.Transportation and Handling

1.1.Although the overall strength of this bathtub is excellent,it is still necessary to avoid throws,collisions,and bumps during transportation and installation to prevent damage to the bathtub's surface.
12.Avoid placing heavy objects on the carton to avoid damage to the carton protecting the bathtub.
1.3.When the bathtub is to be removed from the carton,at least 2 people must lift it simultaneously and place it in the designated place.

## 2.Installation

2.1.After putting the bathtub in place,first use a spirit level ruler to check the slope of the bathtub surface.The slope determines how much water remains after use,with proper and balanced installation,each time after use,the remaining water in the bathtub is no more than 50mlaround the drain hole.
2.2.To adjust the slope of the bathtub,adjust the height of the legs located at the bottom of the bathtub.The adjustable height range on each leg is about 20mm.Adjust so that the bathtub is level and balanced,with no more than 50mlof water remaining after use.Also ensure that the bathtub is stable and does not shake.
2.3.A drain pipe must be provided below the bathtub installation location,with a minimum drain pipe inner diameter of 32mm.The position of the drain hole must be under the bathtub and covered by the bathtub so that it is not visible after installation.
2.4.When putting the bathtub in place,the drain hose must first be inserted into the drain hole.The drain hose must enter at least 10cm into the drain pipe.Then use silicone sealant to seal the gap in the drain hole.After installation,test the water flow is quick and there are no leaks.

## 3.Bathtub Care

3.1.Before using the bathtub for the first time,clean the surface of the bathtub with running water and a cotton towel to remove any dust leftover from the project.
3.2.In order to keep the bathtub looking new for along time,it is recommended to wipe the bathtub surface dry frequently to prevent soap residue and mineral /water scale(depending on the quality of the water supply)from drying out and accumulating on the bathtub surface.Especially on dark-colored bathtubs,the water scale will be more easily visible due to its color(yellowish-white spots)which contrasts with the dark-colored bathtub.

3.3.For a normal cleaning routine,just use soap and a soft sponge(the soft side of a dish sponge).
3.4.For cleaning hard-to-clean stains such as water scale that has accumulated,use Hand wash soap and a rough sponge (the rough side of a dish sponge).
3.5.Optional:If Hand wash soap does not work,use a magic sponge(fine abrasive)and a little water.When using the magic sponge,there is no need to use soap or cleaning cream,just moisten the magic sponge with a little water.
3.6.The surface of the bathtub has stain-resistant and scratch-resistant properties unless deliberately scratched with a sharp object such as a knife,even so,the bathtub does not leak and the scratches can be concealed by using magic sponge.
3.7.Do not use corrosive cleaning agents such as thinners,carbolic,HCL,hard acids,floor /ceramic cleaners,etc.,as they generally contain hard acids.
3.8.Do not use wire mesh or wire brushes when cleaning the bathtub.

## 4.Attention

4.1.Always accompany children,the elderly,disabled,and people with limited mobility or at risk of drowning when using the bathtub.

## 5.Other Information

5.1.Bathtub heat resistance:Max 100℃Bathtub load resistance:Max1000kg
5.2.Flow rate of drain hole:35L/minute Flow rate of overflow hole:35L/minute

# ROCK TEXTURE BATHTUB INSTALLATION INSTRUCTION:


This product is heavy and may require two people to install.



## Tools Required




10mm hexagonal spoon




Horizontal ruler


## Installation Dimensioned Drawing:





## Installation




## Cutline:





Balanced and Stable
(Not Shaking)





**Customer Service: contactus24service@gmail.com**


**Phone: (951)213-4742**


MODEL: BR06047D008BK
BR06047D008CR
BR06047D008MG







# ROCK TEXTURE BATHTUB INSTRUCTION



**Customer Service: contactus24service@gmail.com**

**Phone: (951)213-4742**