Assembly Instructions

Caution: You must read this before you proceed

Care & Maintenance



- Not for commercial use. For residential use only.



- Furniture may scratch floors. We recommend using furniture pads to protect your floors.



- Do not put hot items directly on furniture surface.



- Do not clean furniture with harsh cleansers or polish.



- Do not place furniture under direct sunlight.



- Do not place furniture near heating or cooling vents.



- Do not write on furniture without a padded barrier to protect the surface.



- Do not place furniture outside . For indoor use only.



- Stains may be removed with mild soap solution and damp cloth.



- Children should not climb or jump on the furniture.




- Dust and pick-up spills using a clean, non-colored, lint-free cloth.

KING BED






WARNING !

STRANGGULATION HAZARD
NEVER place bed near windows where cords from blinds or drapes may strangle achild.
NEVER suspend strings over bed.
NEVER place items with astring, cord, or ribbon, such as hood strings or pacifercords, around a child's neck. These items may catch on bed parts.
ALWAYS follow assembly instructions.
Not intended for children under the age of six. INFANTS HAVE DIED FROMBECOMING ENTRAPPED IN BEDs. Openings in and between bed parts can entrapthe neck and head of a small child.
NEVER use bed for child under the age of six.
The mattress must be appropriately sized for the bed. If the mattress is undersizeddangerous gaps can exits and a person can become entrapped or entangled in the frame and suffocate



CAUTION: This King Bed is NOT a TOY.
Keep your child / children at bay in the process of assembly.
For turning the King Bed and to prevent damage to the King Bed.
02 persons may be needed to execute this action.


PART LIST (N770P460307/Hardware in this SKU)

A	Headboard cushion 	1pc	H	Footboard 	1pc
B	Leg right headboard 	1pc	I	Bed slats 	10pcs
C	Leg left headboard 	1pc	E	Horizontally below the head of the bed	1pc
D	Horizontally below the head of the bed 	1pc	G	Extra leg 	6pcs

PART LIST (N770P460308)


F	Mid-flap support	2pcs	O	Bed shoulder 	2pcs

Hardware (Each of the above hardware including extra 1 pc)

Label	Picture	Description	Q.ty
①		Wooden dowel Ø10 x 30 mm	8+1
②		Bolt Ø1/4 x 35mm	6+1
③		Bolt Ø1/4 x 55mm	6+1
④		Vis Ø 4 x 30mm	45+1
⑤		Vis Ø 4 x 15mm	12+1
⑥		3*50*50*60mm V bracket	4
⑦		M6x10x20mm Halfmoon washers	12+1
⑧		Allen wrench	1
⑨		Ø1/4"*9.5*12mm Horizontal-Hole bolt	6+1
⑩		Bolt Ø1/4 x 15mm	8+1
⑪		1/4"x10x5mm Hex Nut	12+1
⑫		1/4*80mm Thread Bolt	12+1
⑬		Wrench	1

Assembly Preparation

Overview





FRONT FACING

This King Bed has multiple parts and may require up to 1 hour to assemble.
To give you an overview of the King Bed parts, the above picture is to help you put the various parts into perspective.
Please read through the instructions herebelow to familiarse the parts and steps before assembly.

Assembly Preparation


Before Begining Assembly






- Read instruction, cover to cover.
- Have 2 adults on hand for assembly.
- Do not assemble on flooring or carpet.
- Assemble on a clean non-marring surface (packing foam).
- Save all packaging until finished.

Step 1:




Unpack and place all part on a clean, non-marring surface.

Step 2:




Install four threaded bolt ⑫ * 4 into leg right headboard (B) and leg left headboard (C) horizontally below the head of the bed (D) horizontally below the head of the bed (E) to the leg left headboard (C) and leg right headboard (B) using wooden dowels① * 4, half moon washers⑦ * 2, hex nuts ⑪ * 2, and use wrench ⑬ as shown .

Step 3:



-Use half moon washers⑦ * 2, hex nuts ⑪ * 2, and wrench ⑬ as shown .


Step 4:



-Attach the headboard cushion (A) leg left headboard (C) and leg right headboard (B) using bolt ②* 6 and allen wrench⑧as shown .

-Vis④*5 Screwdriver as shown.


Step 5:



-Install four threaded bolt ⑫ * 8 into the left leg headboard (C),leg right headboard (B), and footboard (H) as shown .


-Attach bed shoulder (O) to the leg left headboard (C),leg right headboard (B), and footboard (H) using half moon washers⑦* 8, hex nuts ⑪ * 8, and wrench ⑬ as shown .

Step 6:




- Attach the extra leg (G) to the mid-flap support (F) using bolts ③* 3 horizontal-hole bolt ⑨* 3 ,and the allen wrench ⑧, as shown.

Step 7:




- Note: The mid-flap support (F) is not pre-drilled with screw holes.
fit the metal v bracket ⑥ onto the end of the mid-flap support (F), align it properly, then secure it with ⑤* 12 vis as shown .

Step 8:




- Install the support bar vertically onto the horizontally below the head of the bed (D) and the footboard (H) using bolt ⑩ * 8 and allen wrench⑧, as shown.

Step 9:




- Install the bed slats (I) onto the bed shoulder (O) and mid-flap support (F).
- Vis④* 40 screwdriver as shown.

Step 10:



- Adjust the leveler on extra leg (G) up and down as shown



Inspect the Bed an make sure all parts are adequately connected.
Adjust the Levelers to desired height to avoid wobbles.
Your bed is ready for use.

CARE INTRUCTIONS:
Hardware may loosen overtime. Periodically check that all connections are tight.
Wipe with a soft, dry cloth. To protect finish, avoid the use of chemicals and household cleaners.