



ASSEMBLY INSTRUCTIONS

Important Safety Instructions:

- Please read all instructions before beginning assembly
- Please make sure receive all the parcels to start the assembly
- For your safety and convenience, assembly by two people is recommended
- Use the parts and hardware lists to identify and separate each of the components included
- Save all packing materials until assembly is completed to avoid the accidental discarding of smaller parts or hardware



AS4002



HN4009


HN4092



THANK YOU FOR PURCHASING

PARTS LIST


- | | | | | |
|------|------|------|------|------|
| ① X1 | ② X1 | ③ X1 | ④ X3 | ⑤ X1 |
| ⑥ X1 | ⑦ X2 | ⑧ X2 | ⑨ X2 | ⑩ X2 |
| ⑪ X2 | ⑫ X2 | | | |
















Maximum weight capacities











MAXIMUM WEIGHT: 35 LBS (16 KG)

MAXIMUM WEIGHT: 150 LBS (68 KG)




HARDWARE LIST

Name	Part	Qty.	Spare
A		10	1
B		10	1
C		10	1
D		4	
E		4	
F	 2" Screw	3	
G	 1-1/2" Screw	12	
H	 9/16" Screw	8	
I	 1/2" Screw	22	2
J	 9/16" Screw	26	2
K		4	
L		4	
M		2	

Name	Part	Qty.	Spare
N		2	
O		4	
P		4	
Q	 AS4002	2	
R		4	1
U1		2	
U2		2	
U3		4	
U4		2	
U5		2	

**Slides Must Be Separated Before Assembly.
After Separated, Set Aside Until Needed for Assembly.**






STEP 1

A x 6pcs 

C x 4pcs 



K x 4pcs

J x 8pcs  9/16" Screw







STEP 2

C x 6 pcs



STEP 3



B x 3 pcs



An assistant is required.


STEP 4

B x 3pcs 




An assistant is required.

STEP 5





F x 3pcs 

A x 4pcs 



STEP 6

B x 4pcs




With assistant carefully stand unit up.

STEP 7

J x 18pcs




No Screw




STEP 8



L x 4pcs



D x 4pcs



H x 8pcs



x 2



STEP 9

I x 8pcs




Orientation

K x 4pcs



x2





x2

STEP 10


E x 4pcs 

I x 8pcs 



STEP 11

G x 12pcs 




STEP 12

HN4009/HN4092

Q x 2pcs 


R x 4pcs 




AS4002

Q x 2pcs 


R x 4pcs 



STEP 13

M x 2pcs 

I x 6pcs 






STEP 14

N x 2pcs

P x 4pcs

O x 4pcs



STEP 15










- Move unit to final location.
- Adjust drawer fronts as shown below.

Step1—Loosen screws on back of drawer front brackets as shown.

Step2—Position drawer front as required.

Step3—Tighten screws while holding drawer front in position.

DRAWER FRONT VIEW





An assistant is required.

STEP 16

U1 x 2pcs




U3 x 2pcs





STEP 17

U4 x 2pcs



1. Place unit in desired location.
2. Mark stud location on the wall, 1" below top and side of unit.
3. Drill 5/16" hole 2" deep at marks on the wall.



STEP 18

U2 x 2pcs 

U3 x 2pcs 

U5 x 2pcs 