

Assembly Instructions

Caution: You must read this before you proceed

Care & Maintenance



- Not for commercial use. For residential use only.



- Furniture may scratch floors. We recommend using furniture pads to protect your floors.



- Do not put hot items directly on furniture surface.



- Do not clean furniture with harsh cleansers or polish.



- Do not place furniture under direct sunlight.



- Do not place furniture near heating or cooling vents.



- Do not write on furniture without a padded barrier to protect the surface.



- Do not place furniture outside . For indoor use only.



- Stains may be removed with mild soap solution and damp cloth.




- Children should not climb or jump on the furniture.




- Dust and pick-up spills using a clean, non-colored, lint-free cloth.

ASSEMBLY INSTRUCTION

BENCH











N770P429593

IMPORTANT NOTE :


- ① PLACE ALL PARTS ON A CLEAN AND SMOOTH SURFACE SUCH AS A RUG OR CARPET TO AVOID THE PARTS FROM BEING SCRATCHED.
- ② BEFORE YOU BEGIN , KINDLY FOLLOW THE ASSEMBLY INSTRUCTIONS STEP BY STEP.
- ③ DO NOT TIGHTEN ALL SCREWS AND BOLTS UNTIL THE BENCH IS FULLY SET-UP

PART LIST FOR ONE BENCH		HARDWARE LIST FOR ONE BENCH	
A  SEAT BENCH (1pc)		1  Ø4 x 15mm	
		SCREW (12+1pcs)	
B  BENCH LEGS (2pcs)		2  Ø1/4" x 65mm	
		BOLT (4+1pcs)	
C  LONG STRETCHER (2pcs)		3  Ø1/4" x 55mm	
		BOLT (4+1pcs)	
D  STRETCHER (2pcs)		4  Ø1/4" x 35mm	
		BOLT (4+1pcs)	
		5  18 x 18x 2mm	
		METAL ANGLE (6+1pcs)	
		6 	
		ALLEN WRENCH (1pc)	

ASSEMBLY TOOLS REQUIRED (NOT INCLUDED)




Step 1




3	Ø1/4"x55		4PCS	6		1PC
----------	----------	---	------	----------	---	-----

- Attach bench legs (B) with stretcher (D) , use allen wrench(6) tighten bolt(3) as shown

Step 2





1	Ø4x15		6PCS	2	Ø1/4"x65		4PCS
5	18x18x2		6PCS	6		1PC	

- Use screw(1)with metal angle(5)on long stretcher (C) tighten as shown

- Attach bench legs (B) with long stretcher(C), use allen wrench(6) tighten bolt(2) as shown.


Step 3



1	Ø4x15		6PCS			
4	Ø1/4"x35		4PCS	6		1PC

- Attach the seat bench (A) to bench frame used allen wrench (6) tighten bolts (4) , used screw (1) tighten as shown.

Step 4



Complete

Bench is ready for use.
Bench can only be used on a flat, level surface.
Note: If the Bench is unsteady, you can adjust the leveling glides to stabilize it.