

2026 PRODUCT SPECIFICATION GUIDE

Gallery Express Kitchen & Bath Cabinetry

gallery cabinetry®

EXPRESS

TABLE OF CONTENTS


Rowan Express Navy


Mercer Express Onyx

Door Styles.....1-2

Premium Cabinet Construction..... 3

Finished End Options.....4

Cabinet Frame & Opening Dimensions.....5-7

Style Tips..... 8

Wall Cabinets.....9-18

Base Cabinets.....19-25

Tall Cabinets.....26-27

Vanity Cabinets.....28-30

Accessories.....31-32

Decorative Molding.....33-36
(includes crown and light rail)

Panels, Fillers and Installation Items 37-40

Decorative Hardware.....41-42
(includes handles & knobs)


Parts Directory 43-47

PLEASE NOTE: Line drawings are artistic representations of products for general dimensioning purposes. These should not be relied upon for accurate product appearance. Please consult the website or a designer if you have any questions or specific design requirements.

Specifications subject to change without notice.

MERCER EXPRESS

Shaker | RTF




COLOR	FINISH
Mercer White (MEW)	RTF
Mercer Cloud* (MEC)	RTF
Mercer Onyx (MEO)	RTF
Mercer Navy (MEN)	RTF
Mercer Meadow (MEM)	RTF
Mercer Straw (MES)	RTF



- ¾" thick x 3" wide MDF Shaker frame and recessed panel door with Rigid Tough Finish (RTF) and white flat melamine back
- ¾" thick x 3" wide MDF Shaker frame and recessed panel drawer front with Rigid Tough Finish (RTF) and white flat melamine back
- *Mercer Cloud doors and drawer fronts will include a matching gray flat melamine back.
- RTF and melamine door styles require a (Heat_Shield) to protect doors and drawers from heat-emitting appliances. See page 32 for details
- Soft-close 6-way adjustable hinges and full-extension drawer glides
- Decorative hardware required
- Glass doors are not available
- No door option available

HAVEN EXPRESS

Shaker with Slab Drawer Front | RTF




COLOR	FINISH
Haven White (HEW)	RTF
Haven Cloud* (HEC)	RTF
Haven Onyx (HEO)	RTF
Haven Navy (HEN)	RTF
Haven Meadow (HEM)	RTF
Haven Straw (HES)	RTF



- ¾" thick x 3" wide MDF Shaker frame and recessed panel door with Rigid Tough Finish (RTF) and white flat melamine back
- ¾" thick solid MDF flat panel drawer front with Rigid Tough Finish (RTF) and white flat melamine back
- *Haven Cloud doors will include a matching gray flat melamine back
- *Haven Cloud drawer fronts will include a white flat melamine back
- RTF and melamine door styles require a (Heat_Shield) to protect doors and drawers from heat-emitting appliances. See page 32 for details
- Soft-close 6-way adjustable hinges and full-extension drawer glides
- Decorative hardware required
- Glass doors are not available
- No door option available

ROWAN EXPRESS

Flat Panel | RTF



COLOR	FINISH
Rowan White (ROW)	RTF
Rowan Cloud (ROC)	RTF
Rowan Onyx (ROO)	RTF
Rowan Navy (ROV)	RTF
Rowan Meadow (ROM)	RTF
Rowan Straw (ROS)	RTF




- ¾" thick solid MDF flat panel door with Rigid Tough Finish (RTF) and white flat melamine back
- ¾" thick solid MDF flat panel drawer front with Rigid Tough Finish (RTF) and white flat melamine back
- RTF and melamine door styles require a (Heat_Shield) to protect doors and drawers from heat-emitting appliances. See page 32 for details
- Soft-close 6-way adjustable hinges and full-extension drawer glides
- Decorative hardware required
- Glass doors are not available
- No door option available

DOOR STYLES

ALTON EXPRESS

Slim Shaker | RTF




COLOR	FINISH
Alton White (ALW)	RTF
Alton Cloud (ALC)	RTF
Alton Onyx (ALO)	RTF
Alton Navy (ALN)	RTF
Alton Meadow (ALM)	RTF
Alton Straw (ALS)	RTF



- ¾" thick x ¾" wide MDF Slim Shaker frame and recessed panel door with Rigid Tough Finish (RTF) and white flat melamine back
- ¾" thick x ¾" wide MDF Slim Shaker frame and recessed panel drawer front with Rigid Tough Finish (RTF) and white flat melamine back
- RTF and melamine door styles require a (Heat_Shield) to protect doors and drawers from heat-emitting appliances. See page 32 for details
- Soft-close 6-way adjustable hinges and full-extension drawer glides
- Decorative hardware required
- Glass doors are not available
- No door option available

ELLISON EXPRESS

Raised Panel | RTF




COLOR	FINISH
Ellison White (EOW)	RTF
Ellison Cloud (EOC)	RTF
Ellison Onyx (EOO)	RTF
Ellison Navy (EON)	RTF
Ellison Meadow (EOM)	RTF
Ellison Straw (EOS)	RTF



- ¾" thick x 3" wide MDF Shaker framed door and solid MDF raised center panel with Rigid Tough Finish (RTF) and white flat melamine back
- ¾" thick x 3" wide MDF Shaker framed drawer front and solid MDF raised center panel with Rigid Tough Finish (RTF) and white flat melamine back
- RTF and melamine door styles require a (Heat_Shield) to protect doors and drawers from heat-emitting appliances. See page 32 for details
- Soft-close 6-way adjustable hinges and full-extension drawer glides
- Decorative hardware required
- Glass doors are not available
- No door option available
- 9" wide and smaller doors will not feature a raised center panel

BRIAR EXPRESS

Raised Panel with Slab Drawer Front | RTF



COLOR	FINISH
Briar White (BOW)	RTF
Briar Cloud (BOC)	RTF
Briar Onyx (BOO)	RTF
Briar Navy (BON)	RTF
Briar Meadow (BOM)	RTF
Briar Straw (BOS)	RTF




- ¾" thick x 3" wide MDF Shaker framed door and solid MDF raised center panel with Rigid Tough Finish (RTF) and white flat melamine back
- ¾" thick solid MDF flat panel drawer front with Rigid Tough Finish (RTF) and white flat melamine back
- RTF and melamine door styles require a (Heat_Shield) to protect doors and drawers from heat-emitting appliances. See page 32 for details
- Soft-close 6-way adjustable hinges and full-extension drawer glides
- Decorative hardware required
- Glass doors are not available
- No door option available
- 9" wide and smaller doors will not feature a raised center panel

PREMIUM CABINET CONSTRUCTION







CARB2 compliant

LIMITED LIFETIME WARRANTY

THIRD GENERATION FAMILY BUSINESS

Specifications subject to change without notice.

1. Interior
Natural woodgrain finish that provides a durable, wipe clean surface

2. Face Frame
1½" wide x ¾" thick solid hardwood and pocket screwed

3. End Panels
½" thick CARB2 compliant plywood finished with a matching exterior and natural woodgrain interior

4. Floor & Ceiling
½" thick CARB2 compliant plywood. Both sides are captured by the cabinet end panels

5. Back Panels
½" thick CARB2 compliant plywood with a natural woodgrain finished interior and raw exterior. The "clipped" back panel on corner cabinets is ¼" thick MDF

6. "I-Beam" Supports
½" thick CARB2 compliant plywood. These full-depth braces provide stability and support

7. Adjustable Shelves
¾" thick CARB2 compliant plywood with a natural woodgrain finish and matching front edge banding. Shelves are full-depth and have a 15 lb. per sq. ft. weight capacity rating

8. Shelf Supports
Clear, high-strength polymer shelf supports with a locking top tab help prevent shelf tip

9. Doors
Stylish, full-overlay doors available in all collections. RTF doors feature a durable wipe-clean finish.

10. Hinges
Fully concealed, soft-close, 6-way adjustable hinges that open 110°

11. Drawer & Roll-Out Glides
Drawers and roll-out trays feature soft-close, full-extension, undermount glides rated for 90 lb. dynamic loads

12. Drawers & Roll-Out Trays
⅝" thick finger jointed four-sided dovetail box construction, finished with a clear top coat and a ¼" thick MDF captured floor

13. Drawer Fronts
Stylish, full-overlay drawer fronts available in all collections. Kitchen and vanity base cabinets feature an 8" top drawer front with single or double doors. 3-drawer base cabinets feature an 8" top drawer front and 10½" middle and bottom drawer fronts.

14. Structural Toe Kick
½" thick CARB2 compliant plywood unfinished structural toe kick provides solid backing for (MTK8) Matching Toe Kick installation

FINISHED END OPTIONS




2. All Plywood Construction Sides are constructed from ½" thick CARB2 compliant plywood and are finished to match the cabinet face frame.




3. Optional Matching End Panels are ¾" thick overlay panels that match the construction of the door style selected. They are available for standard depth base cabinets (MBEP) and standard depth wall cabinets in three heights (MWEP30, MWEP36, MWEP42). Matching End Panels are packaged separately for field installation. See page 38 for details.

CABINET FRAME & OPENING DIMENSIONS





CABINET FRAME & OPENING DIMENSIONS




NOTE: 96" TALL CABINETS ARE SUPPLIED WITH LOOSE TOE KICK BOX (EXPOSED SIDES REQUIRE TSK96)

CABINET FRAME & OPENING DIMENSIONS





Note: B21, B24, B27, and B30 have one full-width drawer.
B33 will include two drawers



DRAWER BOX INSIDE DIMENSIONS						
CABINET	SHALLOW DRAWER			DEEP DRAWER		
	HEIGHT	DEPTH	WIDTH	HEIGHT	DEPTH	WIDTH
B12, BD12	4⅜"	19 11⁄16"	6⅞"	6¾"	19 11⁄16"	6⅞"
VB1221, VBD1221	4⅜"	16 11⁄16"	6⅞"	6¾"	16 11⁄16"	6⅞"
B15, BBCU42, BD15	4⅜"	19 11⁄16"	9⅞"	6¾"	19 11⁄16"	9⅞"
VB1521, VBD1521	4⅜"	16 11⁄16"	9⅞"	6¾"	16 11⁄16"	9⅞"
B18, BD18	4⅜"	19 11⁄16"	12⅞"	6¾"	19 11⁄16"	12⅞"
VB1821, VBD1821	4⅜"	16 11⁄16"	12⅞"	6¾"	16 11⁄16"	12⅞"
B21	4⅜"	19 11⁄16"	15⅞"	**N/A**	**N/A**	**N/A**
B24, BD24	4⅜"	19 11⁄16"	18⅞"	6¾"	19 11⁄16"	18⅞"
VB242, VBD2421	4⅜"	16 11⁄16"	18⅞"	**N/A**	**N/A**	**N/A**
B27	4⅜"	19 11⁄16"	21⅞"	**N/A**	**N/A**	**N/A**
B30, BD30	4⅜"	19 11⁄16"	24⅞"	6¾"	19 11⁄16"	24⅞"
VB3021	4⅜"	16 11⁄16"	24⅞"	**N/A**	**N/A**	**N/A**
VBD30	4⅜"	16 11⁄16"	24⅞"	6¾"	16 11⁄16"	24⅞"
B33	4⅜"	19 11⁄16"	11¼"	**N/A**	**N/A**	**N/A**
B36, BD36	4⅜"	4⅜"	12⅞"	6¾"	19 11⁄16"	30⅞"
VB3621	4⅜"	16 11⁄16"	12⅞"	**N/A**	**N/A**	**N/A**

STYLE TIPS



Mercer Express Meadow

A modern or transitional look can be achieved with a Shaker door and matching drawer front. Bring in the colors of Nature with green cabinetry, wood accents and soft lighting.



Ellison Express Navy

Achieve a transitional or traditional design with a raised center panel shaker door. Complete your island with matching decorative doors and molding to elevate your kitchen.



Alton Express Cloud

Stay on trend and select a slim shaker door for a modern, low maintenance look for your kitchen. Quartz countertops are a great way to add texture paired with gold hardware and accents to create warmth.

WALL CABINET CODING

STANDARD (12" DEEP)

W 30 30

Cabinet Code | Cabinet Width | Cabinet Height

REFRIGERATOR (24" DEEP)

W 36 24 18


Cabinet Code | Cabinet Width | Cabinet Depth | Cabinet Height

- Standard wall cabinets are 12" deep unless otherwise noted
- Refrigerator wall cabinets are 24" deep
- Cabinet depth does not include door thickness
- Products are available in all door styles unless otherwise noted
- All Plywood construction cabinet exterior sides match the face frame
- Soft-close hinges unless otherwise noted
- RTF and melamine door styles require a (Heat_Shield) to protect doors and drawers from heat-emitting appliances. See page 32 for details

12" High Double Door

- No adjustable shelf

P




W2412
W3012
W3612

12" High x 24" Deep Double Door

- No adjustable shelf
- Must be supported from back and both sides

P




W242412
W302412
W362412

15" High Double Door

- No adjustable shelf

P




W3015
W3315
W3615

WALL CABINETS

15" High x 24" Deep Double Door

- No adjustable shelf
- Must be supported from back and both sides

P




W302415
W332415
W362415

18" High Double Door

- No adjustable shelf

P




W2418
W3018
W3618

18" High x 24" Deep Double Door

- No adjustable shelf
- Must be supported from back and both sides

P




W242418
W302418
W362418

24" High Double Door

- One adjustable shelf

P A




W3024
W3624

P All Plywood Construction F Field Installed A Adjustable Shelf H L or R Hinge

24" High x 24" Deep Double Door

- One adjustable shelf
- Must be supported from back and both sides

P A




W302424
W362424

30" High Single Door

- Two adjustable shelves
- Specify Right or Left hinge, Left hinge shown

P A H




W0930
W1230
W1530
W1830
W2130

30" High Double Door

- Two adjustable shelves

P A




W2430
W2730
W3030
W3330
W3630

30" High x 21" Wide Wall Easy Reach

- Two straight adjustable shelves
- Bi-fold style door allows full access to the entire cabinet interior
- Clip corner back provides clearance for installation
- Clip corner back is ¼" MDF
- Specify Right or Left hinge, Left hinge shown
- Not available with Soft-Close Doors

P A H



WEZR2130


WALL CABINETS

30" High x 24" Wide Wall Easy Reach

WEZR2430

- Two straight adjustable shelves
- Bi-fold style door allows full access to the entire cabinet interior
- Clip corner back provides clearance for installation
- Clip corner back is ¼" MDF
- Specify Right or Left hinge, Left hinge shown
- Not available with Soft-Close Doors

P A H




30" High Wall Angle

WA2430

- Two adjustable shelves
- Clip corner back provides clearance for installation
- Clip corner back is ¼" MDF
- Specify Right or Left hinge, Right hinge shown

P A H




30" High Wall Blind Corner Unit

WBCU2730

- Two adjustable shelves
- Cabinet can be pulled for exact fit (installation guide on page 17)
- 3" wide filler included
- 3¾" wide blind closure panel included - field installed
- Door width is 11¾"
- Specify Right or Left blind, Right blind shown

P F A H




36" High Single Door

W0936
W1236
W1536
W1836
W2136

- Three adjustable shelves
- Specify Right or Left hinge, Left hinge shown

P A H




P All Plywood Construction F Field Installed A Adjustable Shelf H L or R Hinge

36" High Double Door

- Three adjustable shelves

P A




W2436
W2736
W3036
W3336
W3636

36" High x 21" Wide Wall Easy Reach

- Three straight adjustable shelves
- Bi-fold style door allows full access to the entire cabinet interior
- Clip corner back provides clearance for installation
- Clip corner back is ¼" MDF
- Specify Right or Left hinge, Left hinge shown
- Not available with Soft-Close Doors

P A H




WEZR2136

36" High x 24" Wide Wall Easy Reach

- Three straight adjustable shelves
- Bi-fold style door allows full access to the entire cabinet interior
- Clip corner back provides clearance for installation
- Clip corner back is ¼" MDF
- Specify Right or Left hinge, Left hinge shown
- Not available with Soft-Close Doors

P A H




WEZR2436

36" High Wall Angle

- Three adjustable shelves
- Clip corner back provides clearance for installation
- Clip corner back is ¼" MDF
- Specify Right or Left hinge, Right hinge shown

P A H



WA2436


WALL CABINETS

36" High x 15" Deep Wall Angle

WA271536

- Three adjustable shelves
- Clip corner back provides clearance for installation
- Clip corner back is ¼" MDF
- Specify Right or Left hinge, Right hinge shown

E P A H




36" High Wall Blind Corner Unit

WBCU2736

- Three adjustable shelves
- Cabinet can be pulled for exact fit (installation guide on page 17)
- 3" wide filler included
- 3¾" wide blind closure panel included - field installed
- Door width is 11¾"
- Specify Right or Left blind, Right blind shown

E P F A H




42" High Single Door

W0942
W1242
W1542
W1842
W2142

- Three adjustable shelves
- Specify Right or Left hinge, Left hinge shown

E P A H




42" High Double Door

W2442
W2742
W3042
W3342
W3642

- Three adjustable shelves

E P A




P All Plywood Construction F Field Installed A Adjustable Shelf H L or R Hinge

42" High x 21" Wide Wall Easy Reach

WEZR2142

- Three straight adjustable shelves
- Bi-fold style door allows full access to the entire cabinet interior
- Clip corner back provides clearance for installation
- Clip corner back is ¼" MDF
- Specify Right or Left hinge, Left hinge shown
- Not available with Soft-Close Doors

P A H




42" High Wall Easy Reach

WEZR2442

- Three straight adjustable shelves
- Bi-fold style door allows full access to the entire cabinet interior
- Clip corner back provides clearance for installation
- Clip corner back is ¼" MDF
- Specify Right or Left hinge, Left hinge shown
- Not available with Soft-Close Doors

P A H




42" High Wall Angle

WA2442

- Three adjustable shelves
- Clip corner back provides clearance for installation
- Clip corner back is ¼" MDF
- Specify Right or Left hinge, Right hinge shown

P A H




42" High x 15" Deep Wall Angle

WA271542

- Three adjustable shelves
- Clip corner back provides clearance for installation
- Clip corner back is ¼" MDF
- Specify Right or Left hinge, Right hinge shown

P A H




WALL CABINETS

42" High Wall Blind Corner Unit

WBCU2742


- Three adjustable shelves
- Cabinet can be pulled for exact fit (installation guide on page 17)
- 3" wide filler included
- 3¾" wide blind closure panel included - field installed
- Door width is 11¾"
- Specify Right or Left blind, Right blind shown

P F A H



P All Plywood Construction F Field Installed A Adjustable Shelf H L or R Hinge

Blind Corner Installation Guide



The pull distance refers to the distance the cabinet is pulled from the adjacent wall.

The maximum pull distance is 6" from the adjacent wall.

To cover the 3¾" opening use the provided natural woodgrain closure panel to keep items from falling out of the cabinet.

Note: Additional wall skins and panels are available for purchase and are field installed.

*Gray area represents empty space. Cabinet is designed to be pulled for exact space.

Blind Wall Installation Guide			
Cabinet	Wall Space "A" Min-Max	Frame Opening Width "B"	Cabinet Width "C"
WBCU2730	25" - 30"	8⅞"	24"
WBCU2736	25" - 30"	8⅞"	24"
WBCU2742	25" - 30"	8⅞"	24"

Installation Instructions

1. Position the WBCU in the corner and adjust the pull distance so the filler aligns flush with adjacent cabinets face frame


2. Level cabinet using shims if necessary

3. Clamp and install the filler. The provided filler can be field trimmed, however, if the filler width is modified verify the adjacent doors maintain proper clearance to fully open

4. Install the provided closure panel to cover the open side of the WBCU

When to use a Blind Wall Cabinet


- Small compact kitchens with limited space in corners
- U-Shape or L-Shape Kitchens that cannot fit a Corner Wall Easy Reach or Corner Wall Diagonal Cabinet
- Plumbing, electrical or structural interference is present
- To utilize dead space in your corners



WALL CABINETS


Placing Wall Cabinets Next to a Return Wall

When placing cabinets against a side wall, use a minimum ¾" filler between wall and cabinet to allow doors to fully open.



Staggering Wall Cabinets

When using the WA271536/42 corner cabinets, make sure to place a ¾" filler next to adjacent cabinet if the adjacent cabinet is shallower.



P All Plywood Construction F Field Installed A Adjustable Shelf H L or R Hinge

BASE CABINET CODING

B 30


Cabinet Code **Cabinet Width**

- Standard base cabinets are 24" deep and 34½" tall
- Cabinet depth does not include door thickness
- Products are available in all doors styles unless otherwise noted
- All Plywood construction cabinet exterior sides match the face frame
- Soft-close hinges and full-extension drawer glides unless otherwise noted
- RTF and melamine door styles require a (Heat_Shield) to protect doors and drawers from heat-emitting appliances. See page 32 for details
- Base cabinets are shipped with an unfinished toe kick. Matching Toe Kick (MTK8) must be ordered separately, and field installed

24" Deep Single Full-Height Door

- Two full-depth adjustable shelves
- Specify Right or Left hinge, Left hinge shown

P A H




B09FH

24" Deep Single Door

- One full-depth adjustable shelf
- Specify Right or Left hinge, Left hinge shown

P A H




B12
B15
B18
B21

24" Deep Double Door

- One full-depth adjustable shelf

P A




B24
B27
B30

BASE CABINETS

24" Deep Double Door

- One full-depth adjustable shelf

P A




B33
B36

24" Deep Drawer Base - 3 Drawers

- One full-extension, soft-close standard top drawer
- Two full-extension, soft-close deep drawers

P




BD12
BD15
BD18
BD21
BD24
BD27
BD30

24" Deep Drawer Base - 4 Drawers

- Two full-extension, soft-close standard top drawers
- Two full-extension, soft-close deep drawers

P




BD36

24" Deep Base Cooktop - Single False Front

- False top drawer front
- Two full-extension, soft-close deep drawers
- Accepts drop-in cooktop

P



BCT30


P All Plywood Construction F Field Installed A Adjustable Shelf H L or R Hinge

24" Deep Base Cooktop - Double False Front

BCT36

- False top drawer fronts
- Two full-extension, soft-close deep drawers
- Accepts drop-in cooktop

P




24" Deep Single Door Sink Base

SB21

- Maximum sink cutout 19" wide
- No adjustable shelf
- False drawer front
- Specify Right or Left hinge, Right hinge shown

P H




24" Deep Double Door Sink Base

SB24
SB27
SB30

- No adjustable shelf
- False drawer front
- May also be used as drop-in cooktop base

P




24" Deep Double Door Sink Base

SB33
SB36

- No adjustable shelf
- Two false drawer fronts
- May also be used as drop-in cooktop base

P




BASE CABINETS

24" Deep Double Door Farm Sink Base

FSB36

- Front rail is field modified to fit sink
- No adjustable shelf

P F




24" Deep x 36" Wide Base Easy Reach

EZR36

- One full-depth straight adjustable shelf (reversible)
- Door opens 170° for easy access
- Clip corner is ¼" MDF
- Cabinet requires a minimum 29" clearance to fit through doorway
- Not available with Soft-Close Doors
- Specify Right or Left hinge, Right hinge shown

P A H




33" Easy Reach Super Susan

EZR33SS

- Two 26" diameter, pie-cut independently revolving all wood shelves
- Door opens 170° for easy access
- Clip corner is ¼" plywood
- Cabinet requires a minimum 29" clearance to fit through doorway
- **SOFT-CLOSE DOOR (SCD) OPTION NOT AVAILABLE**
- Specify Right or Left hinge, Right hinge shown

P H




36" Easy Reach Super Susan

EZR36SS

- Two 28" diameter, pie-cut independently revolving all wood shelves
- Door opens 170° for easy access
- Clip corner is ¼" plywood
- Cabinet requires a minimum 29" clearance to fit through doorway
- **SOFT-CLOSE DOOR (SCD) OPTION NOT AVAILABLE**
- Specify Right or Left hinge, Right hinge shown

P H




P All Plywood Construction F Field Installed A Adjustable Shelf H L or R Hinge

24" Deep Blind Base Corner Unit

BBCU42

- Specify Right or Left hinge, Right hinge shown
- Cabinet can be pulled for exact fit (installation guide on page 24)
- 3" wide filler included
- 12¾" wide blind closure panel included - field installed
- Door width is 14¾"

P F A H




24” Deep Single DELUXE 35 qt. Waste Basket Pull-Out

B1DWB15
B1DWB18

- Basket is removable
- Baskets slides on heavy duty, full-extension, soft-close glides
- 35-quart white plastic basket sits in a dovetailed plywood drawer box
- Basket dimensions: 14³⁄₁₆" W x 10½" D x 17⅞" H
- Roll-out tray not adjustable or removable
- Top mount roll-out tray for trash bag storage

P




24” Deep Double DELUXE 35 qt. Waste Basket Pull-Out

B2DWB18
B2DWB21


- Basket is removable
- Baskets slides on heavy duty, full-extension, soft-close glides
- 35-quart white plastic basket sits in a dovetailed plywood drawer box
- Basket dimensions: 14³⁄₁₆" W x 10½" D x 17⅞" H
- Roll-out tray not adjustable or removable
- Top mount roll-out tray for trash bag storage

P



BASE CABINETS

Blind Corner Installation Guide



Pull distance references the distance from the corner where the two walls meet to the panel of the BBCU cabinet.

Pro Tip*
Ensure Door and Drawer have proper clearance. Filler is field trimmable, however cabinet hardware profile needs to be considered if filler is trimmed to less than 3" wide.

*Gray area represents empty space. Cabinet is designed to be pulled for exact space.

Blind Base Installation Guide			
	Wall Space "A"	Frame Opening	Cabinet
Cabinet	Min-Max	Width "B"	Width "C"
BBCU39	39" - 42"	8⅞"	30"
BBCU42	42" - 45"	12"	36"

1. Place Blind Cabinet in corner and adjust pull distance to line up with adjacent cabinets.

2. Level cabinet on wall and floor using shims if necessary.

3. Pre-Drill pilot holes in back of cabinet and use proper screws to secure cabinet to wall.

4. Clamp and install filler to give proper door and drawer clearance of adjacent cabinets.

5. Use base skin to cover open side of Blind Cabinet.

When to use a Blind Base Cabinet

- Small compact kitchens with limited space in corners
- U-Shape or L-Shape Kitchens that cannot fit a Corner Lazy Susan
- Plumbing, electrical or structural interference in corners
- To utilize dead space in corners




P All Plywood Construction F Field Installed A Adjustable Shelf H L or R Hinge

Designing Around a Range

Make sure to give landing space on each side of the appliance when placing in design area.


RTF door styles require a Heat Shield to protect doors and drawers from heat-emitting appliances. See page 32 for details.



Blind Cabinets with Drawers

When placing a blind base cabinet with drawer or trash pull-out, make sure to allow enough clearance so drawer/pull-out will open fully.

Make sure to leave enough space to allow drawer to open if placing around corner from range or appliance.



TALL CABINETS

TALL CABINET CODING

U	24	24	84
Cabinet Code	Cabinet Width	Cabinet Depth	Cabinet Height


- Standard Tall Cabinets are 24" deep
- Cabinet depth does not include door thickness
- Products are available in all door styles unless stated otherwise
- Standard cabinet exterior sides are color matched to face frame
- Soft-close hinges unless stated otherwise
- RTF door styles require a Heat Shield to protect doors and drawers from heat-emitting appliances. See page 32 for details

24" Deep Two-Door Utility

U182484

- One fixed shelf dividing upper and lower doors, four adjustable shelves
- Specify Right or Left hinge, Right hinge shown

P A H




24" Deep Four-Door Utility

U242484

- One fixed shelf dividing upper and lower doors, four adjustable shelves

P A




24" Deep Two-Door Utility

U182490

- One fixed shelf dividing upper and lower doors, five adjustable shelves
- Specify Right or Left hinge, Right hinge shown

P A H




P All Plywood Construction F Field Installed A Adjustable Shelf H L or R Hinge

24" Deep Four-Door Utility

U242490

- One fixed shelf dividing upper and lower doors, five adjustable shelves
- TSK96 is recommended if the cabinet will be on the end of a run

P A




24" Deep Two-Door Utility

U182496

- One fixed shelf dividing upper and lower doors, five adjustable shelves
- TSK96 is recommended if the cabinet will be on the end of a run
- Loose toe kick box for ease of installation
- Loose toe kick box will have a finished side, but will have a seam at bottom
- Specify Right or Left hinge, Right hinge shown

P A H




24" Deep Four-Door Utility

U242496

- One fixed shelf dividing upper and lower doors, five adjustable shelves
- TSK96 is recommended if the cabinet will be on the end of a run
- On 96", loose toe kick box for ease of installation
- Loose toe kick box will have a finished side, but will have a seam at bottom

P A



VANITY CABINETS

VANITY CABINET CODING

VSB 30 21


- **VSB** — Cabinet Code
- **30** — Cabinet Width
- **21** — Cabinet Depth

- Standard Vanity Base Cabinets are 21" deep and 34½" high
- Cabinet depth does not include door thickness
- Products are available in all doors styles unless stated otherwise
- Standard cabinet exterior sides are color matched to face frame
- Base cabinets are shipped with an unfinished toe kick. Matching Toe Kick (MTK8) must be ordered separately, and field installed
- Soft-close hinges and full-extension drawer glides unless stated otherwise

21" Deep Single Door Vanity Base

- One full-depth adjustable shelf
- One standard drawer
- Specify Right or Left hinge, Right hinge shown

P A H




STANDARD 21" DEPTHS

VB1221
VB1521
VB1821
VB2121

21" Deep Double Door Vanity Base

- One full-depth adjustable shelf
- One standard drawer

P A




STANDARD 21" DEPTHS

VB2421
VB2721
VB3021

21" Deep Double Door Vanity Base

- One full-depth adjustable shelf
- Two standard drawers

P A



STANDARD 21" DEPTHS


VB3321
VB3621

P All Plywood Construction F Field Installed A Adjustable Shelf H L or R Hinge

21" Deep Vanity Base Drawer

- One standard drawer
- Two deep drawers

P




STANDARD 21" DEPTHS

VBD1221
VBD1521
VBD1821
VBD2421
VBD3021

21" Deep Single Door Vanity Sink Base

- Maximum sink cutout 19" wide
- No adjustable shelf
- False drawer front
- Specify Right or Left hinge, Right hinge shown

P H




STANDARD 21" DEPTHS

VSB2121

21" Deep Double Door Vanity Sink Base

- No adjustable shelf
- False drawer front

P




STANDARD 21" DEPTHS

VSB2421
VSB2721
VSB3021

21" Deep Double Door Vanity Sink Base

- No adjustable shelf
- Two false fronts

P



STANDARD 21" DEPTHS

VSB3321
VSB3621

VANITY LINEN CABINETS

VANITY CABINET CODING

VLC 30 21


- **VLC** — Cabinet Code
- **30** — Cabinet Width
- **21** — Cabinet Depth

- Standard Vanity Cabinets are 21" deep
- Cabinet depth does not include door thickness
- Products are available in all door styles unless stated otherwise
- Standard cabinet exterior sides are color matched to face frame
- Soft-close hinges unless stated otherwise

21" Deep Two-Door Linen

- One fixed shelf dividing upper and lower sections, four adjustable shelves
- Specify Right or Left hinge, Left hinge shown

P A H



STANDARD 21" DEPTHS


VLC182184

P All Plywood Construction F Field Installed A Adjustable Shelf H L or R Hinge

Roll-Out Tray Kits

- ⅝" solid wood dovetail construction, natural birch finish to match cabinet interior
- Includes soft-close, full-extension, undermount glides
- 90 lb. load capacity
- Available for use in base and tall cabinets
- Field-install into factory pre-drilled locations only
- Roll-out trays not available for Vanity Linen Cabinets

F




ROT12
ROT15
ROT18
ROT21
ROT24
ROT27
ROT30
ROT33
ROT36

Spice Drawer Insert

- Solid hardwood drawer insert
- Three 5" high angled tiers
- Rear 4" deep compartment
- Sized to fit inside 15", 18", 21", 24", 27" wide drawers

F




SDI15
SDI18
SDI21
SDI24
SDI27

Knife Block Insert

- Solid hardwood drawer insert
- One full-width front utensil compartment
- KBI15: 10 knife slots + utensil compartment (fits B15, BD15)
  KBI18: 13 knife slots + utensil compartment (fits B18, BD18, B36, BD36)
  KBI21: 16 knife slots + utensil compartment (fits B21)

F




KBI15
KBI18
KBI21

Cutlery Divider Tray

- Solid hardwood drawer insert
- One full-width front utensil compartment
- CDT15: 6 compartments 10"-14" deep (fits B15, BD15)
  CDT18: 6 compartments 10"-14" deep (fits B18, BD18, B36, BD36)
  CDT21: 8 compartments 10"-14" deep (fits B21)
  CDT24: 8 compartments 10"-14" deep (fits B24, BD24)

F




CDT15
CDT18
CDT21
CDT24

ACCESSORIES

Utensil Divider Tray

- Solid hardwood drawer insert
- One full-width front utensil compartment
- UTD15: 2 additional compartments 16" deep (fits B15, BD15)
  UTD18: 4 additional compartments 16" deep (fits B18, BD18, B36, BD36)
  UDT21: 5 additional compartments 16" deep (fits B21)
  UTD24: 5 additional compartments 16" deep (fits B24, BD24)

F




UTD15
UTD18
UTD21
UTD24

Heat Shield

- Helps protect cabinet doors adjacent to heat-emitting appliances
- Attaches to the cabinet face frame
- Available in White or Black
- Should be used on both sides of the range and under bridge cabinets above the range
- Should be ordered when using RTF door styles. HS_White and HS_Black ship individually
- HS_2p_White and HS_2p_Black ship in quantities of 2 each

F




HS_White
HS_Black
HS_2p_White
HS_2p_Black

Touch-Up Kit

- Includes fill stick, touch-up pen, and 4 door bumpers

TUK



P All Plywood Construction F Field Installed A Adjustable Shelf H L or R Hinge

Crown Molding

When returning crown molding to the wall at the end of a run, allow at least 3" of wall space. This allows molding to return properly without interfering with doors or other obstacles.




Contemporary Crown Molding

CMV8

- ¾" thick solid MDF
- TMMS8 not required
- Field modified and installed

F




Flat Shaker Angle Crown

FSM8

- ¾" thick solid MDF
- Use with TMMS8 for top of cabinet installation
- Field modified and installed

F




Inside Corner Molding

ICM8

- ¾" thick solid wood
- Field modified and installed

F




DECORATIVE MOLDING

Outside Corner Molding

OSC8

- ¼" thick solid wood
- Field modified and installed

F




Quarter Round

QR8

- ¾" thick solid woo
- Field modified and installed

F




Scribe Molding

SM8

- ¼" thick solid wood
- Field modified and installed

F




Batten Molding

BM8

- ¼" thick solid wood
- Field modified and installed

F




P All Plywood Construction F Field Installed A Adjustable Shelf H L or R Hinge

Top Molding Mounting Strip

TMMS8

- ¾" thick solid unfinished wood
- Recommended for installation of FSM8 moldings
- Field modified and installed

F





Stack Molding

STM8

- ¾" thick solid MDF
- Field modified and installed

F





Side View of Stacked Cabinets


Front View of Stacked Cabinets

Furniture Base Molding

FBM8

- ¾" thick solid MDF
- Field modified and installed

F




8' Finished Toe Kick – Matches Frame Color

MTK8

- ¼" thick MDF finished to match the cabinet face frame
- Field modified and installed

F




DECORATIVE MOLDING

Shaker Light Rail

LRM8

- ¾" thick solid MDF
- Only available in painted finishes
- Painted Finish will vary in color and texture. Color and sheen variation due to the difference of finishing material.
- Field modified and installed

F




Contemporary Light Rail

LRV8

- ¾" thick solid MDF
- Field modified and installed

F




P All Plywood Construction F Field Installed A Adjustable Shelf H L or R Hinge

Wall Skin

WSK1242
WSK1542

- ¼" thick MDF panel finished to match the cabinet face frame
- Can be field modified for shallower depth or shorter wall cabinets
- Field installed

F




Base Skin

BSK345

- ¼" thick MDF panel finished to match the cabinet face frame
- Can be field modified for shallower depth cabinets
- Field installed

F




Vanity Base Skin

VBSK345

- ¼" thick MDF panel finished to match the cabinet face frame
- Can be field modified for shallower depth cabinets
- Field installed

F




Island Skin

ISK4848

- ¼" thick MDF panel finished to match the cabinet face frame
- Field modified and installed

F




PANELS, FILLERS & INSTALLATION ITEMS

Tall Skin

TSK96

- ¼" thick plywood panel finished to match the cabinet face frame
- Can be field modified for shallower depth or shorter tall cabinets
- Field installed

F




Matching Base End Panel

MBEP

- ¾" thick
- Field installed
- Panel is for Left or Right application
- RTF matching end panels will not be notched. Use a field trimmable BSK345 before adding the end panel for a flush application

F




*Only painted end panels are notched

Matching Wall End Panels

MWEP30
MWEP36
MWEP42

- ¾" thick
- Field installed
- Panel is for Left or Right application
- RTF matching end panels will not be notched. Use a field trimmable WSK1542 before adding the end panels for a flush application

F




*Only painted end panels are notched

24" Deep Base End Panel with 1½" wide Filler

BP1.5

- Panel and 1½" wide filler supplied loose; field installed
- Filler is solid MDF
- Reversible, may be installed left or right
- ½" thick plywood panel finished to match the cabinet face frame
- Top and bottom of filler is unfinished
- Filler can be trimmed down by ⅝"

P F




P All Plywood Construction F Field Installed A Adjustable Shelf H L or R Hinge

24" Deep Base End Panel with 3" wide Filler

BP3

- Panel and 3" wide filler supplied loose; field installed
- Filler is solid MDF
- Reversible, may be installed left or right
- ½" thick plywood panel finished to match the cabinet face frame
- Top and bottom of filler is unfinished
- Filler can be trimmed down by ⅝"

P F




24" Deep Refrigerator Panel with 1½" wide Filler

RP1.584
RP1.590
RP1.596

- Panel and 1½" wide filler supplied loose; field installed
- Filler is solid MDF
- Reversible, may be installed left or right
- ½" thick plywood panel finished to match the cabinet face frame
- Top and bottom of filler is unfinished
- Filler can be trimmed down by ⅝"

P F




24" Deep Refrigerator Panel with 3" wide Filler

RP384
RP390
RP396

- Panel and 3" wide filler supplied loose; field installed
- Filler is solid MDF
- Reversible, may be installed left or right
- ½" thick plywood panel finished to match the cabinet face frame
- Top and bottom of filler is unfinished
- Filler can be trimmed down by ⅝"

P F




PANELS, FILLERS & INSTALLATION ITEMS

Filler Strips

- ¾" thick solid MDF
- Face and sides finished
- FS30, FS36, and FS42 are 3" wide
- Field modified and installed

F




FS30
FS36
FS42
FS630
FS636
FS642

Tall Filler Strips

- ¾" thick solid MDF
- Face and sides finished
- FS84, FS90, and FS96 are 3" wide
- Field modified and installed

F



FS84
FS90
FS96
FS696

P All Plywood Construction F Field Installed A Adjustable Shelf H L or R Hinge

Square Bar Pull

- Matte black

F



DH801-96B
4¼" Square Bar Pull
3¾" center (96mm)

DH801-128B
5½" Square Bar Pull
5" center (128mm)

DH00801-17B
6¾" Square Bar Pull
6⁵⁄₁₆" center (160mm)

Square Bar Pull

- Brushed nickel

F



DH801-96N
4¼" Square Bar Pull
3¾" center (96mm)

DH801-128N
5½" Square Bar Pull
5" center (128mm)

DH00801-17N
6¾" Square Bar Pull
6⁵⁄₁₆" center (160mm)

Square Bar Pull

- Champagne Bronze

F



DH873-96CH
4¼" Square Bar Pull
3¾" center (96mm)

DH873-128CH
5⅜" Square Bar Pull
5" center (128mm)

DH873-160CH
6¾" Square Bar Pull
6⁵⁄₁₆" center (160mm)

Tubular Bar Pull

- Brushed nickel

F



DH5016-96N
5⅜" Tubular Bar Pull
3¾" center (96mm)

DH5016-128N
6⅝" Tubular Bar Pull
5" center (128mm)

DH5016-160N
7⅞" Tubular Bar Pull
6⁵⁄₁₆" center (160mm)

DECORATIVE HARDWARE

Tubular Bar Pull

- Champagne Bronze

F



DH5016-96CH
5⅜" Tubular Bar Pull
3¾" center (96mm)

DH5016-128C
6⅝" Tubular Bar Pull
5" center (128mm)

DH5016-160C
7⅞" Tubular Bar Pull
6⅝" center (160mm)

Euro Pull

- Euro railing pull
- Brushed nickel
- DESIGN TIP: Make sure to double check the length of drawer/door to ensure pull will fit the cabinet

F



DH45-100
6 15/16" Euro Pull
3 13/16" center (96mm)

DH45-102
10¾" Euro Pull
7 9/16" center (192mm)

DH45-104
14⅞" Euro Pull
11¾" center (298mm)

Round knob

- Brushed nickel

F



DH99-188
1¼" diameter

Contemporary Bow Pull

- Brushed nickel

F



DH99-128
3¾" center (96mm)
5¼" outside length

P All Plywood Construction F Field Installed A Adjustable Shelf H L or R Hinge

WALL CABINETS

ITEM NUMBER	QUANTITY	DOOR (Part Name)	DOOR DIMENSIONS (Width x Height x Thickness)
12" HIGH WALL BRIDGE - (12" DEEP)			
W2412	2	Door1212	11¾" x 11¾" x ¾"
W3012	2	Door1512	14¾" x 11¾" x ¾"
W3612	2	Door1812	17¾" x 11¾" x ¾"
12" HIGH REFRIGERATOR WALL BRIDGE - (24" DEEP)			
W242412	2	Door1212	11¾" x 11¾" x ¾"
W302412	2	Door1512	14¾" x 11¾" x ¾"
W362412	2	Door1812	17¾" x 11¾" x ¾"
15" HIGH WALL BRIDGE - (12" DEEP)			
W3015	2	Door1515	14¾" x 14¾" x ¾"
W3315	2	Door1615	16¼" x 14¾" x ¾"
W3615	2	Door1815	17¾" x 14¾" x ¾"
15" HIGH REFRIGERATOR WALL BRIDGE - (24" DEEP)			
W302415	2	Door1515	14¾" x 14¾" x ¾"
W332415	2	Door1615	16¼" x 14¾" x ¾"
W362415	2	Door1815	17¾" x 14¾" x ¾"
18" HIGH WALL BRIDGE - (12" DEEP)			
W2418	2	Door1218	11¾" x 17¾" x ¾"
W3018	2	Door1518	14¾" x 17¾" x ¾"
W3618	2	Door1818	17¾" x 17¾" x ¾"
18" HIGH REFRIGERATOR WALL BRIDGE - (24" DEEP)			
W242418	2	Door1218	11¾" x 17¾" x ¾"
W302418	2	Door1518	14¾" x 17¾" x ¾"
W362418	2	Door1818	17¾" x 17¾" x ¾"
24" HIGH WALL BRIDGE - (12" DEEP)			
W3024	2	Door1524	14¾" x 23¾" x ¾"
W3624	2	Door1824	17¾" x 23¾" x ¾"
24" HIGH REFRIGERATOR WALL BRIDGE - (24" DEEP)			
W302424	2	Door1524	14¾" x 23¾" x ¾"
W362424	2	Door1824	17¾" x 23¾" x ¾"
30" HIGH STANDARD WALL - (12" DEEP)			
W0930	1	Door0930	8¾" x 29¾" x ¾"
W1230	1	Door1230	11¾" x 29¾" x ¾"
W1530	1	Door1530	14¾" x 29¾" x ¾"
W1830	1	Door1830	17¾" x 29¾" x ¾"
W2130	1	Door2130	20¾" x 29¾" x ¾"
W2430	2	Door1230	11¾" x 29¾" x ¾"
W2730	2	Door1330	13¼" x 29¾" x ¾"
W3030	2	Door1530	14¾" x 29¾" x ¾"
W3330	2	Door1630	16¼" x 29¾" x ¾"
W3630	2	Door1830	17¾" x 29¾" x ¾"

PARTS DIRECTORY

WALL CABINETS

ITEM NUMBER	QUANTITY	DOOR (Part Name)	DOOR DIMENSIONS (Width x Height x Thickness)
30" HIGH WALL EASY REACH - (12" DEEP)			
WEZR2130	2	DoorEZ0830	7¾" x 29¾" x ¾"
WEZR2430	2	DoorEZ1130	10¾" x 29¾" x ¾"
30" HIGH WALL ANGLE - (12" DEEP)			
WA2430	1	Door1530	14¾" x 29¾" x ¾"
30" HIGH BLIND WALL - (12" DEEP)			
WBCU2730	1	Door1230	11¾" x 29¾" x ¾"
36" HIGH STANDARD WALL - (12" DEEP)			
W0936	1	Door0936	8¾" x 35¾" x ¾"
W1236	1	Door1236	11¾" x 35¾" x ¾"
W1536	1	Door1536	14¾" x 35¾" x ¾"
W1836	1	Door1836	17¾" x 35¾" x ¾"
W2136	1	Door2136	20¾" x 35¾" x ¾"
W2436	2	Door1236	11¾" x 35¾" x ¾"
W2736	2	Door1336	13¼" x 35¾" x ¾"
W3036	2	Door1536	14¾" x 35¾" x ¾"
W3336	2	Door1636	16¼" x 35¾" x ¾"
W3636	2	Door1836	17¾" x 35¾" x ¾"
36" HIGH WALL EASY REACH - (12" DEEP)			
WEZR2136	2	DoorEZ0836	7¾" x 29¾" x ¾"
WEZR2436	2	DoorEZ1136	10¾" x 29¾" x ¾"
36" HIGH WALL ANGLE - (12" DEEP)			
WA2436	1	Door1536	14¾" x 35¾" x ¾"
36" HIGH WALL ANGLE - (15" DEEP)			
WA271536	1	Door1536	14¾" x 35¾" x ¾"
36" HIGH BLIND WALL - (12" DEEP)			
WBCU2736	1	Door1236	11¾" x 35¾" x ¾"
42" HIGH STANDARD WALL - (12" DEEP)			
W0942	1	Door0942	8¾" x 41¾" x ¾"
W1242	1	Door1242	11¾" x 41¾" x ¾"
W1542	1	Door1542	14¾" x 41¾" x ¾"
W1842	1	Door1842	17¾" x 41¾" x ¾"
W2142	1	Door2142	20¾" x 41¾" x ¾"
W2442	2	Door1242	11¾" x 41¾" x ¾"
W2742	2	Door1342	13¼" x 41¾" x ¾"
W3042	2	Door1542	14¾" x 41¾" x ¾"
W3342	2	Door1642	16¼" x 41¾" x ¾"
W3642	2	Door1842	17¾" x 41¾" x ¾"
42" WALL EASY REACH - (12" DEEP)			
WEZR2142	2	DoorEZ0842	7¾" x 29¾" x ¾"
WEZR2442	2	DoorEZ1142	10¾" x 29¾" x ¾"

WALL CABINETS

ITEM NUMBER	QUANTITY	DOOR (Part Name)	DOOR DIMENSIONS (Width x Height x Thickness)
42" WALL ANGLE - (12" DEEP)			
WA2442	1	Door1542	14¾" x 41¾" x ¾"
42" WALL ANGLE - (15" DEEP)			
WA271542	1	Door1542	14¾" x 41¾" x ¾"
42" HIGH BLIND WALL - (12" DEEP)			
WBCU2742	1	Door1242	11¾" x 41¾" x ¾"

BASE CABINETS

ITEM NUMBER	QUANTITY	DOOR (Part Name)	DOOR DIMENSIONS (Width x Height x Thickness)	QUANTITY	DRAWER/ PANEL FRONT (Part Name)	DRAWER/PANEL FRONT DIMENSIONS (Width x Height x Thickness)
STANDARD DOOR/DRAWER BASE - (24" DEEP)						
B12	1	Door1221	11¾" x 21⅜" x ¾"	1	DF128	11¾" x 8⅛" x ¾"
B15	1	Door1521	14¾" x 21⅜" x ¾"	1	DF158	14¾" x 8⅛" x ¾"
B18	1	Door1821	17¾" x 21⅜" x ¾"	1	DF188	17¾" x 8⅛" x ¾"
B21	1	Door2121	20¾" x 21⅜" x ¾"	1	DF218	20¾" x 8⅛" x ¾"
B24	2	Door1221	11¾" x 21⅜" x ¾"	1	DF248	23⅝" x 8⅛" x ¾"
B27	2	Door1321	13¼" x 21⅜" x ¾"	1	DF278	26⅝" x 8⅛" x ¾"
B30	2	Door1521	14¾" x 21⅜" x ¾"	1	DF308	29⅝" x 8⅛" x ¾"
B33	2	Door1621	16¼" x 21⅜" x ¾"	2	DF168	16¼" x 8⅛" x ¾"
B36	2	Door1821	17¾" x 21⅜" x ¾"	2	DF188	17¾" x 8⅛" x ¾"
STANDARD FULL-HEIGHT BASE - (24" DEEP)						
B09FH	1	Door0930	8¾" x 29¾" x ¾"			
DELUXE 35-QUART SINGLE WASTE BASKET PULL-OUT - (24" DEEP)						
B1DWB15	1	Door1530	14¾" x 29¾" x ¾"			
B1DWB18	1	Door1830	17¾" x 29¾" x ¾"			
DELUXE 35-QUART DOUBLE WASTE BASKET PULL-OUT - (24" DEEP)						
B2DWB18	1	Door1830	17¾" x 29¾" x ¾"			
B2DWB21	1	Door2130	20¾" x 29¾" x ¾"			
STANDARD THREE DRAWER BASE - (24" DEEP)						
BD12				1	DF128	11¾" x 8⅛" x ¾"
				2	DDF1210	11¾" x 10⅝" x ¾"
BD15				1	DF158	14¾" x 8⅛" x ¾"
				2	DDF1510	14¾" x 10⅝" x ¾"
BD18				1	DF188	17¾" x 8⅛" x ¾"
				2	DDF1810	17¾" x 10⅝" x ¾"
BD21				1	DF218	20¾" x 8⅛" x ¾"
				2	DDF2110	20¾" x 10⅝" x ¾"
BD24				1	DF248	23⅝" x 8⅛" x ¾"
				2	DDF2410	23⅝" x 10⅝" x ¾"

PARTS DIRECTORY

BASE CABINETS

ITEM NUMBER	QUANTITY	DOOR (Part Name)	DOOR DIMENSIONS (Width x Height x Thickness)	QUANTITY	DRAWER/ PANEL FRONT (Part Name)	DRAWER/PANEL FRONT DIMENSIONS (Width x Height x Thickness)
STANDARD THREE DRAWER BASE - (24" DEEP)						
BD27				1	DF278	26⅝" x 8⅛" x ¾"
				2	DDF2710	26⅝" x 10⅝" x ¾"
BD30				1	DF308	29⅝" x 8⅛" x ¾"
				2	DDF3010	29⅝" x 10⅝" x ¾"
BD36				2	DF188	35⅝" x 8⅛" x ¾"
				2	DDF3610	35⅝" x 10⅝" x ¾"
COOKTOP DRAWER BASE - (24" DEEP)						
BCT30				1	DF308	29⅝" x 8⅛" x ¾"
				2	DDF3010	29⅝" x 10⅝" x ¾"
BCT36				2	DF188	35⅝" x 8⅛" x ¾"
				2	DDF3610	35⅝" x 10⅝" x ¾"
STANDARD SINK BASE - (24" DEEP)						
SB21	1	Door2121	20¾" x 21⅜" x ¾"	1	DF218	20¾" x 8⅛" x ¾"
SB24	2	Door1221	11¾" x 21⅜" x ¾"	1	DF248	23⅝" x 8⅛" x ¾"
SB27	2	Door1321	13¼" x 21⅜" x ¾"	1	DF278	26⅝" x 8⅛" x ¾"
SB30	2	Door1521	14¾" x 21⅜" x ¾"	1	DF308	29⅝" x 8⅛" x ¾"
SB33	2	Door1621	16¼" x 21⅜" x ¾"	2	DF168	16¼" x 8⅛" x ¾"
SB36	2	Door1821	17¾" x 21⅜" x ¾"	2	DF188	17¾" x 8⅛" x ¾"
FARM SINK BASE - (24" DEEP)						
FSB36	2	Door1818	17¾" x 17¾" x ¾"			
DOOR/DRAWER BLIND BASE - (24" DEEP)						
BBCU42	1	Door1521	11¾" x 29¾" x ¾"	1	DF158	14¾" x 8⅛" x ¾"
BASE EASY REACH - (24" DEEP)						
EZR36	2	DoorEZ1130	10¾" x 29¾" x ¾"			
BASE EASY REACH WITH SUPER SUSAN - (24" DEEP)						
EZR33SS	2	DoorEZ0830	7¾" x 29¾" x ¾"			
EZR36SS	2	DoorEZ1130	10¾" x 29¾" x ¾"			

TALL CABINETS

ITEM NUMBER	QUANTITY	DOOR (Part Name)	DOOR DIMENSIONS (Width x Height x Thickness)	QUANTITY	DRAWER/ PANEL FRONT (Part Name)	DRAWER/PANEL FRONT DIMENSIONS (Width x Height x Thickness)
84" TALL UTILITY CABINET - (24" DEEP)						
U182484	1	Door1830	17¾" x 29¾" x ¾"			
	1	Door1849	17¾" x 49¼" x ¾"			
U242484	2	Door1230	11¾" x 29¾" x ¾"			
	2	Door1249	11¾" x 49¼" x ¾"			
90" TALL UTILITY CABINET - (24" DEEP)						
U182490	1	Door1836	17¾" x 35¾" x ¾"			
	1	Door1849	17¾" x 49¼" x ¾"			
U242490	2	Door1236	11¾" x 35¾" x ¾"			
	2	Door1249	11¾" x 49¼" x ¾"			

TALL CABINETS

ITEM NUMBER	QUANTITY	DOOR (Part Name)	DOOR DIMENSIONS (Width x Height x Thickness)	QUANTITY	DRAWER/ PANEL FRONT (Part Name)	DRAWER/PANEL FRONT DIMENSIONS (Width x Height x Thickness)
96" TALL UTILITY CABINET - (24" DEEP)						
U182496	1	Door1842	17¾" x 41¾" x ¾"			
	1	Door1849	17¾" x 49¼" x ¾"			
U242496	2	Door1242	11¾" x 41¾" x ¾"			
	2	Door1249	11¾" x 49¼" x ¾"			

VANITY BASE CABINETS

ITEM NUMBER	QUANTITY	DOOR (Part Name)	DOOR DIMENSIONS (Width x Height x Thickness)	QUANTITY	DRAWER/ PANEL FRONT (Part Name)	DRAWER/PANEL FRONT DIMENSIONS (Width x Height x Thickness)
DOOR/DRAWER VANITY BASE - (21" DEEP)						
VB1221	1	Door1221	11¾" x 21⅜" x ¾"	1	DF128	11¾" x 8⅛" x ¾"
VB1521	1	Door1521	14¾" x 21⅜" x ¾"	1	DF158	14¾" x 8⅛" x ¾"
VB1821	1	Door1821	17¾" x 21⅜" x ¾"	1	DF188	17¾" x 8⅛" x ¾"
VB2121	1	Door2121	20¾" x 21⅜" x ¾"	1	DF218	20¾" x 8⅛" x ¾"
VB2421	2	Door1221	11¾" x 21⅜" x ¾"	1	DF248	23⅝" x 8⅛" x ¾"
VB2721	2	Door1321	13¼" x 21⅜" x ¾"	1	DF278	26⅝" x 8⅛" x ¾"
VB3021	2	Door1521	14¾" x 21⅜" x ¾"	1	DF308	29⅝" x 8⅛" x ¾"
VB3321	2	Door1621	16¼" x 21⅜" x ¾"	2	DF168	16¼" x 8⅛" x ¾"
VB3621	2	Door1821	17¾" x 21⅜" x ¾"	2	DF188	17¾" x 8⅛" x ¾"
THREE DRAWER VANITY BASE - (24" DEEP)						
VBD1221				1	DF128	11¾" x 8⅛" x ¾"
				2	DDF1210	11¾" x 10⅝" x ¾"
VBD1521				1	DF158	14¾" x 8⅛" x ¾"
				2	DDF1510	14¾" x 10⅝" x ¾"
VBD1821				1	DF188	17¾" x 8⅛" x ¾"
				2	DDF1810	17¾" x 10⅝" x ¾"
VBD2421				1	DF248	23⅝" x 8⅛" x ¾"
				2	DDF2410	23⅝" x 10⅝" x ¾"
VBD3021				1	DF308	29⅝" x 8⅛" x ¾"
				2	DDF3010	29⅝" x 10⅝" x ¾"
VANITY SINK BASE - (24" DEEP)						
VSB2121	1	Door2121	20¾" x 21⅜" x ¾"	1	DF218	20¾" x 8⅛" x ¾"
VSB2421	2	Door1221	11¾" x 21⅜" x ¾"	1	DF248	23⅝" x 8⅛" x ¾"
VSB2721	2	Door1321	13¼" x 21⅜" x ¾"	1	DF278	26⅝" x 8⅛" x ¾"
VSB3021	2	Door1521	14¾" x 21⅜" x ¾"	1	DF308	29⅝" x 8⅛" x ¾"
VSB3321	2	Door1621	16¼" x 21⅜" x ¾"	2	DF168	16¼" x 8⅛" x ¾"
VSB3621	2	Door1821	17¾" x 21⅜" x ¾"	2	DF188	17¾" x 8⅛" x ¾"
84" TALL LINEN CABINET - (24" DEEP)						
VLC182184	1	Door1830	17¾" x 29¾" x ¾"			
	1	Door1849	17¾" x 49¼" x ¾"			

gallery cabinetry

EXPRESS

10 DAY EXPRESS
KITCHEN & BATH CABINETRY

Limited Lifetime Warranty

Ideal Cabinetry® (warrantor) warrants to the original consumer purchaser, that all Gallery Express branded products manufactured or supplied by warrantor will be free from defects in material and workmanship. This warranty is for your lifetime as long as you own the cabinetry, on product used for Residential Purposes only and is not transferable to subsequent owners. Proof of Purchase is required.

This warranty does not cover damage resulting from normal wear, accident, misuse or lack of reasonable and necessary maintenance and service; nor does it warranty the improper installation or unauthorized repair, alteration, or modification or defects in the product when the product is installed. This warranty is limited to the repair or replacement of the defective part at the sole discretion of warrantor. Warranty is limited to Gallery Cabinetry branded products excluding all electrical components: Excluded items may carry separate warranties as provided directly by the manufacturer of these products.

It is our option to provide repair parts or replace with functionally equivalent product. Return of product may be required for replacements. Such repair parts or replacement shall be at warrantor's expense, but customer shall bear all other expenses, including, but not limited to, cost of removal, transportation, re-installation, communication and any special service required by customer such as, overtime labor, etc.

Natural woods and finishes vary in color, grain pattern and exhibit color changes over time. Cabinets may darken or lighten with age due to exposure to certain environmental conditions including but not limited to sunlight, moisture, household cleaners, smoke, etc. Painted cabinets may show cracking at seams. These variations are considered the natural characteristics of the material and finishes and are not covered under this warranty.

In the event of a warranted product performance issue, submit request including proof of purchase documentation, specific description of warranty issue (include photos) in writing to:

Warranty Department
210 Century Boulevard
Bartow, FL 33830

Due to nature of materials and finishes **Ideal Cabinetry®** cannot guarantee warranty replacement will be an exact match.

Ideal Cabinetry® reserves the right to alter design, specifications and material without obligation to make changes to product previously manufactured.

EXCEPT TO THE EXTENT PROVIDED BY APPLICABLE LAW, ALL IMPLIED WARRANTIES, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED IN DURATION TO THE SHORTER OF THE PERIOD PROVIDED BY LAW OR THE PERIOD OF THIS WARRANTY, AND UNDER NO CIRCUMSTANCE SHALL IDEAL CABINETRY BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES SUSTAINED IN CONNECTION WITH THE PRODUCT. THE EXPRESS WARRANTY ABOVE CONSTITUTES THE ENTIRE WARRANTY AND IS IN LIEU OF ALL OTHERS EXPRESSED OR IMPLIED.

Some states do not allow the exclusion or limitation of incidental or consequential damages, or limitation on how long an implied warranty lasts, therefore, the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.

INDEMNITY

Ideal Cabinetry® shall not be liable for either its failure to perform or its delays in performance hereunder arising out of or resulting from causes beyond its control, including but not limited to, acts of God, acts of Representation, acts of Government, wars, fires, floods, epidemics, quarantine, strike, freight embargoes, weather or default by suppliers due to any such causes.

10 DAY* EXPRESS



Mercer Express Meadow

gallery cabinetry EXPRESS

CARB2 compliant

LIMITED LIFETIME WARRANTY

THIRD GENERATION EST 1970 FAMILY BUSINESS

*10 Business Days