



INSTALLATION MANUAL



LED BATHROOM MIRROR








CONTACT US

Thank you for shopping with us! We hope that our products have added a touch of brightness to your life. If you need any assistance, please don't hesitate to reach out. Our dedicated team is available 24/7 to ensure your satisfaction.

ACCESSORIES LIST



TOOLS REQUIRED



BEFORE INSTALLATION

To ensure the best experience, **please read carefully and follow the instructions provided below before assembling and installing the product.**

1. Important Safety Instructions:

- Assemble the product by two or more adults to ensure proper installation.
- To connect the wires to electrical junction box, consultation with a qualified technician or electrician is highly recommended.
- Disconnect power before installing, adding, or changing any components.
- Make sure that the fixing location can support the weight of the entire fixture (e.g. solid stone or brick walls).
- To prevent injury, the mirror must be installed according to the instructions provided.

2. Pre-assembly:

- Inspect the product immediately upon receipt for any transit damage or missing parts.
- The voltage for your product should be between 100V and 120V. If the voltage exceeds 120V, please use a transformer.
- Please do not remove the plastic corner guards and transparent film on the mirror until the installation is finished.

3. Before Installation:

- Please check and make sure that the mirror is functioning properly.

• Power Check

After powering on, the backlight of two buttons will activate automatically.

• Memory Function

Your current settings will be saved, and it will resume in the same settings when you turn it on again.

• Anti-fog

(1) Defogging Function

The anti-fog function helps resist the troubling fog and keep a clear reflection image. To save energy, it will automatically turn off after one hour.

(2) Bluetooth Function


- Press and hold the defogging button until the indicator light flashes and the voice prompt "Power On" is heard. This indicates that the Bluetooth function has been activated.
- Connect to "Mirror Multimedia" via your mobile phone's Bluetooth function. "Connected" voice prompt will indicate a successful pairing.
- To disconnect Bluetooth, tap the disconnect option in your phone's Bluetooth settings. The voice prompt "Disconnected" will confirm successful disconnection.
- To turn off the Bluetooth function, press and hold the defogging button until its indicator light flashes.
- If you wish to maintain the Bluetooth connection with your current phone, simply turn off the Bluetooth function on the mirror by long-pressing the button. The next time you activate Bluetooth via long-press, it will automatically reconnect to the same phone. To connect to a different phone, first forget the current device in your phone's Bluetooth settings before pairing with the new one.

• Touch Switch


- The button controls the light brightness and color temperature.
- Keep holding it and the brightness will change.
- You can adjust the color temperature as well: the first tap is white light, the second one is warm light, and the third one is natural light.
- If no button is pressed within 15 seconds, the next tap will turn off the light immediately.

INSTRUCTIONS


You can choose between a vertical or horizontal hanging orientation according to your preference.




vertical




horizontal




vertical



horizontal





vertical





horizontal

1. Confirm the distance between the centers of the two hanging holes and mark them on the wall(①). And use an electric drill to punch holes at mark spots and then apply wall anchors A with a hammer(②).

①




vertical



horizontal

②



Thickness of Wall

Recommended Drill Bit

> 16mm




1/4" (6mm) drill bit, drilling depth in 1 31/32" (50mm)

< 8mm

Unapplicable

Note: Please wear goggles and pay attention to safety.


2. Take the screw and insert it into the wall - inserted rubber plug (the Wall-Anchor). Make sure to leave a 7 - 14mm gap between the end of the screw and the wall surface. This will provide enough space for hanging the mirror securely.



3. Connect the power by plugging into an outlet or hardwired to a standard circuit panel.

• Option 1: Plug-in

After hanging the mirror securely, plug the power cable to a standard socket.




• Option 2: Hardwired

Cut the head off the plug and hardwire it into an outlet.

Black wire --- power supply L (LIVE)

White wire --- power supply N (NEUTRAL)

Green wire --- power supply E (EARTH)



⚠ WARNING: This mirror must be earthed.

⚠ REMINDER: Please make sure the power is cut off before installation.

4. Place the mirror against the wall, align the hook with the mounted bracket, slowly lower the mirror down, and make sure that it slots into the right position and hangs securely.

