


Version:1.0

AJ-DJ505437_2

AJ-DJ505438_2




Note:

Should be assembled on flat ground to keep balance.

It needs at least two people to install.


Before starting the assembly, you must read the whole manual and follow the instructions.




Package Contents

Plates and iron components	Assembly tool kit	Instruction manual
----------------------------	-------------------	--------------------


Precautions




1.Avoid long-term direct sunlight exposure




2.Stay away from fire




3.Keep away from sharp objects




4.Keep infants/children away from assembly parts to avoid choking and suffocation.




5.Keep away from corrosive substances




6.Please use the correct screws, otherwise the plate will be damaged.



7.Prevent objects from being damaged by immersion in water



8.Prevent object collision and damage



9.Use an electric screwdriver for installation, please be careful not to set the speed too high.

Problems You May Encounter

PART	PROBLEM	SOLUTION
Whole Product	Parts are missing, defective or having wrong parts in package.	You can contact us and we will get back to you within 24 hours
	Having issue(s) while reading the instruction or completing the assembly.	Feel free to contact us and we will get back to you within 24 hours.
	Encountering non-human caused damage during usage.	If the product is damaged due to non-human causes, please keep the product and send us photos of it. We will ascertain the cause of the product damage within 48 hours and provide you with a satisfactory solution.
Product Surface	Board Surface is broken, scratched or lack of some screw holes.	Feel free to contact us and we will get back to you within 24 hours.
	The screw holes on the wooden board and other wooden boards are not aligned.	1.Please tighten the screws on the board by 70 %, do not tighten completely. 2. Adjust the wooden board and board. Until the holes are arranged neatly, then tighten all screws
	Uneven countertop	Please loosen the fixing screws to 50% or 70%, align the components, and then tighten all screws.
Parts	Metal accessories are damaged, rusted, bent, and broken.	Feel free to contact us and we will get back to you within 24 hours.
	unstable after being assembled.	1.Check if the screws are tightened. 2.Read throughout the manual, check if there are any parts installed incorrectly or some parts are missed to be installed. 3.If the problem still can't be solved, please feel free to contact us.
	Encountering non-human caused damage during usage.	If the product is damaged due to non-human causes, please keep the product and send us photos of it. We will ascertain the cause of the product damage within 48 hours and provide you with a satisfactory solution.

DEAR CUSTOMER,

Caution:



























1. Please read all instructions before assembly and check the carton for any parts that may have come loose during shipment. It is recommended to use two or more persons during the assembly process.
2. Please do not discard any packaging before you have checked all the parts and fittings are included.
3. Assemble this product on a flat and clean surface to avoid scratching.
4. Please don't tighten the screws completely and go back later for a final tightening of all the screws after pieces are aligned with each other !






Mobile phone control steps:







1. Connect LED Lamp and RF RGB Controller.
2. Plug in the Adaptor Power supply.
3. Scan the RF RGB Controller QR code on the controller and download the software Lotus Lantern.
4. Turn on the Bluetooth function of the mobile phone and search for Bluetooth pairing "Trinoes".
5. Open the "Lotus Lantern" APP and switch colors change.
Click the music switch to realize the skip mode of different LED lights.
Press the timing switch to realize the automatic light off function, etc.

Part list for A box









1  1PC	2  1PC	3  1PC	4  1PC
5  2PCS	6  2PCS	8  1PC	9  1PC
10  1PC	14  1PC	15  1PC	16  1PC
17  1PC	19  1PC	20  1PC	22  1PC
23  1PC	24  1PC	25  1PC	26  1PC
27  1PC	28  1PC	29  4PCS	30  1PC
31  1PC	32  2PCS	33  2PCS	34  4PCS
35  2PCS	36  1PC	37  12PCS	38  1PC

39  1PC	40  1000mm 2PCS	41  1090mm 2PCS	
--	--	---	--

Part list for B box


7  1PC	11  4PCS	12  1PC	13  1PC
18  2PCS	21  6PCS		

Hardware list for A box

A Ø6*30  6PCS	B  6+1PCS	C M5x40  29+2PCS	D M6x10  22+2PCS	E M6x18  6PCS
F M6x28  39+3PCS	G M6x40  6PCS	H  4PCS	I  3+1PC	J M3.5x12  11+1PCS
K M8x16  12PCS	L M8x35  8PCS	M M8x55  10PCS	N  24PCS	O  12PCS
P  18PCS	Q M6x20  6PCS	R  24+3PCS	S  1PC	T  M4 2PCS
U  M5 1PC				


Step 1

G		M6x40	2PCS
T		M4	1PC




Step 2

K		M8x16	4PCS
U		M5	1PC




Step 3

C		M5x40	4PCS
S			1PC




Step 4


I			3PCS
J		M3.5x12	3PCS
S			1PC



Step 5			
C		M5x40	5PCS
S			1PC




Step 6			
J		M3.5x12	2PCS
S			1PC




Step 7

C		M5x40	8PCS
S			1PC




Step 8

C		M5x40	6PCS
S			1PC




Step 9




Step 10

F		M6x28	10PCS
T		M4	1PC




Step 11

D		M6x10	2PCS
F		M6x28	4PCS
T		M4	1PC




Step 12

F		M6x28	4PCS
T		M4	1PC




Step 13

C		M5x40	6PCS
S			1PC




Step 14

D		M6x10	2PCS
F		M6x28	4PCS
T		M4	1PC




Step 15

M		M8x55	8PCS
U		M5	1PC




Step 16

L		M8x35	8PCS
U		M5	1PC




Step 17

E		M6x18	4PCS
Q		M6x20	4PCS
T		M4	2PCS




Step 18

K		M8x16	4PCS
U		M5	1PC




Step 19

G		M6x40	2PCS
E		M6x18	2PCS
Q		M6x20	2PCS
K		M8x16	4PCS
U		M5	1PC
T		M4	2PCS




Step 20

A		Ø6x30	6PCS
---	---	-------	------




Step 21

F		M6x28	11PCS
T		M4	1PC




Step 22

F		M6x28	6PCS
T		M4	1PC








Step 23

G		M6x40	2PCS
M		M8x55	2PCS
T		M4	1PC
U		M5	1PC




Step 24

R			24PCS
---	---	--	-------




Apply sound-dampening pad No. 40 to iron tube No. 32, and pad No. 41 to iron tube No. 33.




Press the plastic R-clip firmly into place on the side rail of the bed.

Step 25



Step 26

O		12PCS
---	---	-------



X6


Step 27

N




24PCS

X6








Attention: ② make sure plastic slot stuck into one side of the tube firstly, and ③ then to stuck into another side.




Step 28

D		M6x10	12PCS
P			12PCS
H			4PCS
T		M4	1PC




Note: Please don't fully tighten H screws to the board.




Step 29

D		M6x10	6PCS
P			6PCS
T		M4	1PC



Step 30



Step 31

J		M3.5x12	6PCS
S			1PC
B			6PCS

