
# **ASSEMBLY INSTRUCTIONS**

## 2-SEATER DAYBED WITH CANOPY




NOTE: 50% TIGHTEN BEFORE FIXING ALL BOLTS

WF316581


WF316582

WF316583



### **Notice:**

- 1. 50% Tighten before fixing all screws, Allen wrench is recommended instead of an electric drill.
- 2. Place the item on a flat ground to adjust and make sure it remains stable
- 3. Tighten up all screws with tools gradually.
- 4. If the screws are not aligned with holes during assembly, please loosen all the other screws to 50% and continue the assembly process.
- 5. If the item is not stable, please loosen all the screws, adjust it on a flat ground and tighten up all screws again.
- 6. Note: If one or some screws are fully tightened during assembly, chances are the others will not be aligned with holes. In addition, all the holes are designed to be relatively larger to provide more space for the adjustment of the screws.



Part List			
M	N	О	
Ottoman Self Frame (2 pcs)	Seat Cushion (2 pcs)	Ottoman Cushion (2 pcs)	
P	Q	R	
Pillow (4 pcs)	Canopy Frame Q (2 pcs)	Canopy Frame R (2 pcs)	
S	T	U	
		2000	
Canopy Frame S (4 pcs)	Canopy Frame T (4 pcs)	Arm Right Frame (1 pc)	
V	W	X	
Arm Left Frame (1 pc)	Waterproof canopy (1 pc)	Cover Cushion (2 pcs)	
4/17			

Hardware List		
1	2	3
Bolt M6 x 40 mm 16 pcs + extra 2 pcs	Bolt M6 x 35 mm 14 pcs + extra 2 pcs	Bolt M6 x 30 mm 24 pcs + extra 2 pcs
4	5	6
Bolt M6 x 25 mm 4 pcs + extra 1 pc	Bolt M6 x 15 mm 17 pcs + extra 2 pcs	M6 x 1 mm Washers 75 pcs + extra 3 pcs
7	8	9
Hinger (4 pcs)	Gas Bar (4 pcs)	Feet cap M6 x 15 mm 20 pcs + extra 2 pcs
10	11	12
	(2) propries	
M6 x 16 x 5 mm Washers 8 pcs + extra 1 pc	Screw 8 pcs + extra 1 pc	Keeper Plate (1 pc)
13	14	
Allen key M4 (1 pc)	Allen key M4 (2 pcs)	
5/17 —		

# CARTON CONTENT:

### WF316581



**A** x 1



**B** x 1



Q x 2



R x 2



S x 4



T x 4



P x 2



Ux 1



V x 1



HARDWARE

## WF316582



F x 1




**G** x 1




E x 2



H x 2



N x 2



M x 1



X x 2

## WF316583



**C** x 1



D x 1



I x 2



J x 2



K x 2




L x 2




M x 2




P x 2




O x 2





O\*1




**STEP 10** 

B\*1

E\*1


1)\*4||6)\*4

Connect part from Step 9 & Back Right Frame (C) with Bolt (2), Washers (6)




# **STEP 11** Connect part from Step 10 & Right Frame (A) with Bolt (2), Washers (6) 6002 2\*2 6\*2 **STEP 12**

Connect part from Step 11 & Seat Frame (E) with Bolt (1), Washers (6)



B\*1


STEP 13
Connect part from Step 12 & Center Console (F) with Bolt (1), Washers (6)




50% V 100% X

F\*1 1\*8 6\*8

STEP 14
Connect part from Step 13 with Feet cap (9)





**9**\*12



### **STEP 17**

Connect Canopy Frame (Q) & Canopy Frame (T) with Screw (11)








### **STEP 18**


Connect Canopy Frame (R) & Canopy Frame (T) with Screw (11)






### **STEP 19**

Connect Canopy Frame (S) & Canopy Frame (T) with Screw (11)









### **STEP 20**

Connect part from Step 17 & part from Step 18 & part from Step 19 with Waterproof canopy (W)




**STEP 21** 


Connect part from Step 16 & part from Step 20 with Bolt (2), Washers (6),(10)




STEP 22 Connect part from Step 21 with Gas Bar (8)




**8**\*2



## Combination and Arrangement





**FINISH**