

Samaran 60" Ceiling Fan 3-116-xx

oxygen

FIXTURE TYPE _____ LOCATION _____

PROJECT _____ DATE _____



-6 Whi



-40 Aged Brass



-15 Black



-4015 Aged Brass& black



SPECIFICATIONS 4 Blades / 60" Blade Sweep / 21° Blade-Pitch
4" and 6" downrod (Included)
Optional downrods available for high ceilings
6 Speeds - Reversible;
0.40A on high / 0.06A on low
33W on high / 4W on low
114 rpm on high / 51 rpm on low
Wall control (Included)
Remote control x-x-xxxx-x (Optional)

INPUT VOLTAGE 120V

ENERGY SPECIFICATIONS Airflow: 5697 CFM
Electric Energy Consumption: 30 W (Excludes Lights)
Airflow efficiency: 189 CFM/W
Note: Measured at high speed

FINISHES White (-6), Black (-15) (-20), Aged Brass (-40)

STANDARDS UL Damp



DIMENSIONS
Blade Sweep: 60"
Ht.: 14" (Using 6" Rod)
Ceiling to blades: 6.75" (Using 6" Rod)

OPTIONAL LIGHT INFORMATION

LIGHT KIT NUMBER 3-9-1116

LUMEN OUTPUT 1169 lm (LM-79)

LIGHT SOURCE LED Light kit 18W, 3000K, 90CRI
Dimmable LED with matte White Acrylic diffuser



ENERGYGUIDE	
Estimated Yearly Energy Cost	Airflow 6,832 Cubic Feet Per Minute
\$6	
	<ul style="list-style-type: none"> The higher the airflow, the more air the fan will move Airflow Efficiency: 189 Cubic Feet Per Minute Per Watt
<small>Cost Range of Similar Models (19" - 84")</small> <small>Based on 12 cents per kWh and 6.4 hours use per day</small> <small>Your cost depends on rates and use</small> <small>Energy Use: 22 Watts</small>	<small>All estimates based on typical use, excluding lights</small> <small>ftc.gov/energy</small>