




MADE IN CHINA
Ceiling Fan With Light

TECHNICAL SPECIFICATIONS



If the remote controller fails to control the fan, please follow the way below to pair codes.

Codes pairing: Turn off the power for 30 sec by wall switch, then turn on the powers;
press "SETUP" at the time for 3 sec. Codes pairing is done.

PACKING LIST



Ceiling Cover Screw Kit



Remote Control
Bracket Screws



Motor cover screw



Safety Hook



Ceiling Screw



Terminal



Fan Blade Screw



Host



Fan Blade



Remote Control

INSTALLATION GUIDE

①



1.Take the cover off the motor

②



2.Attach the fan blade to the motor

③



3.Tighten the fan blades and motor with screws.

④



4.Tighten the motor cover to the ceiling with screws

⑤



5.Safety hooks to hang from the ceiling covering

⑥



6.One end of the safety hook is linked to the motor one end is connected to the motor cover

INSTALLATION GUIDE

⑦



7.Connect the corresponding color wires the white wire is the zero wire, N is the zero wire the black wire is the fire wire, L is the fire wire

⑧



8.Connecting the motor to the motor cover


⑨



9.Tighten the motor and motor cover with screws



X



✓

Notice:

- 1.Please be sure the ceiling is thick enough to drive the screws.
- 2.The whole fan weighs 3KG, please be sure the ceiling can shoulder freely.