


# ASSEMBLY INSTRUCTIONS



## ASSEMBLY RATING

The Assembly Rating is a 5-point system that shows the degree of effort needed in assembling a specific product (with 1 being easy and 5 being difficult). For some products, two persons are recommended.


EASY



DIFFICULT

## Tools Required For Assembly:

Allen Wrench




(Included)

Phillips Screwdriver



(Not Included)



2 PERSONS RECOMMENDED

# ASSEMBLY & CARE ADVICE

FOR YOUR FURNITURE TO LAST, CORRECT ASSEMBLY AND PROPER MAINTENANCE ARE NECESSARY. PLEASE FOLLOW THE INFORMATION PROVIDED BELOW TO FULLY ENJOY YOUR FURNITURE.

## BASIC ASSEMBLY TECHNIQUES



When lock or spring washer is used in an assembly, please make sure the lock or spring washer is placed between the larger flat washer and the head of the screw or bolt.



Position each part correctly and insert screws or bolts into their respective holes by hand tighten or using the proper hand tool. Only tighten when step is completed or when instructed to do so.



Use cardboard or carpet area when assembling furniture to prevent scratches. Make sure the furniture rests on a flat and level surface with each leg evenly touching the floor.



Some furniture comes with height adjustment knobs underneath each leg. To lower or to raise each leg, you need to turn clockwise or counterclockwise, respectively.




Make sure all parts are properly aligned, then use the appropriate hand tool to completely tighten the bolts or screws. Do not use power tools and do not overtighten.



Save the instructions and store the Allen wrench or any supplied tool for later maintenance. After two weeks, check and tighten any loose hardware and repeat again every six months thereafter.

IT IS THE USER'S RESPONSIBILITY TO MAINTAIN THE FURNITURE. THE HARDWARE MAY LOOSEN OVER TIME AND MAY CAUSE THE FURNITURE TO BE WOBBLY AND UNABLE TO SUPPORT ITS INTENDED WEIGHT CAPACITY. THIS MAY LEAD TO COLLAPSE AND MAY CAUSE SERIOUS INJURY.




**FAILURE TO FOLLOW THE GUIDELINES ABOVE MAY RESULT IN INJURY AND/OR PROPERTY DAMAGE.**




Before you begin, please read Page 2 of "Assembly and Care Advice".

And remember, do not tighten until each step is completed or instructed.


## Parts List




#1 x 1pc  
Trundle Front Frame




#9 x 3pcs  
Drawer Back Panel



#2 x 1pc  
Trundle Back Rail



#10 x 3pcs  
Drawer Bottom Panel




#3 x 2pcs  
Trundle Side Panel




#4 x 3pcs  
Drawer Runner




#5 x 1Set  
Slat (13pcs)



#6 x 3pcs  
Drawer Front



#7 x 3pcs  
Drawer Side L



#8 x 3pcs  
Drawer Side R



Before you begin, please read Page 2 of "Assembly and Care Advice".

And remember, do not tighten until each step is completed or instructed.

## Hardware List



#A x 8pcs  
Bolt 1/4"X1-1/4"



#B x 8pcs  
Flat Washer



#C x 12pcs  
Screw Ø4X30mm



#D x 24pcs  
Screw Ø4X25mm



#E x 6pcs  
Screw Ø3X12mm



#F x 12pcs  
Wood Dowel Ø6X30mm



#G x 3pcs  
Guide rail



#H x 1pc  
Allen Wrench



#I x 3pcs  
Screw Ø3X15mm



#J x 4pcs  
Wheel




#K x 8pcs  
Screw Ø4X20mm




Align the wheels (#J) to the bottom of the trundle front frame (#1) and trundle back rail (#2).  
Insert a total of 8 screws (#K) and secure using the Phillips screwdriver.

#J x 4pcs  
#K x 8pcs



- I. Insert 3 drawer runners (#4) into the slots located along the sides of the trundle front frame (#1) and trundle back rail (#2). Insert a total of 6 screws (#C) into each end of the runners and secure using the Phillips screwdriver.
- II. Align the trundle side panels (#3) to the ends. Prepare 8 bolt assemblies by inserting a flat washer (#B) onto the bolt (#A). Insert and secure using the Allen wrench (#H).


#A x 8pcs  
#B x 8pcs  
#C x 6pcs





#D x 12pcs  
#F x 12pcs

- I. Insert 4 wood dowels (#F) into each drawer front (#6).
- II. Align the left and right drawer sides (#7, 8) to the drawer front (#6). As you align the drawer sides slide the drawer bottom panel (#10) into place.
- III. Insert 2 screws (#D) into each drawer side.




x 3

Note: Make sure the pre-drilled hole is located in the back once inserted



#D x 12pcs

- I. Align the drawer back panel (#9) to the other ends of the drawer sides.
- II. Insert 4 screws (#D) into each drawer and secure using the Phillips screwdriver.




x 3




#E x 6pcs  
#G x 3pcs  
#I x 3pcs

- I. Align a guide rail (#G) to the bottom of each drawer.
- II. Insert screw (#I) into the pre-drilled hole located on the bottom and secure using the Phillips screwdriver.
- III. Insert 2 screws (#E) into the back side and secure using the Phillips screwdriver.





x 3





- I. Carefully insert the slat set (#5) so that they align the pre-drilled holes along the sides of the trundle.
- II. Insert a total of 6 screws (#C) and secure using the Phillips screwdriver.
- III. Insert the drawers so that the rails are aligned and move smoothly.

#C x 6pcs



ASSEMBLY IS COMPLETED