



Project/Job Name: _____

Location: _____

Fixture Type: _____

Notes: _____

62-1560 - Center Lock 13 Inch LED Flush Mount; 19 Watt; 3000K; Brushed Nickel Finish; Frosted Glass



ELECTRICAL

Technology:	LED
Watts:	19W
Volts:	120V
Lumens:	1600L
Lamp Base :	Integrated
Lamp Shape :	Integrated LED
CRI:	90
CCT (Kelvins):	3000K
Color Description:	Warm White
Beam Spread :	120
Hours Rated:	50000
Dimmable:	Yes-Dimmable
Dimmable Down To %:	100 to 10 percent
Incandescent Equivalent :	100W
Operating Temperature :	-20C (-4F) to +55C (+131F)
Lamp Included :	Integrated
Replaceable Light Source :	No
Connection:	Hardwire
Warranty:	5 Year Limited - Fixtures

PACKAGING

Each UPC:	045923626043
Each Quantity:	1
Each Dimensions:	13.00 x 13.00 x 6.33
Case UPC:	10045923626040
Case Quantity:	4
Case Dimensions:	26.97 x 14.96 x 15.35

PHYSICAL

ANSI Base:	Integrated
Finish:	Brushed Nickel
Lens Finish:	Frost
Lens Material:	Glass
Finish Family:	Nickel
Dimensions:	H:6.38" DIA:13.00"
Weight (Lbs.):	2.43
Glass Finish:	Frost

INSTALLATION

Sloped Ceiling Compatible:	Yes
----------------------------	-----

COMPLIANCE

Safety Listing:	cETLus - Listed
Location Rating:	Damp
Indoor/Outdoor:	Indoor
Energy Star Qualified:	Yes
Energy Star Unique ID:	ESID-2508265
Energy Star Lamp Category:	Other
CA Prop 65:	Lead
BAA Compliant:	No
FCC Compliant:	Yes
RoHS Compliant:	Yes
SDS Class:	LED_Fixture
Restrictions:	No Restrictions

DIMMER COMPATIBILITY

Leviton	66ELV
Satco	86/103
Lutron	AYCL-153P
Lutron	CTRP-253P
Eaton	DALo6P-C2
Leviton	DDMX1
Leviton	DSEo6-10Z
Leviton	DSL06-1LZ
Leviton	DSM10
Eaton	DULo6P-C2
Lutron	DVCL-153P
Lutron	DVRP-253P
Leviton	DW6HD
Leviton	IPEo4-1L
Leviton	IPLo6
Lutron	LECL-153PH
Lutron	MACL-153M
Lutron	MSCL-OP153M
Lutron	NTCL-250
Lutron	NTRP-250
Lutron	PD-10NXD
Lutron	PD-6WCL
Lutron	RCL-153PNL
Eaton	RF9640-ND
LeGrand	RH703PTUTC
Legrand	RHCL450PTC

Lutron	RRD-6CL
Lutron	RRD-PRO
Eaton	SAL06P
Eaton	SUF7
Eaton	TAL06P-C2
Leviton	TSM10
Eaton	VSUL06D