

## Flo 3115 Toilet

### Features

- One Piece Toilet (Water Closet)
- One Piece
- Made of Vitreous China
- Toilet Seat and Cover (Flo 3187), Soft Close, Included
- Actuator, Carrier, and Tank sold separately (Geberit)
- Glossy White Finish
- Wall Mounted Installation
- Flow Rate: 1.28 GPF
- Round Bowl
- Made in Italy



### Related Items:

- Geberit 111.798.00.1 | Compatible Wall Tank & Carrier (Sold by Geberit)

### Finishes:

 Glossy White


### SKU# | Options:




- Flo 3115 Toilet | Glossy White

### Codes & Standards:

- ADA Compliant

\* WS Bath Collections reserves the right to revise dimensions or information on this sheet without notice

<b>Collection  </b> Flo	<b>Model  </b> Flo 3115 Toilet	Dimensions Metric <i>1 inch = 2.54 cm</i> <i>1 inch = 25.4 mm</i>	 1051 Lea Drive - Collegeville, PA 19426 Tel. 215 513 9400 - Fax 610 831 0215 <a href="http://www.ws bathcollections.com">www.ws bathcollections.com</a> - <a href="mailto:info@ws bathcollections.com">info@ws bathcollections.com</a>
----------------------------	-----------------------------------	---	---



Collection  
Flo

Model |  
Flo 3115 Toilet

Dimensions Metric  
1 inch = 2.54 cm  
1 inch = 25.4 mm

**WS**<sup>®</sup>  
BATH  
COLLECTIONS

1051 Lea Drive - Collegeville, PA 19426  
Tel. 215 513 9400 - Fax 610 831 0215  
[www.ws bathcollections.com](http://www.ws bathcollections.com) - [info@ws bathcollections.com](mailto:info@ws bathcollections.com)

# Product Installation Instructions

Wall carrier and tank for Wall mount WC  
Model: **Geberit 111.728.00.1**



## Features & Specifications

Duofix carrier installation frame for wall-hung WC with UP720 concealed dual-flush tank, height 44 in (112 cm).

- For installation of UP720 concealed flush tanks for wall-hung WC
- For installation in wood or steel stud walls that provide support equal to 2"x4" (3.5") minimum depth
- For dual flush
- For room wall or pre Wall construction covered with panels (gypsum or wood)
- For installation in front of a solid or drywall
- For installation in room-height pre Wall or partition wall
- For a floor construction of 0 - 4 in (0 - 10 cm)
- For 2-hole wall-hung WC with fastening distance 7.1 in (18 cm) or 9.1 in (23 cm)
- For WC with dual flush low-consumption flushing volume of 1.6 / 0.8 GPF (6 / 3 LPF)
- For WC seated heights of 15" to 19"
- Supports up to 880 lbs (400 kg)
- Water supply connection at centre back or at the top

Concealed cistern for tool-free mounting and repair work

Collection  
Wall Carrier + Tank

Model |  
Geberit 111.728.00.1

Dimensions Metric  
*1 inch = 2.54 cm*  
*1 inch = 25.4 mm*

**WS**<sup>®</sup>  
**BATH**  
**COLLECTIONS**

1051 Lea Drive - Collegeville, PA 19426  
Tel. 215 513 9400 - Fax 610 831 0215  
[www.ws bathcollections.com](http://www.ws bathcollections.com) - [info@ws bathcollections.com](mailto:info@ws bathcollections.com)