



Assembly Instructions

C-Table with Concealed Drawer






Part List



- | | | |
|-----|----------------|-------|
| (A) | Table Top | 1 Pc. |
| (B) | Bottom | 1 Pc. |
| (C) | Outer Platform | 1 Pc. |
| (D) | Inner Platform | 1 Pc. |

Hardware






Diagram 1.

Step 1:

Attach Outer Platform (C) and Inner Platform (D) into the Bottom (B) by using screws (RF10020) as per diagram 1.




Diagram 2.

Step 2:

Tighten Connector Bolts (RF40084) into the Table Top (A) as per diagram 2.




Diagram 3.

Step 3:

Attach the Table Top (A) onto the unit by using Connectors (RF40083) as per diagram 3.




Diagram 4.

Step 4:

Cover the screw by Plastic Caps (RF44081) as per diagram 4.

WARNING. The hidden compartment is NOT a security safe. The inner contents in the hidden compartment are the sole responsibility of the user and are to be stored at the user's discretion. Regardless of loss, seizure, damage, or changes in condition to the inner contents of the hidden compartment, the manufacturer is not liable for the contents stored in the hidden compartment.

How to use the concealed drawer




Diagram 5.

The hidden compartment is built in, shipped with the locking bolt (if installed), and is disengaged and unlocked. In order to engage the hidden compartment lock, please remove the sticker which blocks the bolt (see the diagram 5.).



This sticker identifies the designated position. Place the magnetic key here to unlock the concealed drawer.

* Before removing the sticker, please note the designated position.




Diagram 6.

Unlock and Open: place the magnetic key onto the assigned position shown above to unlock and pull out the drawer as per diagram 6.




Diagram 7.

Close and Lock: close the drawer and remove the magnetic key from the assigned position to lock the drawer as per diagram 7.