


# **Ogrow Large Heavy Duty** Walk-In 2 Tier 8 Shelf **Portable Lawn and Garden Greenhouse**



Capacity 75 lbs per shelf

Manual Version #01

**USA** 

Ogrow Inc. 2 Mill St. Cornwall NY 12518

1.855.354.GROW (4769),

www.ogrow.com, support@ogrow.com

UK


15-19 Garman Road, London N17 OUR







PACK CONTENT					
Number	Picture	QTY.	Number	Picture	QTY.
A	B	4	2	(25 in.) ————	3
B		6	6	(10 in.) ———	20
C		2	7	(31 in.)	6
D		6	(11)	(17.5 in.)	32
E		26	16)	(35.5 in.)	30
F		1	X		8
G		2	Y		1
Anchors		4	Ropes		4



## ARRANGE PARTS INTO GROUPS AS LISTED IN YOUR PACK CONTENTS UNFOLD COVER AND PUT TO ONE SIDE

STEP 1

#### 4xD 8xE 8x16 2x2 6x6 12x11

Assemble the base with the above parts.

Once base is assembled build upwards using the parts listed in step 2.

STEP 2

#### 8x**E** 4x**B** 4x**6** 12x**11** 6x**6** 8x**16** 4x**X**

This forms the next level. Once completed build the next level with parts listed in step 3.

STEP 3

#### 8x**E** 2x**B** 4x**6** 8x**11** 2x**D** 6x**6** 8x**16** 4x**X**

This forms the next level. Once completed build the next level with parts listed in step 4.

STEP 4

#### 4x**A** 2x**C** 2x**E** 1x**2** 4x**16** 2x**6** 6x**7**

This forms the next level. Once completed build the next level with parts listed in step 5.


STEP 5

#### 2xG 1xF 2x16

This forms the final level. Once completed, place the cover (Y) over the frame and attach.

6

In order to have the frame connected you will need to assemble the frame by pushing downward while connecting two rods at a time, giving it an extra force (when frame is complete repeat from all angles, as picture shown). This will result in a tighter and smaller frame enabling the greenhouse cover to slide on easily.




## **Anchor kit Assembly Instructions**

### Step 1

Hammer the anchors into the soil, placing them on all four sides of the greenhouse.

## Step 2

Connect the top end of the rope into the strap on the top of the greenhouse for all 4 sides as image shown.



### Step 3

Take the other end of the rope and pass it through the bended side of anchor as shown in figure.
Repeat the step for all 4 sides.

